







B530S



Prodigy Plus® Modular Cube Ice Machine

The world's smartest cuber.

As the world's only self-monitoring cuber, the new Scotsman Prodigy Plus® cube ice machines make it easier than ever to maintain your equipment and save money. Whether it's the advanced ice level control or an optional feature board for quick diagnostics, this is ice-making re-imagined. And with intuitive technology like AutoAlert™ indicator lights, a reduced operational footprint and easy-access service from the front panel, Prodigy Plus® cubers are simply the smartest, most reliable way to create fresh-tasting ice — every time.

The Prodigy Plus® difference. • AutoAlert™ indicator lights for better visibility

- Operational footprint among the industry's smallest
- Industry-exclusive QR code instantly connects users to service information and
- · One-touch cleaning reduces labor costs and saves time
- Front-located air filter for more efficient operation
- Self-aligning front panel for easy access to key components
- Patented WaterSense purge control automatically reduces scale buildup
- Patented Harvest Assist efficiently moves cube ice to the bin
- Smart-Board™ advanced feature module available for additional diagnostic capabilities
- Optional Vari-Smart™ ice level control allows operators to customize ice levels
- Antimicrobial protection guards internal surfaces between cleanings
- A full range of water- and energy-saving features

24 Hour Volume Production

Air Cooled			Remote			Wa	Water Cooled		
70°F/21°C 50°F/10°C	Air Water	90°F/32°C 70°F/21°C	70°F/21°C 50°F/10°C	Air Water	90°F/32°C 70°F/21°C	70°F/21°C 50°F/10°C	Air Water	90°F/32°C 70°F/21°C	
640/291 lb/kg		474/215 lb/kg	614/279 lb/kg		540/245 lb/kg	633/288 lb/kg		573/260 lb/kg	



B842S

Modular Bin Options

Model	Dimensions	Ship Weight		
Number*	W" x D" x H"	Ib/kg		
B530P	30 x 34 x 44**	536/244	Poly	110/50
B530S	30 x 34 x 44**	536/244	Metallic	150/68
B842S	42 x 34 x 44**	778/353	Metallic	190/86

^{*} Contact Scotsman for bin top requirements. ** Add 6" Height for bin legs








- 3 years parts and labor on all components.
- 5 years parts and labor on the evaporator.
- 5 years parts on the compressor and condenser.
- Warranty valid in North, South & Central America for commercial installations.
- Contact factory for warranty in other regions.
- Residential Applications: 1 year parts and labor



- 101 Corporate Woods Parkway, Vernon Hills, IL 60061 •
- 1-800-SCOTSMAN Fax: 847-913-9844 www.scotsman-ice.com customer.relations@scotsman-ice.com •

C0630 - 600lb Cube Ice Machine

Prodigy Plus® Modular Cube Ice Machine



Water Usage Max. Fuse Size **Energy Consumption** Gallons/100 lb (liters/45.4 kg) or HACR Circuit Circuit Min. Circuit kWh/100 lb (45.4 kg) Model Number Condenser **Basic Electrical** Potable Condenser Energy Unit Volts/Hz/Phase Breaker (amps) Wires Ampacity 90°F(32°C)/70°F(21°C) 90°F(32°C)/70°F(21°C) Star® Cube Size: medium or small C0630MA-32 208-230/60/1 5.63 18.0/68.2 C0630MR-32 208-230/60/1 5.35 18.0/68.2 Remote 15 2 10.8 C0630MW-32 Water 208-230/60/1 15 2 9.8 4.10 18.0/68.2 160.0/606.7 C0630SA-32 208-230/60/1 15 11.0 5.63 18.0/68.2 C0630SR-32 Remote 208-230/60/1 15 10.8 5.35 18.0/68.2 C0630SW-32 Water 208-230/60/1 18.0/68.2 160.0/606.7



All Models

Dimensions (W x D x H):

Unit: 30" x 24" x 23"

(76.2 x 61.0 x 58.4 cm)

Shipping Carton: 33.5" x 27.5" x 28"

(85.1 x 69.9 x 71.1 cm)

Shipping Weight: BTUs per hour: 190 lb / 86 kg 12,700

Refrigerant: R-404A



Accessories

Model Number Description

 KVS
 Vari-Smart™ Ice Level Control - Program ice bin levels to match ice needs.

 KSBU
 Smart-Board™ Advanced Control - Use additional operational data for fast diagnosis.

 KSBU-N
 Smart-Board™ Advanced Control with Network - Network capable.

ERC311-32 Remote condenser for C0630xR, 208-230/60/1 - Consult remote condenser spec sheet for details BRTE10 10ft (3.0 m) line set, brazing required

BRTE25 25ft (7.6 m) line set, brazing required BRTE40 40ft (12.2 m) line set, brazing required BRTE75 75ft (22.9 m) line set, brazing required

BRTE75 75ft (22.9 m) line set, brazing required

KPAS Prodigy Advanced Sustainability Kit - Includes KVS and KSBU - N

KPPSA323 Prodigy Plus® Side Air Flow Kit for C0330, C0530 and C0630

Scotsman recommends all ice machines have water filtration. See Scotsman water filter specification sheet for details.



Operating Requirements

	Minimum	Maximum	
Air Temperatures	50°F (10°C)	100°F (38°C)	
Water Temperatures	40°F (4.4°C)	100°F (38°C)	
Remote Cond. Temps	-20°F (-29°C)	120°F (49°C)	
Water Pressures	20 PSIG (1.4 bar)	80 PSIG (5.5 bar)	
Electrical Voltage	-5%	+10%	

Specifications and design are subject to change without notice

© 2021 Scotsman Ice Systems.





^{• 101} Corporate Woods Parkway, Vernon Hills, IL 60061

^{• 1-800-}SCOTSMAN Fax: 847-913-9844

[•] www.scotsman-ice.com customer.relations@scotsman-ice.com