




Scotsman®

COMMERCIAL PRODUCTS

LIST PRICE SCHEDULE *Effective February 1, 2021*

The List Price Schedule is intended only as a guideline to pricing. It does not restrict the price a distributor or dealer may establish.

Our global-leading ice products and services are very local. To see how easy it is to bring them to your location, call 1-800-SCOTSMAN (726-8762) or visit www.scotsman-ice.com.



Scan to learn more



TABLE OF CONTENTS

Introduction	3-7
WHY SCOTSMAN	3
RECOGNITION / CERTIFICATION	3
SALES & MARKETING TOOLS	4-5
MODEL IDENTIFICATION	5
ICE FORMS	6
FACTS & FIGURES; MACHINE SIZING GUIDELINES	7
Modular Big Cube Ice Machine	8
MODULAR BIG CUBE FEATURES & BENEFITS	8
MODULAR BIG CUBE UNIT & ACCESSORY	8
Modular Cube Ice Machines	9-14
MODULAR CUBE FEATURES & BENEFITS	9
MODULAR CUBE UNITS	10-11
MODULAR CUBE KITS & ACCESSORIES	12
MODULAR CUBE / REMOTE CONDENSER PACKAGES	13-14
UNDERCOUNTER GOURMET CUBE UNITS	14
Undercounter Cube Ice Machines	15-16
UNDERCOUNTER CUBE FEATURES & BENEFITS	15
UNDERCOUNTER CUBE UNITS & ACCESSORIES	16
Modular Flake Ice Machines	17-18
MODULAR FLAKE FEATURES & BENEFITS	17
MODULAR FLAKE UNITS	18
Modular Nugget Ice Machines	19-22
MODULAR NUGGET FEATURES & BENEFITS	19
MODULAR NUGGET UNITS	20
REMOTE LOW SIDE NUGGET / FLAKE UNITS	21
NUGGET / FLAKE KITS & ACCESSORIES	22
Undercounter Nugget & Flake Ice Machines	23-24
UNDERCOUNTER NUGGET / FLAKE FEATURES & BENEFITS	23
UNDERCOUNTER NUGGET / FLAKE UNITS & ACCESSORIES	24
Ice & Water Dispensers	25-28
ICE & WATER DISPENSER FEATURES & BENEFITS	25
ICE & WATER DISPENSERS	26
DISPENSER STANDS	26
HOTEL / MOTEL DISPENSERS & ACCESSORIES	27
ICE ONLY COUNTER TOP DISPENSERS	27
ICE ONLY DISPENSER KITS & ACCESSORIES	28
Bins & Sanitation	28-35
STORAGE BINS	28
ICE EXPRESS SYSTEM	29
BIN ACCESSORIES	29
BIN TOP KITS / ACCESSORY KITS	30
SANITATION & WATER FILTRATION	31-32
ICE MACHINE TO DISPENSER KIT CHART	33
MACHINE / BIN SIZING CHART	34-35
Energy Quick Facts	36
Index	37-39
2 Warranty & Definitions	40

WHY SCOTSMAN?



Scotsman - Above and Beyond Great Ice Machines

Scotsman is more than just great ice machines. We back up quality products with The Ultimate Ice Experience. This starts with our world-class manufacturing facility in South Carolina, to our high quality and reliable products, and extends to our dedicated support network. From beginning to end, Scotsman's channel partners and customers get the products, service and support they deserve.



Award Winning Manufacturing & Products

When equipment is functioning smoothly, operators have more time and energy to spend on serving customers. That's why Scotsman offers an impressive array of technology that keeps operators informed – well before issues arise.



Designed, Engineered & Assembled In The USA

At Scotsman, our quality story begins inside our award-winning production facility in South Carolina. And with 99% of our equipment U.S.-based, we're proud to keep things close to home.



24/7 Technical Support

Our Technical Service department has a 24 hour emergency line so there is always a Scotsman representative available to help when you need it. We also have an area on our website specifically dedicated to technical information.



Certified Product Performance

So you don't have to just take our word for it, AHRI provides Scotsman with certifications for almost every single one of our ice machines and bins. Scotsman is ISO 9001:2015 certified with 100% of our units being quality checked before leaving the plant.



Focus on Energy & Savings

Offering several ENERGY STAR® certified models, Scotsman ice machines incorporate a superior design that reduces energy and water consumption, making a difference for the environment and the bottom line. Look for the ✓ symbol throughout the price book to find our qualified products.



Innovative Sales Tools & Trainings

Scotsman has created several tools to help our partners and customers learn more about our brand and products. These tools include the Resource Center, Sales App, Ice Machine Sizing and Selector Tool, Comparison Tool and more.



Sales & Marketing Tools



iPad App

What is it?

An Apple Enterprise iPad App with true on-the-go access to presentations, images and videos, marketing literature and interactive tools

How do I access it?

- Type the below link into your web browser
<http://salesapp.scotsman-ice.com/ipad-app/>
- Scan the QR code for instant access
- Visit the Sales App Microsite and click the "Download iPad App" button in the top left corner

Functionality

- Only available for Apple iPads
- Formatted for offline use as a true, on-the-go resource



Scan to access



Microsite

What is it?

A web-based microsite with access to presentations, images and videos, marketing literature and interactive tools

How do I access it?

- Type the below link into your web browser
<http://salesapp.scotsman-ice.com>
- Scan the QR code for instant access
- Visit the Scotsman website homepage. Click "Resource Center" from the top tool-bar. Then scroll to the Sales Tools section and click "Sales App"

Functionality

- Available on all devices - Computers, tablets & cell phones
- Requires internet connection



Scan to access



Resource Center

What is it?

The Scotsman Resource Center replaces our Library web page and is the ultimate destination for getting Scotsman marketing tools and information.

How do I access it?

- Type the below link into your web browser
<http://portal.scotsman-ice.com>
- Scan the QR code for instant access
- From our website home page, click the Resource Center tab

Functionality

- Available on all devices - Computers, tablets & cell phones
- Requires internet connection



Scan to access



Comparison Tool

What is it?

This tool can be used to find the closest machine for a complete comparison of specifications and operating costs.

How do I access it?

- Type the below link into your web browser
<https://portal.scotsman-ice.com/ComparisonTool/>
- Scan the QR code for instant access
- From our Resource Center, visit the Sales Tools section, and click on Comparison Tool link

Functionality

- Available on all devices - Computers, tablets & cell phones
- Requires internet connection



Scan to access



Ice Machine Sizing & Selector Tool

What is it?

This tool can be used to find the right machine for your operation. Calculate estimated ice usage and sort ice machine models by categories including: application, ice form, machine width and unit placement.

How do I access it?

- Type the below link into your web browser
<https://portal.scotsman-ice.com/SelectorTool/>
- Scan the QR code for instant access
- From our Resource Center, visit the Sales Tools section, and click on Ice Machine Sizing & Selector Tool link

Functionality

- Available on all devices - Computers, tablets & cell phones
- Requires internet connection



Scan to access



Ice Machine Model Identification

C0530SA-1E

C	05	30	S	A	-1	E
model type	capacity 100s of lb	cabinet width (in.)	cube size	condenser type	base electrical volts/hz/phase	series code
BC = Big Cube (Modular) C = Cube (Modular) CU / UC = Undercounter Cube EH = Remote Low-Side Cube (Modular) FS = Flake (Modular) UF = Undercounter Flake NH = Hard Nugget (Modular) NS = Soft Nugget (Modular) UN = Undercounter Nugget HD = Hotel Dispenser HID = Ice & Water Dispenser ID = Ice Only Dispenser			S = Small M = Medium	A = Air cooled W = Water cooled R = Remote L = Remote low side	-1 = 115/60/1 -32 = 208-230/60/1 -3 = 208-230/60/3 -6 = 220-240/50/1	

Date Code: Scotsman's production date code is located in the serial number.

2 digit year, 2 digit month, mfg site ID, six numbers

Example: 09061320998877

0906 = Manufactured June, 2009



An Ice Form to Meet Every Need



SMALL & MEDIUM CUBE ICE

Our familiar crystal-clear diced ice cube form, available in both small and medium sizes to fit your needs.

APPLICATIONS: Mixed Drinks
Carbonated Beverages
Ice Dispensing
Banquet Services

SIZE: Small: 7/8" x 7/8" x 3/8"
Medium: 7/8" x 7/8" x 7/8"



BIG CUBE ICE

Scotsman's largest cube form. Big Cubes are slow-melting and cool drinks without diluting them.

APPLICATIONS: Cocktail Bars
Nightclubs
Fine Restaurants
Resorts

SIZE: 1 1/4" x 1 1/4" x 1 1/4"



GOURMET ICE

The perfect unique shape for upscale bars and restaurants.

APPLICATIONS: Bar Use
Waitress Stations
Office Suites
Break Rooms

SIZE: 1" x 1 1/8" x 1 1/4"



FLAKE ICE

These small pieces of ice combine fast cooling power with very low production costs.

APPLICATIONS: Blended Cocktails
Salad Bars
Meat & Seafood
Displays Banquet
Services

SIZE: Compressed Flake Ice



ORIGINAL CHEWABLE NUGGET ICE®

The smallest, softest and most chewable, our proprietary nugget ice is The Original Chewable Ice® - a customer favorite for decades.

APPLICATIONS: Carbonated Beverages
Food Displays
Therapeutic Applications

SIZE: 7/16" x 5/16" x 3/8"



H² NUGGET ICE

Slightly harder, nugget ice form that combines more reliable dispensing with the chewable ice that customers love.

APPLICATIONS: Carbonated Beverages
Food Displays
Improved Ice Dispensing
Therapeutic Applications

SIZE: 3/4" x 5/16" x 3/8"





Guidelines to Sizing Ice Systems

Every operation is different and requires special considerations in sizing equipment. For new locations, use the guidelines below. You may want to add 10-20% for growth or add for unusual types of usage, e.g., icing down drink barrels, bagging ice for resale. For a replacement unit, be sure to ask if the existing unit met the operator's needs. If not, add the amount of ice being purchased to the capacity of the existing unit to determine necessary production for the new unit.

Foodservice

Restaurants:

1.7 lb (0.8 kg) per customer or 5.0 lb (2.3 kg) per seat.

Cocktail Lounge:

3 lb (1.4 kg) per customer.

Salad Bar:

Add 35 lb (15.9 kg) per cubic foot of display. Multiply by 2 or 3 depending on estimated refills required.

Fast Food:

0.9 lb (0.4 kg) per customer or 7.4 lb per seat. Use 2 oz per 8-10 oz drink; 4 oz per 12-16 oz drink.

Convenience Stores/Customer Self-Service

4 oz per 12 oz drink; 7 oz per 20 oz drink; 10 oz per 32 oz drink. Cold plate-add 50% more.

Healthcare:

8 lb (3.6 kg) per patient bed. Use 3 lb (1.4 kg) per employee.

Lodging:

3 lb (1.4 kg) per guest room. Plan on substantially more if guests are allowed to fill ice chests.



Scotsman Facts and Figures


One million +
NUMBER OF
SCOTSMAN ICE
MACHINES INSTALLED
WORLDWIDE

12,500
TONS OF SCOTSMAN FLAKE AND NUGGET
ICE PRODUCED DAILY WORLDWIDE

6 Billion
SCOTSMAN
ICE CUBES
PRODUCED
DAILY
WORLDWIDE

2,500
Famous Brand Restaurant Installs

4,800
SERVICE DISPATCHES
INCLUDING PM,
SERVICE AND
EMERGENCY
SERVICE



85 Thousand
INBOUND TECHNICAL
SERVICE CALLS HANDLED
BY THE TEAM

BIG CUBE MODULAR ICE MACHINE



Introducing Scotsman's largest cube yet, the Big Cube. Sizing in at 1 ¼" x 1 ¼" x 1 ¼", Big Cubes are slow-melting and cool drinks without diluting them.



Features & Benefits


Perfectly square, individual Big Cubes

Produces **108 cubes every harvest cycle** - approximately every 30 mins

Horizontal evaporator **minimizes impurities** resulting in **clearer cubes** and **reduced scale buildup** between cleanings

Unit specific QR code for **quick access** to service manuals, cleaning guides and warranty history

Heavy duty stainless steel exterior panels for **maximum durability** and **lifespan**

Unit Dimensions (W x D x H)	Model Number	Condenser Type	70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg	Shipping Weight lb/kg	List Price Volts/Hz/Phase 115/60/1 -1
 30.7" x 25.8" x 33.7" 77.9 x 65.5 x 85.6 cm	BC0530A	Air	428/194		383/174	235/107	\$10,100

Accessory Model Number	Description	Shipping Weight lb/kg	List Price
KBCSTK30	Stacking kit - Up to 3 units high	10/4	\$433



PRODIGY PLUS® MODULAR CUBE ICE MACHINES



As the world's only self-monitoring cuber, the new Scotsman Prodigy Plus® cube ice machines make it easier than ever to maintain your equipment and save money.

Features & Benefits

Front-located air filter for more efficient operation

Self-aligning front panel for easy access to key components

Patented **WaterSense** purge control allows operators to save water and energy

Smart-Board™ advanced feature module available for additional diagnostic capabilities

Operational footprint among the industry's smallest

Optional **Vari-Smart™** ice level control allows operators to customize ice levels

Antimicrobial protection guards internal surfaces between cleanings



One-touch cleaning reduces labor costs and saves time



AutoAlert™ indicator lights for better visibility



Scan for an example

Industry-exclusive **QR code** instantly connects users to service information



Scotsman®

**PRODIGY
PLUS**



DESIGNED
ENGINEERED
ASSEMBLED
IN THE
USA


Prodigy Plus® Modular Cubers Utilizing AquaArmor™ with AgION®


*Refer to page 28 & 30 for required bins & bin top kits.



PRODIGY
PLUS

Unit Dimensions (W x D x H)	Cube Size	Model Number	Condenser Type	24 hr Ice Production			Shipping Weight lb/kg	List Price Volts/Hz/Phase		
				70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg		115/60/1 -1	208-230/60/1 -32	230/50/1 -6
 22" x 24" x 23" 55.9 x 61.0 x 58.4 cm	Med. Sm.	C0322								
		C0322MA	Air	356/162		232/105	155/70	\$6,443	\$6,568	\$6,618 ●
		C0322MW	Water	366/166		292/133	155/70	\$6,593		
		C0322SA	Air	356/162		232/105	155/70	\$6,443		\$6,618 ●
		C0322SW	Water	366/166		292/133	155/70	\$6,593	\$6,718	
	Med. Sm.	C0522								
		C0522MA	Air	475/216		340/154	160/73	\$6,770	\$6,895	\$6,945 ●
		C0522MW	Water	480/218		409/186	160/73	\$6,920		
		C0522SA	Air	475/216		340/154	160/73	\$6,770	\$6,895	\$6,945 ●
		C0522SW	Water	480/218		409/186	160/73	\$6,920	\$7,045	
 22" x 24" x 29" 55.9 x 61.0 x 73.7 cm	Med. Sm.	C0722								
		C0722MA	Air	758/345		566/257	189/86		\$8,103	\$8,278 ●
		C0722SA	Air	758/345		566/257	189/86		\$8,103	\$8,278 ●


Unit Dimensions (W x D x H)	Cube Size	Model Number	Condenser Type	24 hr Ice Production			Shipping Weight lb/kg	List Price Volts/Hz/Phase		
				70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg		115/60/1 -1	208-230/60/1 -32	230/50/1 -6
 30" x 24" x 23" 76.2 x 61.0 x 58.4 cm	Med. Sm.	C0330								
		C0330MA	Air	400/182		288/131	155/70	\$6,046	\$6,171	
		C0330MW	Water	420/191		326/148	155/70	\$6,196		
		C0330SA	Air	400/182		288/131	155/70	\$6,046		
		C0330SW	Water	420/191		326/148	155/70	\$6,196		
	Med. Sm.	C0530								
		C0530MA	Air	525/238		380/172	175/80	\$6,717	\$6,842	\$6,892 ●
		C0530MR	Remote	500/227		400/181	175/80	\$6,617		
		C0530MW	Water	500/227		410/186	175/80	\$6,867		
		C0530SA	Air	525/238		380/172	175/80	\$6,717	\$6,842	\$6,892 ●
		C0530SR	Remote	500/227		400/181	175/80	\$6,617		
		C0530SW	Water	500/227		410/186	175/80	\$6,867		

Unit Dimensions (W x D x H)	Cube Size	Model Number	Condenser Type	24 hr Ice Production			Shipping Weight lb/kg	List Price Volts/Hz/Phase		
				70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg		208-230/60/1 -32	208-230/60/3 N/A	230/50/1 -6
 30" x 24" x 23" 76.2 x 61.0 x 58.4 cm	Med. Sm.	C0630								
		C0630MA	Air	640/291		474/215	190/86	\$8,234		\$8,409 ●
		C0630MR	Remote	614/279		540/245	190/86	\$8,134 ✓		
		C0630MW	Water	633/288		573/260	190/86	\$8,384		
		C0630SA	Air	640/291		474/215	190/86	\$8,234		\$8,409 ●
		C0630SR	Remote	614/279		540/245	190/86	\$8,134 ✓		
		C0630SW	Water	633/288		573/260	190/86	\$8,384		


✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins. Please call for pricing on other international configurations.

Prodigy Plus® Modular Cubers Utilizing AquaArmor™ with AgION®

Unit Dimensions (W x D x H)		Cube Size	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight	List Price Volts/Hz/Phase		
					70°F/21°C 50°F/10°C lb/kg	Air Water lb/kg		90°F/32°C 70°F/21°C lb/kg	208-230/60/1 -32	208-230/60/3 -3
 30" x 24" x 29" 76.2 x 61.0 x 73.7 cm	Med. Sm.	C0830		Air	905/411	718/326	220/100	\$10,343	\$10,568	\$10,618 ●
		C0830MR	Remote	870/395	780/355	220/100	\$10,243			
		C0830MW	Water	924/420	832/378	220/100	\$10,593			
		C0830SA	Air	905/411	718/326	220/100	\$10,343	\$10,568	\$10,618 ●	
		C0830SR	Remote	870/395	780/355	220/100	\$10,243			
		C0830SW	Water	924/420	832/378	220/100	\$10,593			
		C1030		Air	1077/490	816/371	235/107	\$11,811		\$12,086 ●
	Med. Sm.	C1030MR	Remote	996/453	869/395	235/107	\$11,711	\$11,936		
		C1030MW	Water	1029/468	929/422	235/107	\$12,061			
		C1030SA	Air	1077/490	816/371	235/107	\$11,811		\$12,086 ●	
		C1030SR	Remote	996/453	869/395	235/107	\$11,711	\$11,936	\$11,986 ●	
		C1030SW	Water	1029/468	929/422	235/107	\$12,061			

Unit Dimensions (W x D x H)	Cube Size	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight	List Price Volts/Hz/Phase			
				70°F/21°C 50°F/10°C lb/kg	Air Water lb/kg		90°F/32°C 70°F/21°C lb/kg	208-230/60/1 -32	208-230/60/3 -3	230/50/1 -6
 48" x 24" x 29" 121.9 x 61.0 x 73.7 cm	Med. Sm.	C1448								
		Med.	C1448MA	Air	1553/706	1296/589	345/157	\$13,555 ✓	\$13,780 ✓	\$13,830 ●
			C1448MR	Remote	1357/617	1258/572	345/157	\$13,455	\$13,680	
			C1448MW	Water	1444/656	1340/609	345/157	\$13,805	\$14,030	
		Sm.	C1448SA	Air	1553/706	1296/589	345/157	\$13,555 ✓	\$13,780 ✓	\$13,830 ●
			C1448SR	Remote	1357/617	1258/572	345/157	\$13,455	\$13,680	
			C1448SW	Water	1444/656	1340/609	345/157	\$13,805	\$14,030	
	Med. Sm.	C1848								
		Med.	C1848MA	Air	1909/868	1426/647	355/161	\$17,498		\$17,773 ●
			C1848MR	Remote	1828/831	1662/754	355/161	\$17,398	\$17,623	\$17,673 ●
			C1848MW	Water	1900/864	1668/757	355/161	\$17,748		
		Sm.	C1848SA	Air	1909/868	1426/647	355/161	\$17,498		\$17,773 ●
			C1848SR	Remote	1828/831	1662/754	355/161	\$17,398	\$17,623	\$17,673 ●
			C1848SW	Water	1900/864	1668/757	355/161	\$17,748		
	Med. Sm.	C2148								
		— C2148MR	Remote	1965/893	1746/794	370/168	\$21,302	\$21,527	\$21,577 ●	
		— C2148SR	Remote	1965/893	1746/794	370/168	\$21,302	\$21,527	\$21,577 ●	

Unit Dimensions (W x D x H)		Cube Size	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight	List Price Volts/Hz/Phase		
					70°F/21°C 50°F/10°C lb/kg	Air Water lb/kg		90°F/32°C 70°F/21°C lb/kg	208-230/60/1 N/A	208-230/60/3 -3
 48" x 28.5" x 34" 121.9 x 72.39 x 86.36 cm	Med. Sm.	C2648	Remote Remote	2630/1193 2630/1193	2131/967 2131/967	430/195 430/195		\$22,584 \$22,584		
		C2648MR								
		C2648SR								

Modular Cuber Kits and Accessories


Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price Volts/Hz/Phase		
				115/60/1 -1	208-230/60/1 -32	230/50/1 -6
29.5" x 29.13" x 38.47" 74.9 x 74.0 x 97.7 cm	ERC111	Remote condenser for C0530xR	95/43	\$2,129		
29.5" x 29.13" x 38.47" 74.9 x 74.0 x 97.7 cm	ERC311	Remote condenser for C0630xR, C0830xR, C1030xR, or C1448xR	130/59		\$2,247	\$2,422
29.5" x 37.8" x 38.47" 74.9 x 96.0 x 97.7 cm	ERC611	Remote condenser for C1848xR or C2148xR	140/84		\$3,219	
28.5" x 39" x 34.63" 72.4 x 99.1 x 87.9 cm	PRC241	Remote condenser for C2648xR	135/61		\$3,746	

Model Number	Description	Shipping Weight lb/kg	List Price
Miscellaneous			
KERCF	Air filter for ERC111 or ERC311	5/2	\$169
RCKCME6GX-E	Remote condensing kit for connecting E revision Prodigy® models to non-Scotsman remote condenser coils, Quick connects not included	25/11	\$619
KTPS-SM	Tamper Proof Screw Kit (incl. Tool) to convert 22" (55.9 cm), 30" (76.2 cm) or 48" (121.9 cm) cuber	5/2	\$213
Line Sets			
BRTE10	Line set, 10 ft, brazing required	7/3	\$350
BRTE25	Line set, 25 ft, brazing required	12/6	\$522
BRTE40	Line set, 40 ft, brazing required	17/8	\$591
BRTE75	Line set, 75 ft, brazing required	35/16	\$902
KTE4	Tube end kit - contains 4 quick connect fittings for any RTE Line Set	5/2	\$233
BRTEL25	Line set, 25 ft (7.6m), use with C2648 remote cooled units, brazing required	16/7	\$436
BRTEL40	Line set, 40 ft (12.2m), use with C2648 remote cooled units, brazing required	22/10	\$655
BRTEL75	Line set, 75 ft (22.9m), use with C2648 remote cooled units, brazing required	40/18	\$976
KTEL4	Tube end kit - contains 4 quick connect fittings for any RTEL Line Set	5/2	\$255
Prodigy® and Prodigy Plus® Modular Cuber Accessories			
KPAS	Kit - Prodigy Advanced Sustainability. Includes KSBUS-N and KVS	10/4	\$1,207
KSBUS	Kit - Prodigy Smart-Board™ - Use additional operational data for fast diagnosis	5/2	\$833
KSBUS-N	Kit - Prodigy Smart-Board™ - Network connection	5/2	\$1,080
KVS	Kit - Prodigy Vari-Smart™ Ice Level Control - Adjust ice levels to match ice needs	5/2	\$371
Air Flow Kits			
KPPSA223	Kit - Prodigy Plus® Side Air Flow for C0322, C0522, N0422, F0522, N0622, F0822	11/5	\$283
KPPSA229	Kit - Prodigy Plus® Side Air Flow for C0722	13/6	\$387
KPPSA323	Kit - Prodigy Plus® Side Air Flow for C0330, C0530, C0630	13/6	\$323
KPPSA329	Kit - Prodigy Plus® Side Air Flow for C0830, C1030	15/7	\$412

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins. Please call for pricing on other international configurations.

Prodigy Plus® Eclipse® Ice Machines



MODULAR REMOTE

EH222SL



22" x 16.5" x 29"
55.9 x 41.9 x 73.7 cm

EH330SL



30" x 24" x 23"
76.2 x 61.0 x 58.4 cm

EH430SL / ML




30" x 24" x 29"
76.2 x 61.0 x 73.7 cm


Cube Size	Model Number	Use With Condensing Unit	24 hr Ice Production		Shipping Weight lb/kg	List Price	
			70°F/21°C 50°F/10°C lb/kg	Air Water 90°F/32°C 70°F/21°C lb/kg		115/60/1 -1	230/50/1 -6
Sm.	Ice Maker						
	EH222SL	ECC0800 ECC1410	850/386 1030/468	700/318 827/375	319/145 332/151	\$6,691 \$6,691	\$6,891 ●
Sm.	Ice Maker	ECC1200	1411/641	1103/500	310/141	\$7,299	
Sm. / Med.	Ice Maker						
	EH430SL / ML	ECC1410 ECC1800	1425/648 1775/807	1200/545 1600/727	332/151 350/159	\$7,614 \$7,614	

ECC Features

- Energy efficient components save money on utility costs.
- Better corrosion resistance increases life of unit.
- One piece design makes installation and service easier.
- Maximizes air conditioning load.
- Allows for quiet operation in dining and working environments.
- Able to operate in wide outdoor temperature range from -20° F to 120° F.



Prodigy Plus® Eclipse® Complete Package



+



=


Eclipse®
SYSTEM*

Approx. Ice Production (lb.)	Ice Maker Small Cube	Ice Maker List Price	Condensing Unit	Condensing List Price	System List Price
800	EH222SL	\$6,691	ECC0800	\$8,128	\$14,819
1000	EH222SL	\$6,691	ECC1410	\$9,553	\$16,244
1400	EH330SL	\$7,299	ECC1200	\$9,594	\$16,893
1400	EH430SL / ML	\$7,614	ECC1410	\$9,553	\$17,167
1800	EH430SL / ML	\$7,614	ECC1800	\$14,049	\$21,663

*Line sets and bin top kits must be purchased with Eclipse® System for proper operation of equipment.

✓ = Energy Star certified. ● = CE Approved.
Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins.
Please call for pricing on other international configurations.

Prodigy Plus® Eclipse® Condensing Unit



Unit Dimensions (W x D x H)		Model Number	Description	Shipping Weight lb/kg	List Price Volts/Hz/Phase		
					208-230/60/1 -32	208-230/60/3 -3	230/50/1 -6
 27" x 32.06" x 39.75" 68.58 x 81.4 x 100.9 cm	Remote Condensers						
	ECC0800	Remote condensing unit Eclipse 800 lb/364 kg systems	319/145		\$8,128	\$8,328	
	ECC1200	Remote condensing unit Eclipse 1400 lb/636 kg systems	310/141	\$9,594			
	ECC1410	Remote condensing unit Eclipse 1000-1400 lb /455-636 kg systems	332/151	\$9,553	\$9,728		
	ECC1800	Remote condensing unit Eclipse 1800 lb/818 kg systems	350/159		\$14,049		

Prodigy Plus® Eclipse® Accessories

Model Number	Description	Shipping Weight lb/kg	List Price
Line Sets			
3BRTE20-EH	Line set, 20ft. Refrigerant and Brazing required.	21/10	\$385
3BRTE35-EH	Line set, 35ft. Refrigerant and Brazing required.	32/15	\$577
3BRTE50-EH	Line set, 50ft. Refrigerant and Brazing required.	53/24	\$837
3BRTE75-EH	Line set, 75ft. Refrigerant and Brazing required.	79/36	\$1,276
KTE6-EH	Kit, Tube End, 6 Fittings, 3RTExx-EH Line set	5/2	\$691

Undercounter Gourmet Cube Units



Unit Dimensions (W x D x H)	Model Number	Condenser Type	24 hr Ice Production		Storage Capacity lb/kg	Shipping Weight lb/kg	List Price Volts/Hz/Phase		
			70°F/21°C 50°F/10°C lb/kg	Air Water lb/kg			115/60/1 -1	208-230/60/1 N/A	230/50/1 N/A
 14.88" x 22" x 34.38" 37.8 x 55.9 x 87.3 cm	CU50								
	CU50GA	Air	64/29	44/20	26/12	100/45	\$4,789		
	CU50PA*	Air	64/29	44/20	26/12	105/48	\$5,514		
 15.19" x 23.63" x 34.13" 38.6 x 60 x 86.69 cm Height includes 5.25" (13.3cm) legs	CU0515								
	CU0515GA	Air	74/34	58/26	24/11	95/43	\$6,111		

Standard exterior finish: Stainless Steel.


*CU50PA-1A comes with a pump drain instead of a gravity drain.

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins.

Please call for pricing on other international configurations.

UNDERCOUNTER CUBE ICE MACHINES



You want ice, not issues. That's why Scotsman created the undercounter line of ice machines. Small in stature. Big on reliability and ease of use. Because at the end of the day, what you really want is a machine that works as hard as you do.

Features & Benefits


Slide back door allows easy access to ice in the bin

Front breathing vents allow for flexible placement

High-volume capacity in a small, compact footprint



Energy Efficient Design:
Environmentally friendly while saving operators money



Unique evaporator produces crystal clear cubes



With an optional floor mount kit, our 15" & 20" wide models can be installed under 34" ADA counter tops



Scotsman®



Undercounter Cube Ice Machines



UNDERCOUNTER CUBE

CU0415



15"W x 24"D x 38"H*
38.1 x 61.0 x 96.5 cm

CU0715



15"W x 24"D x 38"H*
38.1 x 61.0 x 96.5 cm

CU0920



20"W x 24"D x 38"H*
50.8 x 61.0 x 96.5 cm

UC2024



24"W x 29"D x 39"H*
61.0 x 73.5 x 99.1 cm

UC2724



24"W x 29"D x 39"H*
61.0 x 73.5 x 99.1 cm

CU3030



30"W x 30"D x 39"H*
76.2 x 76.2 x 99.1 cm

*Height includes 6" (15.2cm) legs

Cube Size	Model Number	Condenser Type	24 hr Ice Production			Storage Capacity	Shipping Weight	List Price		
			70°F/21°C	Air	90°F/32°C			Volts/Hz/Phase		
			50°F/10°C	Water	70°F/21°C			115/60/1	208-230/60/1	230/50/1
			lb/kg		lb/kg	lb/kg	lb/kg	-1	-32	-6
Med.	CU0415MA	Air	58/26		38/17	36/16	90/41	\$3,874		\$4,024
	CU0715MA	Air	80/36		58/26	36/16	96/44	\$4,265		\$4,415
	CU0920MA	Air	100/45		80/36	57/26	118/54	\$4,551		\$4,701
Med. Sm.	UC2024MA	Air	227/103		166/75	80/36	150/68	\$4,905	✓	
	UC2024MW	Water	230/104		176/80	80/36	150/68	\$5,055		
	UC2024SA	Air	227/103		166/75	80/36	150/68	\$4,905	✓	
	UC2024SW	Water	230/104		176/80	80/36	150/68	\$5,055		
Med. Sm.	UC2724MA	Air	282/128		202/92	80/36	175/79	\$5,570		\$5,720
	UC2724MW	Water	266/121		219/100	80/36	175/79	\$5,720		
	UC2724SA	Air	282/128		202/92	80/36	175/79	\$5,570		\$5,720
	UC2724SW	Water	266/121		219/100	80/36	175/79	\$5,720		
Med. Sm.	CU3030MA	Air	313/142		224/102	110/50	230/104	\$6,669	\$6,794	\$6,819
	CU3030SA	Air	313/142		224/102	110/50	230/104	\$6,669	\$6,794	\$6,819
	CU3030SW	Water	347/158		282/128	110/50	230/104	\$6,819		

Undercounter Ice Machine Accessories

Model Number	Description	Shipping Weight lb/kg	List Price
KLP8S	Kit, Leg 6", Stainless Steel	5/2	\$325
KBC1	Kit, Casters	8/4	\$450
KUFM15	For ADA applications. Floor mount kit for 15" wide units, lowers overall height to 31.9"	3/1	\$222
KUFM20	For ADA applications. Floor mount kit for 20" wide units, lowers overall height to 31.9"	3/1	\$222
KUFM24	Floor mount kit for 24" wide units. Lowers height to 33.5"	3/1	\$238
KPUF30	Kit - Prodigy® Undercounter Floor Mount for CU3030	3/1	\$272

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins. Please call for pricing on other international configurations.

PRODIGY PLUS® MODULAR FLAKE ICE MACHINES



Flake ice is perfect for presentation and preservation. It cools more quickly than other ice forms and is ideal for seafood and produce displays. Newly added sealed bearings eliminate the need to grease, while providing better reliability & lower service costs.



Features & Benefits

Small flake ice pieces combine **fast cooling** power with very **low production costs**

Smart-Board™ advanced **feature module** available for additional diagnostic capabilities

Self-aligning front panel for **easy access** to key components

Optional **Vari-Smart™** ice **level control** allows operators to customize ice levels

Easily visible **AutoAlert™** indicator lights & **QR code** for easy maintenance

NEW



More reliable than ever, **sealed, maintenance-free bearings** contribute to a longer machine life



Removable front air filter, built-in **antimicrobial protection** & **sealed refrigeration** system for easy cleaning & sanitary operation



Stainless steel evaporator & auger for maximum durability

Scotsman®

**PRODIGY
PLUS**

DESIGNED
ENGINEERED
ASSEMBLED
IN THE
USA

MODULAR FLAKE

Prodigy Plus® Modular Flake Ice Machines


*Refer to page 28 & 30 for required bins & bin top kits.





MODULAR FLAKE



Flake ice is a smart choice for everything from blended cocktails and salad bars to produce, seafood and meat displays. It is also a popular choice for therapeutic use in healthcare facilities.

Unit Dimensions (W x D x H)	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase		
			70°F/21°C 50°F/10°C lb/kg	Air Water		115/60/1 -1	208-230/60/1 -32	230/50/1 -6
 22" x 24" x 23" 55.9 x 61.0 x 58.4 cm	F0522	Air Water	450/205 530/240		173/78 173/78	\$8,251 \$8,501		
	FS0522A FS0522W							
	F0822	Air Remote Water	800/363 760/345 775/352		175/79 175/79 175/79	\$10,485 \$10,385 \$10,735	\$10,860	
	FS0822A FS0822R FS0822W							

Unit Dimensions (W x D x H)	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase		
			70°F/21°C 50°F/10°C lb/kg	Air Water		208-230/60/1 -32	208-230/60/3 -3	230/50/1 -6
 22" x 24" x 27" 55.9 x 61.0 x 68.6 cm	F1222	Air Remote Water	1100/500 1250/567 1240/562		220/100 220/100 220/100	\$13,287 ✓ \$13,187 \$13,537	\$13,512 ✓ \$13,412	\$13,562 ●
	FS1222A FS1222R FS1222W							
	F1522	Air Remote	1612/733 1507/684		224/102 224/102	\$17,414 \$17,314		
	FS1522A FS1522R							

Unit Dimensions (W x D x H)	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase		
			70°F/21°C 50°F/10°C lb/kg	Air Water		208-230/60/1 -32	208-230/60/3 -3	230/50/1 -6
 30" x 24" x 29" 76.2 x 61.0 x 73.7 cm	F2330	Remote Water	2218/1006 2387/1083		350/159 350/159	\$23,680 \$24,030	\$23,905 \$24,255	
	FS2330R FS2330W							

NEW - Available Spring 2021

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins. Please call for pricing on other international configurations.

PRODIGY PLUS® MODULAR NUGGET ICE MACHINES



Soft, cylindrical and slow-melting, our proprietary nugget ice is The Original Chewable Ice® - a customer favorite for decades. Also available in H² Nugget ice that provides more reliable dispensing.



Features & Benefits

NEW

Now available in softer **Original Chewable Nugget Ice** or harder, **H² Nugget Ice**

Smart-Board™ advanced feature module available for additional diagnostic capabilities

Self-aligning front panel for **easy access** to key components

Optional **Vari-Smart™** ice level control allows operators to customize ice levels

Easily visible **AutoAlert™** indicator lights & QR code for easy maintenance

NEW



More reliable than ever, **sealed, maintenance-free bearings** contribute to a longer machine life



Removable front air filter, built-in **antimicrobial protection** & **sealed refrigeration** system for easy cleaning & sanitary operation



Stainless steel evaporator & auger for maximum durability

MODULAR NUGGET

Scotsman®

PRODIGY PLUS





Prodigy Plus® Modular Nugget Ice Machines


*Refer to page 28 & 30 for required bins & bin top kits.



MODULAR NUGGET

Unit Dimensions (W x D x H)	Nugget Type	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price		
				70°F/21°C 50°F/10°C lb/kg	Air Water lb/kg		90°F/32°C 70°F/21°C lb/kg	Volts/Hz/Phase	
 22" x 24" x 23" 55.9 x 61.0 x 58.4 cm		N0422					115/60/1 -1	208-230/60/1 -32	230/50/1 -6
	Hard	NH0422A	Air	456/207	327/149	172/78	\$8,342		
		NH0422W	Water	441/200	370/168	172/78	\$8,592		
		NS0422A	Air	420/191	320/145	172/78	\$8,342		
		NS0422W	Water	455/206	386/175	172/78	\$8,592		
		N0622							
	Hard	NH0622A	Air	644/292	466/212	180/82	\$11,036	\$11,161	
		NH0622R	Remote	631/286	494/225	180/82	\$10,936		
		NH0622W	Water	640/290	505/230	180/82	\$11,286		
		NS0622A	Air	643/292	530/241	180/82	\$11,036	\$11,161	\$11,211
		NS0622R	Remote	660/299	515/234	180/82	\$10,936		
		NS0622W	Water	715/324	515/234	180/82	\$11,286		

Unit Dimensions (W x D x H)		Nugget Type	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase			
					70°F/21°C 50°F/10°C lb/kg	Air Water		90°F/32°C 70°F/21°C lb/kg	115/60/1 -1	208-230/60/1 -3	208-230/60/1 -32
 22" x 24" x 27" 55.9 x 61.0 x 68.6 cm			N0922	Air Remote Water Air Remote Water	952/432 896/406 908/412 956/434 1044/474 1094/496	676/307 717/326 740/336 740/336 754/343 817/371	210/95 210/95 210/95 210/95 210/95 210/95				
	Hard	NH0922A	\$13,720 ✓					\$13,845 ✓	\$14,120		
		NH0922R	\$13,620					\$13,745			
		NH0922W						\$14,095			
	Soft	NS0922A	\$13,720 ✓					\$13,845 ✓			
		NS0922R	\$13,620					\$13,745			
		NS0922W	\$14,320					\$14,095			
			N1322					Air Remote Water Air Remote Water	1186/537 1191/540 1242/563 1385/628 1360/617 1513/686	866/394 1000/455 1033/470 954/434 1077/490 1115/507	225/102 225/102 225/102 225/102 225/102 225/102
	Hard	NH1322A		\$17,624	\$18,099						
		NH1322R		\$17,524							
		NH1322W		\$17,874							
	Soft	NS1322A		\$17,624							
		NS1322R		\$17,524							
		NS1322W		\$17,874							

Unit Dimensions (W x D x H)	Nugget Type	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase		
				70°F/21°C 50°F/10°C lb/kg	Air Water lb/kg		90°F/32°C 70°F/21°C lb/kg	208-230/60/1 -32	208-230/60/3 -3
 30" x 24" x 29" 76.2 x 61.0 x 73.7 cm	N2030		Remote Water	1839/834	1590/721	350/159	\$23,680	\$23,905	
	Hard	NH2030R NH2030W		1943/881	1636/742	350/159	\$24,030	\$24,255	
	Soft	NS2030R NS2030W	Remote Water	2008/911	1620/735	350/159	\$23,680	\$23,905	
				2121/962	1762/799	350/159	\$24,030	\$24,255	

NEW - Available Spring 2021

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins. Please call for pricing on other international configurations.

Prodigy Plus® Remote Low Side Nugget & Flake Complete Packages



Unit Dimensions (W x D x H)	Model Number	Ice Form	24 hr Ice Production			Shipping Weight lb/kg	List Price Volts/Hz/Phase	
			70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg		115/60/1 -1	208-230/60/1 N/A
 22" x 24" x 27" 55.9 x 61.0 x 68.6 cm	FS1222L	Flake	1180/535		1000/454	217/98	\$11,083	
	FS1522L	Flake	1445/655		1205/547	224/102	\$14,136	


Unit Dimensions (W x D x H)	Model Number	Ice Form	24 hr Ice Production			Shipping Weight lb/kg	List Price Volts/Hz/Phase	
			70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg		115/60/1 N/A	208-230/60/1 -32
 30" x 24" x 29" 76.2 x 61.0 x 73.7 cm	FS2330L	Flake	2275/1032		1900/862	233/106		\$20,100

NEW - Available Spring 2021

Unit Dimensions (W x D x H)	Nugget Type	Model Number	Ice Form	24 hr Ice Production			Shipping Weight lb/kg	List Price Volts/Hz/Phase	
				70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg		115/60/1 -1	208-230/60/1 N/A
 22" x 24" x 27" 55.9 x 61.0 x 68.6 cm	Hard	NH0922L	Nugget	889/403		766/347	217/98	\$11,563	
		NH1322L	Nugget	1191/540		1018/462	225/102	\$14,375	
		NS0922L	Nugget	1090/494		915/415	217/98	\$11,563	
		NS1322L	Nugget	1330/603		1100/499	225/102	\$14,375	

Modular and Remote Low Side Nugget & Flake Ice Machines



Unit Dimensions (W x D x H)	Model Number	Condenser Type	24 hr Ice Production			Shipping Weight lb/kg	List Price Volts/Hz/Phase	
			70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg		208-230/60/1 -32	230/50/1 N/A
 42" x 24" x 27" 106.7 x 61.0 x 68.6 cm	Flaker	Air Remote Low Side	2455/1114 2365/1072	1792/813 2000/907	395/179 255/115	\$25,145 \$21,135		
	FME2404AS FME2404RLS							
	Nugget	Remote	2185/991	1631/740	425/193	\$26,117		
	NME1854RS							



✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins. Please call for pricing on other international configurations.

Remote Low Side Nugget & Flake Accessories

Model Number	Description	Shipping Weight lb/kg	List Price
Line Sets			
NRTE45	45 ft. (13.7 m) non-precharged line set for remote low side flaker and nugget ice machines.	17/8	\$674

Nugget & Flake Ice Machine Kits and Accessories

MODULAR NUGGET & FLAKE ACCS.

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price Volts/Hz/Phase
				115/60/1 -1
				208-230/60/1 -32
				230/50/1 -6
	Remote Condensers			
29.5" x 29.13" x 38.47" 74.9 x 74.0 x 97.7 cm	ERC111	Remote condenser for F0822R, N0622R or N0922R-1	95/43	\$2,129
29.5" x 29.13" x 38.47" 74.9 x 74.0 x 97.7 cm	ERC311	Remote condenser for F1222R, F1522R, N0922R-32 or N1322R	130/59	\$2,247
29.5" x 37.8" x 38.47" 74.9 x 96.0 x 97.7 cm	ERC611	Remote condenser for F2330R and N2030R	140/84	\$3,219
28.5" x 39" x 34.63" 72.4 x 99.1 x 87.9 cm	PR2C240	Remote condenser for 2-F1222R, 2-N0922R or 1-NME1854R	135/61	\$3,401

Note: PR2C40-32A requires two line sets per ice machine when used with NME1854R; PR2C240-32A requires two KPFBM kits when used with 2-F1222R or N0922R units.

Model Number	Description	Shipping Weight lb/kg	List Price
Line Sets			
BRTE10	Line set, 10 ft, brazing required	7/3	\$350
BRTE25	Line set, 25 ft, brazing required	12/5	\$522
BRTE40	Line set, 40 ft, brazing required	17/7	\$591
BRTE75	Line set, 75 ft, brazing required	35/15	\$902
KTE4	Tube end kit - Contains 4 quick connect fittings for any RTE Line Set	5/2	\$233
Miscellaneous			
KERCF	Air filter for ERC111 or ERC311	5/2	\$169
KPFBM-E	Headmaster Kit for use with ERC101, ERC151, ERC201, ERC302 or PR2C240; Quick connect not included	10/5	\$357
KCMR-230	Fan relay kit for two 230V units connected to PR2C240 condenser	5/2	\$277
Prodigy Modular Flaker & Nugget Accs.			
KPAS	Kit-Prodigy Advanced Sustainability. Includes KSBUN and KVS	10/4	\$1,207
KSBUN	Kit-Prodigy Smart-Board™ - Use additional operational data for fast diagnosis	5/2	\$833
KSBUN	Kit-Prodigy Smart-Board™ - Network connection	5/2	\$1,080
KVS	Kit-Prodigy Vari-Smart™ Ice Level Control - Adjust ice levels to match ice needs	5/2	\$371

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins. Please call for pricing on other international configurations.

UNDERCOUNTER NUGGET & FLAKE ICE MACHINES



Get the nugget and flake ice your customers love anywhere you need it with Scotsman's undercounter ice machines. With a proven freezer design and sealed bearings, you'll have the reliable machine your facility requires – with a more compact design.

BIG
OPPORTUNITY
SMALL UNIT

Features & Benefits

Slide back door allows easy access to ice in the bin

Front breathing vents allow for flexible placement

High-volume capacity in a small, compact footprint



Energy Star Certified*:
Environmentally friendly while saving operators money



Sealed, maintenance-free bearings ensure **maximum reliability** & contribute to a long machine lifetime




With an optional floor mount kit, our 15" & 20" wide models can be installed under **34" ADA counter tops**



Scotsman®

*Select models only.



UNDERCOUNTER NUGGET & FLAKE

Undercounter Nugget and Flake Ice Machines



UN0815



15"W x 24"D x 38"H*
38.1 x 61.0 x 96.5 cm

UN1215



15"W x 24"D x 38"H*
38.1 x 61.0 x 96.5 cm

UN1520



20"W x 24"D x 38"H*
50.8 x 61.0 x 96.5 cm

UN324



24"W x 28.5"D x 39"H*
61.0 x 72.4 x 99.1 cm

UF0915



15"W x 24"D x 38"H*
38.1 x 61.0 x 96.5 cm

UF1415



15"W x 24"D x 38"H*
38.1 x 61.0 x 96.5 cm

UF2020



20"W x 24"D x 38"H*
50.8 x 61.0 x 96.5 cm

UF424



24"W x 28.5"D x 39"H*
61.0 x 72.4 x 99.1 cm

*Height includes 6" (15.2cm) legs

UNDERCOUNTER NUGGET & FLAKE

Model Number	Condenser Type	24 hr Ice Production			Storage Capacity	Shipping Weight	List Price	
		70°F/21°C	Air	90°F/32°C			Volts/Hz/Phase	
		50°F/10°C	Water	70°F/21°C			115/60/1	230/50/1
		lb/kg		lb/kg	lb/kg	lb/kg	-1	-6
Nugget Units								
UN0815A	Air	79/36		55/25	36/16	108/49	\$6,117	✔✔✔ \$9,477
UN1215A	Air	119/54		84/38	36/16	109/49	\$6,852	
UN1520A	Air	167/76		125/57	57/26	129/59	\$7,674	
UN324A	Air	340/154		266/121	80/36	210/95	\$9,352	
UN324W	Water	340/154		281/127	80/36	210/95	\$9,602	
Flake Units								
UF0915	Air	96/44		76/35	36/16	108/49	\$6,056	✔✔✔ \$9,293
UF1415	Air	142/64		107/49	36/16	109/49	\$6,784	
UF2020	Air	216/98		149/68	57/26	129/59	\$7,597	
UF424A	Air	440/200		310/141	80/36	200/91	\$9,168	
UF424W	Water	440/200		330/150	80/36	200/91	\$9,418	

Undercounter Ice Machine Accessories

Model Number	Description	Shipping Weight	List Price
		lb/kg	
KLP8S	Kit, Leg 6", Stainless Steel	5/2	\$325
KBC1	Kit, Casters	8/4	\$450
KUFM15	For ADA applications. Floor mount kit lowers overall height to 31.9"	3/1	\$222
KUFM20	For ADA applications. Floor mount kit lowers overall height to 31.9"	3/1	\$222
KUFM24	Floor mount kit. Lowers height to 33.5"	3/1	\$238

✓ = Energy Star certified. ● = CE Approved.
Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins.
Please call for pricing on other international configurations.

ICE & WATER DISPENSERS



Born out of extensive market research, the Scotsman Ice & Water Dispensers were developed with space, production and installation in mind. These units deliver the softest, most satisfying ice on the market today.

Features & Benefits

NEW



Maximum versatility with touch-free or button-activated dispensing options, as well as, counter-top or wall mount platforms

Removable front panels allow ease of access and service to key internal components

Removable bin, sink, grill and chutes provide maximum access for ease of cleaning

Industry leading energy and water efficiencies deliver on-going savings



Sealed, maintenance-free bearings ensure maximum reliability & contribute to a long machine lifetime



Intuitive LED diagnostic lights reduce service time



Unit specific QR code for quick access to service manuals and warranty history



External air filter location improves breathability & accessibility, while requiring less side clearance

ICE & WATER DISPENSERS

Ice and Water Dispensers



Touch-free infrared sensor dispensing



User controlled push-button dispensing

HID312



HID312A & HID312AB:
16.25" x 24.38" x 35"
HID312AW: 18.25" x 24.38" x 35"

HID525



HID525A & HID525AB:
21.25" x 24.38" x 35"
HID525AW: 23.25" x 24.38" x 35"
HID525W & HID525WB:
21.25" x 24.38" x 35"

HID540



HID540A & HID540AB:
21.25" x 24.38" x 41"
HID540AW: 23.25" x 24.38" x 41"
HID525W & HID540WB:
21.25" x 24.38" x 41"

Model Number	Condenser Type	Dispensing Method	24 hr Ice Production		Storage Capacity	Shipping Weight	List Price	
			70°F/21°C 50°F/10°C lb/kg	Air Water lb/kg			Volts/Hz/Phase	
HID312								
HID312A	Air	Touch-Free Sensor	260/118	225/102	12/5	183/83	\$9,534	\$9,834 ●
HID312AB	Air	Button Activated	260/118	225/102	12/5	183/83	\$9,534	
HID312AW*	Air	Touch-Free Sensor	260/118	225/102	12/5	188/85	\$9,834	
HID525								
HID525A	Air	Touch-Free Sensor	500/227	365/166	25/11	208/94	\$13,971	\$14,271 ●
HID525AB	Air	Button Activated	500/227	365/166	25/11	208/94	\$13,971	
HID525AW*	Air	Touch-Free Sensor	500/227	365/166	25/11	213/97	\$14,321	
HID525W	Water	Touch-Free Sensor	500/227	400/181	25/11	208/94	\$13,971	
HID525WB	Water	Button Activated	500/227	400/181	25/11	208/94	\$13,971	
HID540								
HID540A	Air	Touch-Free Sensor	500/227	365/166	40/18	215/98	\$15,246	\$15,546 ●
HID540AB	Air	Button Activated	500/227	365/166	40/18	215/98	\$15,246	
HID540AW*	Air	Touch-Free Sensor	500/227	365/166	40/18	220/100	\$15,646	
HID540W	Water	Touch-Free Sensor	500/227	400/181	40/18	215/98	\$15,246	
HID540WB	Water	Button Activated	500/227	400/181	40/18	215/98	\$15,246	
KLP24A	4" adjustable legs, plastic with metal foot (box of 4)					5/2	\$99	

*Wall mount configuration. Does not have drip tray. Designed to be installed over existing sink.

Ice and Water Dispenser Stands

HST16-A



HST16-A: 16.5" x 23.75" x 32"
41.9 x 60.3 x 81.3 cm
Height includes 6" (15.2cm) legs

HST16B-A



HST16B-A: 16.5" x 23.75" x 32"
41.9 x 60.3 x 81.3 cm
Height includes 6" (15.2cm) legs

HST21-A



HST21-A: 21.5" x 23.75" x 32"
54.6 x 60.3 x 81.3 cm
Height includes 6" (15.2cm) legs

HST21B-A



HST21B-A: 21.5" x 23.75" x 32"
54.6 x 60.3 x 81.3 cm
Height includes 6" (15.2cm) legs

Model Number	Description	Shipping Weight	List Price
		lb/kg	
Dispenser Kits			
HST16-A	Stand with door, use with HID312, SS, includes 6" legs	50/23	\$1,495
HST16B-A	Stand for HID312, basic version, SS, includes 6" legs	50/23	\$1,375
HST21-A	Stand with door, use with HID525 & HID540, SS, includes 6" legs	80/36	\$1,544
HST21B-A	Stand for HID525 & HID540, basic version, SS, includes 6" legs	80/36	\$1,420

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins. Please call for pricing on other international configurations.

Hotel / Motel Cube Dispensers

HD22



22" x 33.5" x 53.25"
55.9 x 85.1 x 135.3 cm
Height includes 6" (15.2cm) legs

HD30



30" x 33.5" x 53.25"
76.2 x 85.1 x 135.3 cm
Height includes 6" (15.2cm) legs

Model Number	Dispensing Method	Storage Capacity lb/kg	Shipping Weight lb/kg	List Price Volts/Hz/Phase	
				115/60/1 -1	230/50/1 -6
HD22	Lever Activated	120/59	201/91	\$6,590	\$6,715 ●
HD22B					
HD30	Lever Activated Water Filler	180/81 180/81	220/100 225/102	\$7,703 \$8,473	\$7,828 ●
HD30B					
HD30W					

Hotel / Motel Dispenser Accessories

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price
12" x 6" x 6" 30.5 x 15.2 x 15.2 cm	KHDSANLV	Sanitary lever kit for HD models	5/2	\$155

Ice Only Counter Top Dispensers

ID150



22" x 30" x 35.63"
55.9 x 76.2 x 90.5 cm

ID200



30" x 30" x 35.63"
76.2 x 76.2 x 90.5 cm

ID250




30" x 30" x 39.63"
76.2 x 76.2 x 100.7 cm



Model Number	Dispensing Method	Storage Capacity lb/kg	Shipping Weight lb/kg	List Price Volts/Hz/Phase	
				115/60/1 -1	
Ice Only Dispensers	Lever Activated Lever Activated Lever Activated	150/68 200/91 250/114	149/68 183/83 188/85	\$7,590 \$9,089 \$10,908	
ID150B					
ID200B					
ID250B					

✓ = Energy Star certified. ● = CE Approved.
Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins.
Please call for pricing on other international configurations.

Ice Only Dispenser Kits and Accessories

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price
 <p>IOBDM522: 22" x 30" x 30" 55.9 x 76.2 x 76.2 cm Height includes 6" (15.2cm) legs</p> <p>IOBDM530: 30" x 30" x 30" 76.2 x 76.2 x 76.2 cm Height includes 6" (15.2cm) legs</p>	Machine Stands			
	IOBDM522 IOBDM530	Machine stand for ID150 Machine stand for ID200 & ID250	93/42 120/55	\$2,263 \$2,274
	Kits			
	KWGFID KNUGDIV	Field installed water glass filler kit for ID150, ID200, & ID250 Field installed nugget ice kit for all ID dispensers	2/1 1/0.5	\$545 \$173


Storage Bins

	Model Number	Storage Capacity lb/kg	Ext. Finish	Liner Material	Unit Dimensions (W x D x H)	Shipping Weight lb/kg	List Price
	Modular Bins						
	B322S	370/168	Metallic	Poly	22" x 34" x 50" (55.9 x 86.4 x 127 cm)	140/64	\$2,261
	B330P	344/156	Poly	Poly	30" x 34" x 37" (76.2 x 86.4 x 94 cm)	90/41	\$2,157
	B530P	536/244	Poly	Poly	30" x 34" x 50" (76.2 x 86.4 x 127 cm)	110/50	\$2,346
	B530S	536/244	Metallic	Poly	30" x 34" x 50" (76.2 x 86.4 x 127 cm)	150/68	\$2,492
	B842S	778/353	Metallic	Poly	42" x 34" x 50" (106.7 x 86.4 x 127 cm)	190/86	\$3,353
	B948S	893/406	Metallic	Poly	48" x 34" x 50" (121.9 x 86.4 x 127 cm) Height includes 6" (15.2cm) legs	209/95	\$3,494
	BH Upright Modular Bins						
	BH1100BB-A	1100/490	SS w/GBB*	Poly	48" x 34" x 56" (121.9 x 86.4 x 142.2 cm)	280/127	\$7,875
	BH1100SS-A	1100/490	SS	Poly	48" x 34" x 56" (121.9 x 86.4 x 142.2 cm)	280/127	\$9,654
	BH1300BB-A	1400/635	SS w/GBB*	Poly	60" x 34" x 56" (152.4 x 86.4 x 142.2 cm)	310/141	\$9,128
	BH1300SS-A	1400/635	SS	Poly	60" x 34" x 56" (152.4 x 86.4 x 142.2 cm)	310/141	\$11,160
	BH1600BB-A	1755/796	SS w/GBB*	Poly	60" x 34" x 68" (152.4 x 86.4 x 172.7 cm)	370/168	\$9,710
	BH1600SS-A	1755/796	SS	Poly	60" x 34" x 68" (152.4 x 86.4 x 172.7 cm) Height includes 6" (15.2cm) legs	370/168	\$11,729




* Stainless steel with galvanized back and bottom

BH bins include adjustable bin top filler panels for use with most ice machines. (See machine bin sizing chart on pages 34-35 for special configurations). No extra charge for special bin tops when ordered with new bin purchase, except for field installed kit KBT50 - KBT54 bin tops. See page 30 for purchase price for field installed bin tops.

Ice Express System Built-to-Order Only

Unit Dimensions (W x D x H)	Model Number	Description	Storage Capacity lb/kg	Ext. Finish	Liner Material	Shipping Weight lb/kg	List Price
 <p>ICS-1 30" x 36" x 65" 76.2 x 91.4 x 165 cm</p> <p>ICS-2 60" x 36" x 71" 152.4 x 91.4 x 180.3 cm</p> <p>ICS-3 90" x 36" x 71" 228.6 x 91.4 x 180.3 cm</p> <p>ICS-3-SL 90" x 36" x 101" 228.6 x 91.4 x 256.5 cm</p>	Ice Express System						
	ICS-1	1 Bay*	500/227	SS	Poly	309/140	\$15,654
	ICS-2	2 Bay*	1200/544	SS	Poly	840/381	\$28,359
	ICS-3	3 Bay*	1800/817	SS	SS	1200/544	\$43,992
	ICS-3-SL	3 Bay with extension*	2900/1315	SS	SS	1470/667	\$55,168
	Options						
	ICS-PADDLE	Replacement paddle, white plastic	N/A	N/A	N/A	11/5	\$503
	ICS-SHOVEL	Shovel, white plastic	N/A	N/A	N/A	11/5	\$441
	ICS-CP	Replacement Poly Cart	250/113	Poly	Poly	100/45	\$4,141
	ICS-TOTE	Ice Totes - Set of 6	N/A	Poly	Poly	25/11	\$1,447
	ICS-DIVIDE	Ice Express - SS divider	N/A	N/A	N/A	70/32	\$2,376
<p>* Includes 1 poly cart for each bay.</p> <p>NOTE: All ICS systems & accessories ship F.O.B. Denver. Specify ice machine head(s) when ordering in order to receive an included, custom-cut bin top adapter.</p>							

Bin Accessories

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price
	Caster Kits			
	KBC1	Bin caster kit for B530S, B842S, B948S, SB480, UC2024, UC2724, CU3030, BH bins, UF & UN Undercounter models [3.5" (8.9 cm) diameter wheels, 2 standard wheels and 2 locking. Raises bin 4 7/16" (11.3 cm)] - Not to be used with SB480 when using extension or B222S or B322S.	8/4	\$450
	KBC1P	Bin caster kit for B330P and B530P. [3.5" (8.9 cm) diameter wheels, 2 standard wheels and 2 locking. Raises bin a maximum of 4 7/16" (11.3 cm).	20/9	\$566
	Leg Kits			
	KLP7	Kit, legs, 6" black enamel, flanged feet, B Bins, HST stands, HD dispensers, CU0515, UC2024, UC2724, CU3030, UF & UN Undercounter models.	5/2	\$198
	KLP8S	Kit, legs, 6" stainless steel, Bx22, Bx30, B842, B948, HST stands, HD dispensers CU1526, CU2026, CU3030, UF & UN Undercounter models. Note: Legs are supplied with self-contained machines, bins and machine stands.	5/2	\$325
 <p>19 1/4" x 10 3/4" x 28 1/2" 48.9 x 27.3 x 72.4 cm</p>	Ice Bagger			
	BGS10	Hooks over any ice bin opening. Aluminum.	25/11	\$802
	KBAG	Case of 1000 8lb bags.	30/14	\$396
	KTAPE	One roll - 180 ft (54.9 m)	1/0.5	\$54
	KSEALER	Tape sealer.	5/2	\$454
Note: BGS10 includes easy bagger, wicket of bags (250), tape sealer and 1 roll of tape.				
	Ice Scoop Holder			
	KHOLDER	Stainless steel scoop holder. Fits all B330, B530, B842 and B948 ice storage bins	2/1	\$117

Bin Top Kits

Model Number	Description	Shipping Dimensions L x W x H	Use On	Shipping Weight lb/kg	List Price
KBT14A	NME1854, FME2404	10" x 27" x 5"	B948	8/4	\$370
KBT22B	All 30" (76.2 cm) modular cube, flake or nugget ice makers	17" x 29" x 5"	B948	11/5	\$436
KBT27	All 22" (55.9 cm) modular cube, flake or nugget ice makers except EH222	10" x 27" x 5"	B330, B530	8/4	\$366
KBT29	All 30" (76.2 cm) modular cube, flake or nugget ice makers	14" x 27" x 7"	B842	10/5	\$406
KBT31	EH222	10" x 27" x 5"	B322	8/4	\$362
KBT38	All 22" (55.9 cm) modular cube, flake and nugget ice makers except EH222	6" x 30" x 17"	B948	14/7	\$454
KBT38-2X	All 22" (55.9 cm) modular cube, flake and nugget ice makers except EH222 side by side	10" x 27" x 5"	B948	5/2	\$269
KBT39	All 22" (55.9 cm) modular cube, flake and nugget ice makers except EH222	14" x 27" x 7"	B842	10/5	\$412
KBTAB5	EH222	26" x 24" x 7"	ABS	24/11	\$1,640
KBT40A	EH222	26" x 24" x 7"	ID150	24/11	\$1,625
KBT41	EH222	32" x 32" x 5"	ID200, ID250	25/11	\$1,672
KBT42	All 22" modular ice machines except EH222	31" x 33" x 5"	ID150	12/5	\$810
KBT43	All 22" modular cube and nugget ice makers except EH222	33" x 47" x 5"	ID200, ID250	26/12	\$1,079
KBT44	All 30" modular cube ice makers	32" x 33" x 2"	ID200, ID250	13/5	\$749
KBT45	EH222	32" x 31" x 5"	ED300	33/15	\$3,868

Field Installed - BH1100, BH1300, BH1600

Model Number	Description	Shipping Dimensions L x W x H	Use On	Shipping Weight lb/kg	List Price
KBT50	SS top for EH222	36" x 63" x 5"	BH1100	80/36	\$2,147
KBT51	SS top for (2) EH222 units side-by-side	36" x 63" x 5"	BH1100	80/36	\$2,164
KBT62	SS top for (2) 22" units side-by-side	36" x 63" x 5"	BH1100	80/36	\$2,101
KBT63	SS top for (2) 22" units side-by-side	36" x 63" x 5"	BH1300, BH1600	80/36	\$2,305
KBT52	SS top for EH222	36" x 63" x 5"	BH1300, BH1600	80/36	\$2,373
KBT53	SS top for (2) EH222 units side-by-side	36" x 63" x 5"	BH1300, BH1600	80/36	\$2,560
KBT54	SS top for (2) 30" (76.2 cm) cube ice makers side-by-side	36" x 63" x 5"	BH1300, BH1600	80/36	\$2,560


Accessory Kits

Model Number	Description	Shipping Weight lb/kg	List Price
Prodigy Plus® Nugget Dispenser Accessory Kits			
KDIL-PN-150	Kit, Ice Level Control with KVS, Prodigy Nugget on Cornelius DF or ED150	2/1	\$1,082
KDIL-PN-200	Kit, Ice Level Control with KVS, Prodigy Nugget on Cornelius DF or ED200	5/2	\$1,072
KDIL-PN-250	Kit, Ice Level Control with KVS, Prodigy Nugget on Cornelius DF or ED250	5/2	\$1,197
KDIL-PN-ID3	Kit, Ice Level Control with thermostat, Prodigy Nugget on Cornelius DF or ED300	2/1	\$202
KFSMF	Kit, manual fill nugget for Coca Cola Freestyle 9000 dispenser	3/1	\$373
KFSTM	Kit, top mounted nugget for Coca Cola Freestyle 9000 dispenser	3/1	\$448



XSafe® Sanitation System




Our XSafe® device is an optional sanitation system that is integrated on the top of your ice machine. XSafe circulates cold oxygen plasma inside of the machine to help sanitize the air and surrounding surfaces. Operating automatically, this sanitation system runs all day long to ensure your equipment is clean and safe.

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price
 12" x 4 1/4" x 2 1/4" 30.5 x 10.8 x 5.7 cm	XSafe® Sanitation System			
	XR-30	Sanitation system for helping eliminate viruses, bacteria and slime. Compatible with all modular units.	10/5	\$758

AquaDefense® System - Sanitation Solution

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price
	AquaBullet® Anti Microbial Wand			
	ADS-AB6	6 pack of Antimicrobial wands to prevent slime and mold build up. Used for modular cube ice machines.	5/2	\$1,376
 AP1-P: 5 5/8" x 4 3/4" x 21 1/2" 14.3 x 12.1 x 54.6 cm AP2-P: 16 1/2" x 5 1/2" x 19 1/4" 41.9 x 14.0 x 48.9 cm AP3-P: 21" x 5 1/2" x 19 1/4" 53.3 x 14.0 x 48.9 cm	AquaPatrol™ Plus Water Filtration System			
	AP1-P	Single system - Cubers up to 650 lb (395 kg), flakers, nuggets and nugget dispensers up to 1,200 lb (544 kg)	7/3	\$448
	AP2-P	Twin System - Cubers over 650 lb (395 kg) and up to 1,200 lb (544 kg), flakers and nuggets over 1,200 lb (544 kg)	11/5	\$811
	AP3-P	Triple System - Cubers over 1,200 lb (544 kg)	16/7	\$1,251
	APRC6-P	Replacement cartridge (package of 6)	7/3	\$705
	APRC1-P	Replacement cartridge (package of 1)	3/1.5	\$141

Water Filtration Systems By Everpure®

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price
 <p>SSM1 5 5/8" x 4 3/4" x 30 1/2" 14.3 x 12.1 x 77.5 cm SSM2 16 1/2" x 5 1/2" x 29 1/4" 41.9 x 14.0 x 74.0 cm SSM3 21" x 5 1/2" x 29 1/4" 53.3 x 14.0 x 74.0 cm</p>	SSM Plus Filtration Systems with AquaArmor by AgION®			
	SSM1-P	Single system - Cubers up to 650 lb (395 kg), flakers, nuggets and nugget dispensers up to 1,200 lb (544 kg)	7/3	\$594
	SSM2-P	Twin System - Cubers over 650 lb (295 kg), flakers and nuggets over 1,200 lb (544 kg)	11/5	\$1,043
	SSM3-P	Triple System - Cubers over 1,200 lb (544 kg)	16/7	\$1,639
	SSMRC Replacement Cartridges			
	SSMRC1 SSMRC6	Single replacement cartridge (package of 1) 6 pack replacement cartridge (package of 6)	3/1.5 7/3	\$197 \$958
	SC Coarse Prefilters			
	SC10-A SC20-A	10" (25.4 cm) Coarse prefilter 20" (50.8 cm) Coarse prefilter	5/2 11/5	\$205 \$304
	SC Replacement Prefilters			
	SC10RC40 SC20RC20	SC10 replacement filter SC20 replacement filter	17/8 17/8	\$379 \$393

Water Filter Selection

Ice Form	Configuration	Model Number	AquaPatrol (System, Cartridge)	SSM Plus (System, Cartridge)
Cube	Self-Contained	CU50, CU0415, CU0515, CU0715, CU0920, UC2024, UC2724, CU3030	AP1-P, APRC1-P	SSM1-P, SSMRC1
Cube	Up to 650 lbs	BC0530, C0322, C0330, C0522, C0530, C0630, C0722	AP1-P, APRC1-P	SSM1-P, SSMRC1
Cube	Up to 1,200 lbs	C0830, C1030, EH222	AP2-P, APRC1-P	SSM2-P, SSMRC1
Cube	Over 1,200 lbs	C1448, C1848, C2148, C2648, EH330, EH430	AP3-P, APRC1-P	SSM3-P, SSMRC1
Nugget/Flake	Self-Contained/Dispenser	HID312, HID525, HID540, UF0915, UF1415, UF424, UN0815, UN1215, UN324	AP1-P, APRC1-P	SSM1-P, SSMRC1
Nugget/Flake	Up to 1,200 lbs	F0522, F0822, F1222, N0422, N0622, N0922	AP1-P, APRC1-P	SSM1-P, SSMRC1
Nugget/Flake	Over 1,200 lbs	F1522, F2330, FME2404, N1322, N2030, NME1854	AP2-P, APRC1-P	SSM2-P, SSMRC1

Ice Machine to Dispenser Kit Application Chart

Company	Dispenser	Ice Machines EH222	C0322/522/722	C0330/530/630/830 1030, EH330, EH430	N0422/622 922/1322
Cornelius	ED150	KBT40A	KBT42		KBT42 KDIL-PN-150
Cornelius	DF150	629087959*	02388*		02388* KDIL-PN-150
Cornelius	ED175	629087571*	629093782TE		KDIL-PN-150 629093782TE
Cornelius	ED200	KBT41	KBT43	KBT44	KBT43 KDIL-PN-200
	DF200	629087572*	08035*	08004*	
Cornelius	ED250	KBT41	KBT43	KBT44, KVS**	KBT43 KDIL-PN-250
	DF250	629087572	08035*	08004*, KVS**	
Cornelius	ED300	KBT45	08028*	629087943*	KDIL-PN-ID3 629087966* 629088644*
	DF300	KBT45	08028*	629087943*	
Cornelius	Flavor Fusion 255	629088666*	KVS** 629088502*	KVS** 629088505*	KVS 629088681* 629097086*
	IDC215/ID255	629088662*	KVS** 629088537*	KVS** 629088536*	KVS 629088677* 629097086*
Lancer	22" Wide	82-4063*	82-4062*		KVS A40403-021 82-3633/01*
Lancer	30" Wide	82-4061*	82-4060*	82-4059*, KVS**	KVS A40403-021 82-3633/01*
SerVend	S-150/SV-150	SL27-020000246*	SL30-020000249* CL10-5012116*		KVS SL30-020000249 CL10-5012116*
SerVend	SV-175	SL22-020000198*	SL24-020000200*		KVS SL24-020000200*
SerVend	S-200/SV-200 S-250/SV-250	SL17-5031150*	SL25-5031609*	N3-5031125* CL10-5012116*	KVS SL25-5031609*
Coca-Cola	Freestyle 9000 (free standing)	Contact Coca-Cola for bin adapters	KVS Contact Coca-Cola for bin adapters		KFSTM Contact Coca-Cola for bin adapters
Coca-Cola	Freestyle 7000 (countertop)	Contact Coca-Cola for bin adapters	KVS Contact Coca-Cola for bin adapters	KVS Contact Coca-Cola for bin adapters	11-0353-23 Contact Coca-Cola for bin adapters

* Non Scotsman kits must be purchased from the dispenser manufacturer.

** Recommended but not required.

- Please check with dispenser manufacturer for appropriate kits. Application chart subject to change.
- Blank cells indicate cannot be used together, N/A indicates no adapter needed.
- See spare parts price list for Scotsman A37693-021 & R629088514 pricing.
- Lancer dispensers must be specially configured for dispensing Scotsman Nugget Ice®
- Some Cornelius adapters kits include binstats - do not use the thermostats.
- All Cornelius ED/DF adapter kits have gray doors/covers. Contact Cornelius for black.
- All Cornelius FlavorFusion adapter kits are midnight black. Contact Cornelius for silver, orange or green.
- All Cornelius IDC255 adapter kits are black.

Machine / Bin Sizing Chart

Dimensions in W x D x H - (Height includes 6" legs)

No bin top required when KBT not listed.

	BINS (Storage)	B322S	B330P	B530P/S	B842S	B948S	BH1100*	BH1300*	BH1600*
ICE MAKERS (Production)	LBS	370	344	536	778	893	1100	1400	1755
C0322 C0522	300 500	22" x 34" x 73" 55.9 x 86.4 x 185.4 cm	30" x 34" x 59" 76.2 x 86.4 x 149.9 cm w/KBT27 top	30" x 34" x 73" 76.2 x 86.4 x 185.4 cm w/KBT27 top	42" x 34" x 73" 106.2 x 86.4 x 185.4 cm w/KBT39 top	48" x 34" x 73" 121.9 x 86.4 x 185.4 cm w/KBT38 top or KBT38-2x - side by side			
C0722	700	22" x 34" x 76" 55.9 x 86.4 x 193.0 cm	30" x 34" x 65" 76.2 x 86.4 x 165.1 cm w/KBT27 top	30" x 34" x 79" 76.2 x 86.4 x 200.7 cm w/KBT27 top	42" x 34" x 79" 106.2 x 86.4 x 200.7 cm w/KBT39 top	48" x 34" x 79" 121.9 x 86.4 x 200.7 cm w/KBT38 top or KBT38-2x - side by side	48" x 34" x 87" 121.9 x 86.4 x 221.0 cm KBT62 - side by side	60" x 34" x 87" 152.4 x 86.4 x 221.0 cm KBT63 - side by side	60" x 34" x 99" 152.4 x 86.4 x 251.5 cm KBT63 - side by side
C0330 C0530 C0630	300 500 600		30" x 34" x 59" 76.2 x 86.4 x 149.9 cm	30" x 34" x 73" 76.2 x 86.4 x 185.4 cm	42" x 34" x 73" 106.7 x 86.4 x 185.4 cm w/KBT29 top	48" x 34" x 73" 121.9 x 86.4 x 185.4 cm w/KBT22B top			
BC0530	500		31" x 34" x 70" 78.7 x 86.4 x 177.8 cm	31" x 34" x 84" 78.7 x 86.4 x 213.4 cm					
C0830 C1030	800 1000			30" x 34" x 79" 76.2 x 86.4 x 200.7 cm	42" x 34" x 79" 106.2 x 86.4 x 200.7 cm w/KBT29 top	48" x 34" x 79" 121.9 x 86.4 x 200.7 cm w/KBT22B top	48" x 34" x 85" 121.9 x 86.4 x 215.9 cm	60" x 34" x 85" 152.4 x 86.4 x 215.9 cm KBT54 - side by side	60" x 34" x 97" 152.4 x 86.4 x 246.4 cm KBT54 - side by side
C1448 C1848 C2148	1400 1800 2000					48" x 34" x 79" 121.9 x 86.4 x 200.7 cm	48" x 34" x 85" 121.9 x 86.4 x 215.9 cm	60" x 34" x 85" 152.4 x 86.4 x 215.9 cm	60" x 34" x 97" 152.4 x 86.4 x 246.4 cm
C2648	2600					48" x 34" x 84" 121.9 x 86.4 x 213.4 cm	48" x 34" x 90" 121.9 x 86.4 x 228.6 cm	60" x 34" x 90" 152.4 x 86.4 x 228.6 cm	60" x 34" x 102" 152.4 x 86.4 x 259.1 cm
EH222	800 1000						48" x 34" x 85" 121.9 x 86.4 x 215.9 cm KBT50 - single unit KBT51 - side by side	60" x 34" x 85" 152.4 x 86.4 x 215.9 cm KBT52 - single unit KBT53 - side by side	60" x 34" x 85" 152.4 x 86.4 x 215.9 cm KBT52 - single unit KBT53 - side by side
EH330	1400				42" x 34" x 73" 106.2 x 86.4 x 185.4 cm w/KBT29 top	48" x 34" x 73" 121.9 x 86.4 x 185.4 cm w/KBT22B top	48" x 34" x 79" 121.9 x 86.4 x 200.7 cm	60" x 34" x 79" 152.4 x 86.4 x 200.8 cm KBT54 - side by side	60" x 34" x 91" 152.4 x 86.4 x 231.1 cm No bin top or KBT54 - side by side
EH430	1400 1800				42" x 34" x 79" 106.2 x 86.4 x 200.7 cm w/KBT29 top	48" x 34" x 79" 121.9 x 86.4 x 200.7 cm w/KBT22B top	48" x 34" x 85" 121.9 x 86.4 x 215.9 cm	60" x 34" x 85" 152.4 x 86.4 x 215.9 cm KBT54 - side by side	60" x 34" x 97" 152.4 x 86.4 x 246.4 cm No bin top or KBT54 - side by side
N0422 N0622	400 600	22" x 34" x 73" 55.9 x 86.4 x 184.4 cm	30" x 34" x 59" 76.2 x 86.4 x 149.9 cm w/KBT27 top	30" x 34" x 73" 76.2 x 86.4 x 185.4 cm w/KBT27 top	42" x 34" x 73" 106.2 x 86.4 x 185.4 cm w/KBT39 top	48" x 34" x 73" 121.9 x 86.4 x 185.4 cm w/KBT38 top or KBT38-2x - side by side			
N0922 N1322	900 1300	22" x 34" x 77" 55.9 x 86.4 x 195.6 cm	30" x 34" x 63" 76.2 x 86.4 x 160.0 cm w/KBT27 top	30" x 34" x 77" 76.2 x 86.4 x 195.6 cm w/KBT27 top	42" x 34" x 77" 106.2 x 86.4 x 195.6 cm w/KBT39 top	48" x 34" x 77" 121.9 x 86.4 x 195.6 cm w/KBT38 top or KBT38-2x - side by side	48" x 34" x 85" 121.9 x 86.4 x 215.9 cm KBT62 - side by side	60" x 34" x 85" 152.4 x 86.4 x 215.9 cm KBT63 - side by side	60" x 34" x 97" 152.4 x 86.4 x 246.4 cm KBT63 - side by side
N2030	2000			30" x 34" x 79" 76.2 x 86.4 x 200.7 cm	42" x 34" x 79" 106.2 x 86.4 x 200.7 cm w/KBT29 top	48" x 34" x 79" 121.9 x 86.4 x 200.7 cm w/KBT22B top	48" x 34" x 85" 121.9 x 86.4 x 215.9 cm	60" x 34" x 85" 152.4 x 86.4 x 215.9 cm KBT54 - side by side	60" x 34" x 97" 152.4 x 86.4 x 246.4 cm KBT54 - side by side
F0522 F0822	500 800	22" x 34" x 73" 55.9 x 86.4 x 184.4 cm	30" x 34" x 59" 76.2 x 86.4 x 149.9 cm w/KBT27 top	30" x 34" x 73" 76.2 x 86.4 x 185.4 cm w/KBT27 top	42" x 34" x 73" 106.2 x 86.4 x 185.4 cm w/KBT39 top	48" x 34" x 73" 121.9 x 86.4 x 185.4 cm w/KBT38 top or KBT38-2x - side by side	48" x 34" x 81" 121.9 x 86.4 x 205.7 cm KBT62 - side by side	60" x 34" x 81" 152.4 x 86.4 x 205.7 cm KBT63 - side by side	60" x 34" x 93" 152.4 x 86.4 x 236.2 cm KBT63 - side by side
F1222 F1522	1200 1500	22" x 34" x 77" 55.9 x 86.4 x 195.6 cm	30" x 34" x 63" 76.2 x 86.4 x 160.0 cm w/KBT27 top	30" x 34" x 77" 76.2 x 86.4 x 195.6 cm w/KBT27 top	42" x 34" x 77" 106.2 x 86.4 x 195.6 cm w/KBT39 top	48" x 34" x 77" 121.9 x 86.4 x 195.6 cm w/KBT38 top or KBT38-2x - side by side	48" x 34" x 85" 121.9 x 86.4 x 215.9 cm KBT62 - side by side	60" x 34" x 85" 152.4 x 86.4 x 215.9 cm KBT63 - side by side	60" x 34" x 97" 152.4 x 86.4 x 246.4 cm KBT63 - side by side
F2330	2300			30" x 34" x 79" 76.2 x 86.4 x 200.7 cm	42" x 34" x 79" 106.2 x 86.4 x 200.7 cm w/KBT29 top	48" x 34" x 79" 121.9 x 86.4 x 200.7 cm w/KBT22B top	48" x 34" x 85" 121.9 x 86.4 x 215.9 cm	60" x 34" x 85" 152.4 x 86.4 x 215.9 cm KBT54 - side by side	60" x 34" x 97" 152.4 x 86.4 x 246.4 cm KBT54 - side by side
FME2404	2400				42" x 34" x 77" 106.2 x 86.4 x 195.6 cm	48" x 34" x 77" 121.9 x 86.4 x 195.6 cm w/KBT14A top	48" x 34" x 83" 121.9 x 86.4 x 210.8 cm	60" x 34" x 83" 152.4 x 86.4 x 210.8 cm	60" x 34" x 95" 152.4 x 86.4 x 241.3 cm

*Universal bin top adapter included for single ice head applications. See above chart for side-by-side adapters (if applicable).

Ice Only Dispensers

Hotel D-Bins

ABS	ID150	ID200	ID250	Cornelius ED300	HD22	HD30
150	150	200	250	300	120	180
	22" x 30 1/2" x 57 1/4" 55.9 x 77.5 x 145.4 cm w/KBT42 top	30" x 30 1/2" x 59" 76.2 x 77.5 x 149.9 cm w/KBT43 top	30" x 30 1/2" x 63" 76.2 x 77.5 x 160.0 cm w/KBT43 top		22" x 33 1/2" x 76 1/4" 55.9 x 85.1 x 193.7 cm	
	22" x 30 1/2" x 63 1/4" 55.9 x 77.5 x 160.7 cm w/KBT42 top	30" x 30 1/2" x 65" 76.2 x 77.5 x 165.1 cm w/KBT43 top	30" x 30 1/2" x 69" 76.2 x 77.5 x 175.3 cm w/KBT43 top		22" x 33 1/2" x 82 1/4" 55.9 x 85.1 x 208.9 cm	
		30" x 30 1/2" x 57 1/4" 76.2 x 77.5 x 145.4 cm w/KBT44 top	30" x 30 1/2" x 61 1/4" 76.2 x 77.5 x 155.6 cm w/KBT44 top	44" x 30 1/2" x 60" 112.7 x 77.5 x 152.4 cm w/Cornelius #629087943		30" x 33 1/2" x 76 1/4" 76.2 x 85.1 x 193.7 cm
		30" x 30 1/2" x 63 1/4" 76.2 x 77.5 x 160.7cm w/KBT44 top	30" x 30 1/2" x 67 1/4" 76.2 x 77.5 x 170.8 cm w/KBT44 top	44 1/2" x 30 1/2" x 66" 112.7 x 77.5 x 170.8 cm w/Cornelius #629087943		
KBTABS	22" x 30 1/2" x 64 1/4" 55.9 x 77.5 x 163.2 cm w/KBT40A top	30" x 30 1/2" x 64 1/2" 76.2 x 77.5 x 163.2 cm w/KBT41 top	30" x 30 1/2" x 68 1/4" 76.2 x 77.5 x 173.4 cm w/KBT41 top	44 1/2" x 30 1/2" x 66" 112.7 x 77.5 x 167.6 cm w/KBT45 top		
		30" x 30 1/2" x 57 1/2" 76.2 x 77.5 x 145.4 cm w/KBT44 top	30" x 30 1/2" x 61 1/4" 76.2 x 77.5 x 145.4 cm w/KBT44 top	44 1/2" x 30 1/2" x 60 1/4" 112.7 x 77.5 x 153 cm w/Cornelius #629087943		
		30" x 30 1/2" x 63 1/4" 76.2 x 77.5 x 160.7cm w/KBT44 top	30" x 30 1/2" x 67 1/4" 76.2 x 77.5 x 170.8 cm w/KBT44 top	44 1/2" x 30 1/2" x 66 1/4" 112.7 x 77.5 x 167.6 cm w/Cornelius #629087943		
	22" x 30 1/2" x 57 1/4" 55.9 x 77.5 x 145.4 cm w/KBT42 top, KNUGDIV	30" x 30 1/2" x 59" 76.2 x 77.5 x 149.9 cm w/KBT43 top KVS, KNUGDIV	30" x 30 1/2" x 63" 76.2 x 77.5 x 160.0 cm w/KBT43 top KVS, KNUGDIV	44 1/2" x 30 1/2" x 64" 112.7 x 77.5 x 152.4 cm KDIL-PN-ID3 w/Cornelius #629087966 and #629088644		
	22" x 30 1/2" x 61 1/4" 55.9 x 77.5 x 155.6 cm w/KBT42 top, KNUGDIV	30" x 30 1/2" x 63" 76.2 x 77.5 x 160.0 cm w/KBT43 top KVS, KNUGDIV	30" x 30 1/2" x 67" 76.2 x 77.5 x 170.2 cm w/KBT43 top KVS, KNUGDIV	44 1/2" x 30 1/2" x 64" 112.7 x 77.5 x 152.4 cm KDIL-PN-ID3 w/Cornelius #629087966 and #629088644		
		30" x 30 1/2" x 63 1/4" 76.2 x 77.5 x 160.7cm w/KBT44 top	30" x 30 1/2" x 67 1/4" 76.2 x 77.5 x 170.8 cm w/KBT44 top	44 1/2" x 30 1/2" x 66" 112.7 x 77.5 x 170.8 cm w/Cornelius #629087943		

ENERGY QUICK FACTS FOR SCOTSMAN MODELS



Offering several Energy Star certified models, Scotsman ice machines incorporate superior designs that reduce energy and water consumption, making a difference for the environment and the bottom line.



All Scotsman models meet the 2018 Department of Energy standards, with most actually exceeding the minimum requirements. Every Scotsman, Exceeding Standards - Every Time.



Select Scotsman models can contribute to satisfying water and energy efficiency LEED® credits



Our goal is to deliver superior performance every day, from our award-winning, U.S.-based manufacturing and high-quality materials to user-friendly functionality and world-class service and support.

ENERGY STAR CERTIFIED MODELS

Model	Rebate Eligible*
C0630MR-32	✓
C0630SR-32	✓
C1448MA-32	✓
C1448MA-3	✓
C1448SA-32	✓
C1448SA-3	✓
FS1222A-32	✓
FS1222A-3	✓
NH0922A-1	✓
NH0922A-32	✓
NS0922A-1	✓
NS0922A-32	✓
UC2024MA-1	✓
UC2024SA-1	✓
UF0915A-1	✓
UF1415A-1	✓
UF2020A-1	✓
UN0815A-1	✓
UN1215A-1	✓
UN1520A-1	✓

*Rebates available through local utility companies. Visit www.energystar.gov for more information.

PRODUCT FAMILY AVERAGES

AIR COOLED



Product Family	% Improvement Over Prior Models:	Exceeds DOE Standard By:
Cube	7%	7%
Nugget	6%	16%
Flake	12%	12%

WATER COOLED



Product Family	% Improvement Over Prior Models:	Exceeds DOE Standard By:
Cube	5%	7%
Nugget	9%	14%
Flake	6%	9%

REMOTE COOLED



Product Family	% Improvement Over Prior Models:	Exceeds DOE Standard By:
Cube	3%	5%
Nugget	9%	11%
Flake	6%	4%
All Models	6%	9%

INDEX

3BRTE20-EH.....PG. 14	C0522SW-32.....PG. 10	C1448SA-3.....PG. 11
3BRTE35-EH.....PG. 14	C0530MA-1*PG. 10	C1448SA-32*PG. 11
3BRTE50-EH.....PG. 14	C0530MA-32.....PG. 10	C1448SA-6.....PG. 11
3BRTE75-EH.....PG. 14	C0530MA-6.....PG. 10	C1448SR-32*PG. 11
ADS-AB6.....PG. 31	C0530MR-1.....PG. 10	C1448SR-3.....PG. 11
AP1-P.....PG. 31	C0530MW-1.....PG. 10	C1448SW-32.....PG. 11
AP2-P.....PG. 31	C0530SA-1*PG. 10	C1448SW-3.....PG. 11
AP3-P.....PG. 31	C0530SA-32.....PG. 10	C1848MA-32*PG. 11
APRC1-P.....PG. 31	C0530SA-6.....PG. 10	C1848MA-6.....PG. 11
APRC6-P.....PG. 31	C0530SR-1.....PG. 10	C1848MR-3.....PG. 11
B322S*PG. 28	C0530SW-1.....PG. 10	C1848MR-32.....PG. 11
B330P*PG. 28	C0630MA-32.....PG. 10	C1848MR-6.....PG. 11
B530P*PG. 28	C0630MA-6.....PG. 10	C1848MW-32.....PG. 11
B530S*PG. 28	C0630MR-32.....PG. 10	C1848SA-32.....PG. 11
B842S.....PG. 28	C0630MW-32.....PG. 10	C1848SA-6.....PG. 11
B948S*PG. 28	C0630SA-32.....PG. 10	C1848SR-3.....PG. 11
BC0530A-1.....PG. 8	C0630SA-6.....PG. 10	C1848SR-32.....PG. 11
BGS10.....PG. 29	C0630SR-32.....PG. 10	C1848SR-6.....PG. 11
BH1100BB-A.....PG. 28	C0630SW-32.....PG. 10	C1848SW-32.....PG. 11
BH1100SS-A.....PG. 28	C0722MA-32.....PG. 10	C2148MR-3.....PG. 11
BH1300BB-A.....PG. 28	C0722MA-6.....PG. 10	C2148MR-32.....PG. 11
BH1300SS-A.....PG. 28	C0722SA-32.....PG. 10	C2148MR-6.....PG. 11
BH1600BB-A.....PG. 28	C0722SA-6.....PG. 10	C2148SR-3.....PG. 11
BH1600SS-A.....PG. 28	C0830MA-3.....PG. 11	C2148SR-32.....PG. 11
BRTE10.....PG. 12, 22	C0830MA-32.....PG. 11	C2148SR-6.....PG. 11
BRTE25.....PG. 12, 22	C0830MA-6.....PG. 11	C2648MR-3.....PG. 11
BRTE40.....PG. 12, 22	C0830MR-32.....PG. 11	C2648SR-3.....PG. 11
BRTE75.....PG. 12, 22	C0830MW-32.....PG. 11	CU0415MA-1*PG. 16
BRTEL25.....PG. 12	C0830SA-32.....PG. 11	CU0415MA-6.....PG. 16
BRTEL40.....PG. 12	C0830SA-3.....PG. 11	CU0515GA-1.....PG. 14
BRTEL75.....PG. 12	C0830SA-32.....PG. 11	CU0715MA-1*PG. 16
C0322MA-1*PG. 10	C0830SR-6.....PG. 11	CU0715MA-6.....PG. 16
C0322MA-32.....PG. 10	C0830SR-32.....PG. 11	CU0920MA-1*PG. 16
C0322MA-6.....PG. 10	C0830SW-32.....PG. 11	CU0920MA-6.....PG. 16
C0322MW-1.....PG. 10	C1030MA-32*PG. 11	CU3030MA-1.....PG. 16
C0322SA-1*PG. 10	C1030MA-6.....PG. 11	CU3030MA-32.....PG. 16
C0322SA-6.....PG. 10	C1030MR-32.....PG. 11	CU3030MA-6.....PG. 16
C0322SW-1.....PG. 10	C1030MR-3.....PG. 11	CU3030SA-1.....PG. 16
C0322SW-32.....PG. 10	C1030MW-32.....PG. 11	CU3030SA-32.....PG. 16
C0330MA-1*PG. 10	C1030SA-32*PG. 11	CU3030SA-6.....PG. 16
C0330MA-32.....PG. 10	C1030SA-6.....PG. 11	CU3030SW-1.....PG. 16
C0330MW-1.....PG. 10	C1030SR-3.....PG. 11	CU50GA-1.....PG. 14
C0330SA-1*PG. 10	C1030SR-32.....PG. 11	CU50PA-1.....PG. 14
C0330SW-1.....PG. 10	C1030SR-6.....PG. 11	ECC0800-3.....PG. 13, 14
C0522MA-1*PG. 10	C1030SW-32.....PG. 11	ECC0800-6.....PG. 13, 14
C0522MA-32.....PG. 10	C1448MA-3.....PG. 11	ECC1200-32.....PG. 13, 14
C0522MA-6.....PG. 10	C1448MA-32*PG. 11	ECC1410-32.....PG. 13, 14
C0522MW-1.....PG. 10	C1448MA-6.....PG. 11	ECC1410-3.....PG. 13, 14
C0522SA-1*PG. 10	C1448MR-32.....PG. 11	ECC1800-3.....PG. 13, 14
C0522SA-32.....PG. 10	C1448MR-3.....PG. 11	EH222SL-1.....PG. 13
C0522SA-6.....PG. 10	C1448MW-32.....PG. 11	EH222SL-6.....PG. 13
C0522SW-1.....PG. 10	C1448MW-3.....PG. 11	EH330SL-1.....PG. 13

EH430ML-1.....	PG. 13	ICS-3-SL.....	PG. 29	KPAS.....	PG. 12, 22
EH430SL-1.....	PG. 13	ICS-CP.....	PG. 29	KPFHM-E.....	PG. 22
ERC111-1.....	PG. 12, 22	ICS-DIVIDE.....	PG. 29	KPPSA223.....	PG. 12
ERC311-32*	PG. 12, 22	ICS-PADDLE.....	PG. 29	KPPSA229.....	PG. 12
ERC311-6.....	PG. 12, 22	ICS-SHOVEL.....	PG. 29	KPPSA323.....	PG. 12
ERC611-32.....	PG. 12	ICS-TOTE.....	PG. 29	KPPSA329.....	PG. 12
FME2404AS-32.....	PG. 21	ID150B-1.....	PG. 27	KPUFM30.....	PG. 16
FME2404RLS-32.....	PG. 21	ID200B-1.....	PG. 27	KSBU.....	PG. 12, 22
FS0522A-1*	PG. 18	ID250B-1.....	PG. 27	KSBU-N.....	PG. 12, 22
FS0522W-1.....	PG. 18	IOBDMS22.....	PG. 28	KSEALER.....	PG. 29
FS0822A-1*	PG. 18	IOBDMS30.....	PG. 28	KTAPE.....	PG. 29
FS0822R-1.....	PG. 18	KBAG.....	PG. 29	KTE4.....	PG. 12, 22
FS0822W-1.....	PG. 18	KBC1.....	PG. 29	KTE6-EH.....	PG. 14
FS0822W-32.....	PG. 18	KBC1P.....	PG. 29	KTEL4.....	PG. 12
FS1222A-3.....	PG. 18	KBCSTK30.....	PG. 8	KTPS-SM.....	PG. 12
FS1222A-32.....	PG. 18	KBT14A.....	PG. 30	KUFM15.....	PG. 16, 24
FS1222A-6.....	PG. 18	KBT22B.....	PG. 30	KUFM20.....	PG. 16, 24
FS1222L-1.....	PG. 21	KBT27.....	PG. 30	KUFM24.....	PG. 16, 24
FS1222R-3.....	PG. 18	KBT29.....	PG. 30	KVS.....	PG. 12, 22
FS1222R-32.....	PG. 18	KBT31.....	PG. 30	KWGFID.....	PG. 28
FS1222W-32.....	PG. 18	KBT32.....	PG. 30	NH0422A-1.....	PG. 20
FS1522A-32.....	PG. 18	KBT38.....	PG. 30	NH0422W-1.....	PG. 20
FS1522L-1.....	PG. 21	KBT38-2X.....	PG. 30	NH0622A-1.....	PG. 20
FS1522R-32.....	PG. 18	KBT39.....	PG. 30	NH0622A-32.....	PG. 20
FS2330L-32.....	PG. 21	KBT40A.....	PG. 30	NH0622R-1.....	PG. 20
FS2330R-32.....	PG. 18	KBT41.....	PG. 30	NH0622W-1.....	PG. 20
FS2330R-3.....	PG. 18	KBT42.....	PG. 30	NH0922A-1.....	PG. 20
FS2330W-32.....	PG. 18	KBT43.....	PG. 30	NH0922A-32.....	PG. 20
FS2330W-3.....	PG. 18	KBT44.....	PG. 30	NH0922L-1.....	PG. 21
HD22B-1*	PG. 27	KBT45.....	PG. 30	NH0922R-1.....	PG. 20
HD22B-6.....	PG. 27	KBT50.....	PG. 30	NH0922R-32.....	PG. 20
HD30B-1*	PG. 27	KBT51.....	PG. 30	NH0922W-32.....	PG. 20
HD30B-6.....	PG. 27	KBT52.....	PG. 30	NH1322A-32.....	PG. 20
HD30W-1.....	PG. 27	KBT53.....	PG. 30	NH1322L-1.....	PG. 21
HID312A-1*	PG. 26	KBT54.....	PG. 30	NH1322R-32.....	PG. 20
HID312A-6.....	PG. 26	KBT62.....	PG. 30	NH1322W-3.....	PG. 20
HID312AW-1.....	PG. 26	KBT63.....	PG. 30	NH1322W-32.....	PG. 20
HID525A-1*	PG. 26	KBTABS.....	PG. 30	NH2030R-32.....	PG. 20
HID525A-6.....	PG. 26	KCMR-230.....	PG. 22	NH2030R-3.....	PG. 20
HID525AW-1.....	PG. 26	KDIL-PN-150.....	PG. 30	NH2030W-32.....	PG. 20
HID525W-1.....	PG. 26	KDIL-PN-200.....	PG. 30	NH2030W-3.....	PG. 20
HID540A-1*	PG. 26	KDIL-PN-250.....	PG. 30	NME1854RS-32.....	PG. 21
HID540A-6.....	PG. 26	KDIL-PN-ID3.....	PG. 30	NRTE45.....	PG. 22
HID540AW-1.....	PG. 26	KERCF.....	PG. 12, 22	NS0422A-1*	PG. 20
HID540W-1.....	PG. 26	KFSMF.....	PG. 30	NS0422W-1.....	PG. 20
HST16-A.....	PG. 26	KFSTM.....	PG. 30	NS0622A-1*	PG. 20
HST16B-A.....	PG. 26	KHDSANLV.....	PG. 27	NS0622A-32.....	PG. 20
HST21-A.....	PG. 26	KHOLDER.....	PG. 29	NS0622A-6.....	PG. 20
HST21B-A.....	PG. 26	KLP24A.....	PG. 26	NS0622R-1.....	PG. 20
ICS-1.....	PG. 29	KLP7.....	PG. 29	NS0622W-1.....	PG. 20
ICS-2.....	PG. 29	KLP8S.....	PG. 29	NS0922A-1.....	PG. 20
ICS-3.....	PG. 29	KNUGDIV.....	PG. 28	NS0922A-32*	PG. 20

NS0922A-6	PG. 20
NS0922L-1	PG. 21
NS0922R-1	PG. 20
NS0922R-32*	PG. 20
NS0922W-3	PG. 20
NS0922W-32	PG. 20
NS1322A-32	PG. 20
NS1322L-1	PG. 21
NS1322R-32*	PG. 20
NS1322W-3	PG. 20
NS1322W-32	PG. 20
NS2030R-32	PG. 20
NS2030R-3	PG. 20
NS2030W-32	PG. 20
NS2030W-3	PG. 20
PR2C240-32	PG. 22
PRC241-32	PG. 12
RCKCME6GX-E	PG. 12
SC10-A	PG. 32
SC10RC40	PG. 32
SC20-A	PG. 32
SC20RC20	PG. 32
SSM1-P	PG. 32
SSM2-P	PG. 32
SSM3-P	PG. 32
SSMRC1	PG. 32
SSMRC6	PG. 32
UC2024MA-1	PG. 16
UC2024MW-1	PG. 16
UC2024SA-1	PG. 16
UC2024SW-1	PG. 16
UC2724MA-1	PG. 16
UC2724MA-6	PG. 16
UC2724MW-1	PG. 16
UC2724SA-1	PG. 16
UC2724SA-6	PG. 16
UC2724SW-1	PG. 16
UF0915A-1	PG. 24
UF1415A-1	PG. 24
UF2020A-1	PG. 24
UF424A-1*	PG. 24
UF424A-6	PG. 24
UF424W-1	PG. 24
UN0815A-1	PG. 24
UN1215A-1	PG. 24
UN1520A-1	PG. 24
UN324A-1*	PG. 24
UN324A-6	PG. 24
UN324W-1	PG. 24
XR-30	PG. 31

COMMERCIAL PRODUCTS

Effective February 1, 2021

The List Price Schedule is intended only as a guideline to pricing. It does not restrict the price a distributor or dealer may establish. Pricing and specifications subject to change without notice.



Warranty*

Prodigy Plus®, Eclipse® Cubers, iceValet® Hotel Dispensers & Bins

(EH, ERC, ECC, HD, BH, B, C0, C1, C2, CB & PR)

3 years parts

3 years labor

5 years parts & labor on Prodigy Evaporator, BH1100, BH1300, BH1600 & ICS systems

5 years parts on compressor & condenser

Prodigy Plus® & AutoSentry™ Flake & Nugget Ice Machines

(FM, NM, FS, NH & NS)

3 years parts

3 years labor

5 years parts on compressor

15" & 20" Wide Undercounter Ice Machines

(CU0415, CU0715, CU0920, UF0915, UF1415, UF2020, UN0815, UN1215, UN1520)

3 years parts

3 years labor

24" Wide Undercounter Ice Machines

(UC2024, UC2724, UF424, UN324)

3 years parts

3 years labor

5 years parts on compressor

Undercounter Gourmet Ice Machines

(CU50)

1 years parts

1 years labor

5 years parts on compressor

(CU0515)

3 years parts

3 years labor

5 years parts on compressor & condenser

Undercounter Cube Ice Machine

(CU3030)

3 years parts

3 years labor

5 years parts & labor on the evaporator

5 years parts on compressor & condenser

Meridian™ Ice & Water Dispensers

(HID)

3 years parts

3 years labor

5 years parts on compressor & condenser

Water Filtration Systems

(SSM & AP)

5 years on manifold parts only (SSMx-P & SCx0-A)

Ice Only Dispensers

(ID)

2 years parts

1 years labor

Modular Big Cube Ice Machine

(BC0530)

3 years parts

3 years labor

5 years parts on the evaporator & compressor

* Warranty valid in North, South & Central America for commercial installations.

Residential warranty on commercial products: 1 year parts and labor.



Definitions

- Maximum production capabilities are typical peak production for 24 hours at 70°F/21°C air and 50°F/10°C water
- AHRI certified production capabilities are typical peak production for 24 hours at 90°F/32°C air and 70°F/21°C water
- Maximum capacity is based on 90% of total volume in cubic feet x 34 lb/ft
- (SS) Stainless Steel
- (RC) Rotocast Plastic
- (R-Air) Remote Air
- (RLS) Remote Lowside
- Freight F.O.B. Fairfax, South Carolina and Denver, Colorado

Scotsman®



@ScotsmanIceSystems

• 101 Corporate Woods Parkway, Vernon Hills, IL 60061 • 1-800-SCOTSMAN • Fax: 847-913-9844 • www.scotsman-ice.com • orders@scotsman-ice.com •

© 2020 Scotsman Ice Systems.

SIS-PL-COMIN21 05-21

an Ali Group Company



The Spirit of Excellence