





# Scotsman®

## COMMERCIAL PRODUCTS

### LIST PRICE SCHEDULE *Effective May 1, 2022*

The List Price Schedule is intended only as a guideline to pricing. It does not restrict the price a distributor or dealer may establish.

Our global-leading ice products and services are very local. To see how easy it is to bring them to your location, call 1-800-SCOTSMAN (726-8762) or visit [www.scotsman-ice.com](http://www.scotsman-ice.com).



Scan to learn more



# TABLE OF CONTENTS

|   |              |
|---|--------------|
| <b>Introduction</b>                                 | <b>3-7</b>   |
| WHY SCOTSMAN  | 3            |
| RECOGNITION / CERTIFICATION                         | 3            |
| SALES & MARKETING TOOLS                             | 4            |
| MODEL IDENTIFICATION                                | 5            |
| ICE FORMS   | 6            |
| MACHINE SIZING GUIDELINES                           | 7            |
| <b>Modular Cube Ice Machines</b>                    | <b>8-13</b>  |
| MODULAR CUBE FEATURES & BENEFITS                    | 8            |
| MODULAR CUBE UNITS                                  | 9-10         |
| MODULAR CUBE KITS & ACCESSORIES                     | 11           |
| MODULAR CUBE / REMOTE CONDENSER PACKAGES            | 12-13        |
| UNDERCOUNTER GOURMET CUBE UNITS                     | 13           |
| <b>Undercounter Cube Ice Machines</b>               | <b>14-15</b> |
| UNDERCOUNTER CUBE FEATURES & BENEFITS               | 14           |
| UNDERCOUNTER CUBE UNITS & ACCESSORIES               | 15           |
| <b>Modular Flake Ice Machines</b>                   | <b>16-17</b> |
| MODULAR FLAKE FEATURES & BENEFITS                   | 16           |
| MODULAR FLAKE UNITS                                 | 17           |
| <b>Modular Nugget Ice Machines</b>                  | <b>18-21</b> |
| MODULAR NUGGET FEATURES & BENEFITS                  | 18           |
| MODULAR NUGGET UNITS                                | 19           |
| REMOTE LOW SIDE NUGGET / FLAKE UNITS                | 20           |
| NUGGET / FLAKE KITS & ACCESSORIES                   | 21           |
| <b>Undercounter Nugget &amp; Flake Ice Machines</b> | <b>22-23</b> |
| UNDERCOUNTER NUGGET / FLAKE FEATURES & BENEFITS     | 22           |
| UNDERCOUNTER NUGGET / FLAKE UNITS & ACCESSORIES     | 23           |
| <b>Ice &amp; Water Dispensers</b>                   | <b>24-27</b> |
| ICE & WATER DISPENSER FEATURES & BENEFITS           | 24           |
| ICE & WATER DISPENSERS                              | 25           |
| DISPENSER STANDS                                    | 25           |
| HOTEL / MOTEL DISPENSERS & ACCESSORIES              | 26           |
| ICE ONLY COUNTER TOP DISPENSERS                     | 26           |
| ICE ONLY DISPENSER KITS & ACCESSORIES               | 27           |
| <b>Bins &amp; Sanitation</b>                        | <b>27-35</b> |
| STORAGE BINS  | 27           |
| ICE EXPRESS SYSTEM                                  | 28           |
| BIN ACCESSORIES                                     | 28           |
| BIN TOP KITS / ACCESSORY KITS                       | 29           |
| SANITATION & WATER FILTRATION                       | 30-31        |
| ICE MACHINE TO DISPENSER KIT CHART                  | 33           |
| MACHINE / BIN SIZING CHART                          | 34-35        |
| <b>Index</b>  | <b>36-38</b> |
| <b>Warranty &amp; Definitions</b>                   | <b>39</b>    |

# WHY SCOTSMAN?



## *Scotsman - Above and Beyond Great Ice Machines*

Scotsman is more than just great ice machines. We back up quality products with The Ultimate Ice Experience. This starts with our world-class manufacturing facility in South Carolina, to our high quality and reliable products, and extends to our dedicated support network. From beginning to end, Scotsman's channel partners and customers get the products, service and support they deserve.



### Award Winning Manufacturing & Products

When equipment is functioning smoothly, operators have more time and energy to spend on serving customers. That's why Scotsman offers an impressive array of technology that keeps operators informed – well before issues arise.



### Designed, Engineered & Assembled In The USA

At Scotsman, our quality story begins inside our award-winning production facility in South Carolina. And with 99% of our equipment U.S.-based, we're proud to keep things close to home.



### 24/7 Technical Support

Our Technical Service department has a 24 hour emergency line so there is always a Scotsman representative available to help when you need it. We also have an area on our website specifically dedicated to technical information.



### Certified Product Performance

So you don't have to just take our word for it, AHRI provides Scotsman with certifications for almost every single one of our ice machines and bins. Scotsman is ISO 9001:2015 certified with 100% of our units being quality checked before leaving the plant.



### Focus on Energy & Savings

Offering several ENERGY STAR® certified models, Scotsman ice machines incorporate a superior design that reduces energy and water consumption, making a difference for the environment and the bottom line. Look for the ✓ symbol throughout the price book to find our qualified products.



### Innovative Sales Tools & Trainings

Scotsman has created several tools to help our partners and customers learn more about our brand and products. These tools include the Resource Center, Sales App, Ice Machine Sizing and Selector Tool, Comparison Tool and more.



## Sales & Marketing Tools



### iPad App

#### *What is it?*

An Apple Enterprise iPad App with true on-the-go access to presentations, images and videos, marketing literature and interactive tools

#### *How do I access it?*


- Type the below link into your web browser  
<http://salesapp.scotsman-ice.com/ipad-app/>
- Scan the QR code for instant access
- Visit the Sales App Microsite and click the "Download iPad App" button in the top left corner

#### *Functionality*

- Only available for Apple iPads
- Formatted for offline use as a true, on-the-go resource



Scan to access



### Microsite

#### *What is it?*

A web-based microsite with access to presentations, images and videos, marketing literature and interactive tools

#### *How do I access it?*

- Type the below link into your web browser  
<http://salesapp.scotsman-ice.com>
- Scan the QR code for instant access
- Visit the Scotsman website homepage. Click "Resource Center" from the top tool-bar. Then scroll to the Sales Tools section and click "Sales App"

#### *Functionality*

- Available on all devices - Computers, tablets & cell phones
- Requires internet connection



Scan to access



### Resource Center

#### *What is it?*

The Scotsman Resource Center replaces our Library web page and is the ultimate destination for getting Scotsman marketing tools and information.

#### *How do I access it?*

- Type the below link into your web browser  
<http://portal.scotsman-ice.com>
- Scan the QR code for instant access
- From our website home page, click the Resource Center tab

#### *Functionality*

- Available on all devices - Computers, tablets & cell phones
- Requires internet connection



Scan to access



### Comparison Tool

#### *What is it?*

This tool can be used to find the closest machine for a complete comparison of specifications and operating costs.

#### *How do I access it?*

- Type the below link into your web browser  
<https://portal.scotsman-ice.com/ComparisonTool/>
- Scan the QR code for instant access
- From our Resource Center, visit the Sales Tools section, and click on Comparison Tool link

#### *Functionality*

- Available on all devices - Computers, tablets & cell phones
- Requires internet connection



Scan to access



## Ice Machine Model Identification

# C0530SA-1E

| C  | 05                     | 30                     | S                 | A                          | -1                                | E              |
|--|------------------------|------------------------|-------------------|----------------------------|-----------------------------------|----------------|
| model<br>type                              | capacity<br>100s of lb | cabinet<br>width (in.) | cube<br>size      | condenser<br>type          | base electrical<br>volts/hz/phase | series<br>code |
|  |                        |                        |                   |                            |                                   |                |
| <b>C</b> = Cube (Modular)                  |                        |                        | <b>S</b> = Small  | <b>A</b> = Air cooled      | <b>-1</b> = 115/60/1              |                |
| <b>CU / UC</b> = Undercounter Cube         |                        |                        | <b>M</b> = Medium | <b>W</b> = Water cooled    | <b>-32</b> = 208-230/60/1         |                |
| <b>EH</b> = Remote Low-Side Cube (Modular) |                        |                        |                   | <b>R</b> = Remote          | <b>-3</b> = 208-230/60/3          |                |
| <b>FS</b> = Flake (Modular)                |                        |                        |                   | <b>L</b> = Remote low side | <b>-6</b> = 220-240/50/1          |                |
| <b>UF</b> = Undercounter Flake             |                        |                        |                   |                            |                                   |                |
| <b>NH</b> = Hard Nugget (Modular)          |                        |                        |                   |                            |                                   |                |
| <b>NS</b> = Soft Nugget (Modular)          |                        |                        |                   |                            |                                   |                |
| <b>UN</b> = Undercounter Nugget            |                        |                        |                   |                            |                                   |                |
| <b>HD</b> = Hotel Dispenser                |                        |                        |                   |                            |                                   |                |
| <b>HID</b> = Ice & Water Dispenser         |                        |                        |                   |                            |                                   |                |
| <b>ID</b> = Ice Only Dispenser             |                        |                        |                   |                            |                                   |                |

Date Code: Scotsman's production date code is located  
in the serial number.

2 digit year, 2 digit month, mfg site ID, six numbers

Example: 09061320998877

0906 = Manufactured June, 2009



## An Ice Form to Meet Every Need



### **GOURMET ICE**

The perfect unique shape for upscale bars and restaurants.

**APPLICATIONS:** Bar Use  
Waitress Stations  
Office Suites  
Break Rooms

**SIZE:** 1" x 1 1/8" x 1 1/4"



### **FLAKE ICE**

These small pieces of ice combine fast cooling power with very low production costs.

**APPLICATIONS:** Blended Cocktails  
Salad Bars  
Meat & Seafood Displays

**SIZE:** Compressed Flake Ice



### **ORIGINAL CHEWABLE NUGGET ICE®**

The smallest, softest and most chewable, our proprietary nugget ice is The Original Chewable Ice® - a customer favorite for decades.

**APPLICATIONS:** Carbonated Beverages  
Food Displays  
Therapeutic Applications

**SIZE:** 7/16" x 5/16" x 3/8"




### **H² NUGGET ICE**

Slightly harder, slower melting, nugget ice form that combines more reliable dispensing with the chewable ice that customers love.

**APPLICATIONS:** Carbonated Beverages  
Food Displays  
Improved Ice Dispensing  
Therapeutic Applications

**SIZE:** 3/4" x 5/16" x 3/8"



### **SMALL & MEDIUM CUBE ICE**

Our familiar crystal-clear diced ice cube form, available in both small and medium sizes to fit your needs.

**APPLICATIONS:** Mixed Drinks  
Carbonated Beverages  
Ice Dispensing  
Banquet Services

**SIZE:** Small: 7/8" x 7/8" x 3/8"  
Medium: 7/8" x 7/8" x 7/8"







## Guidelines to Sizing Ice Systems

Every operation is different and requires special considerations in sizing equipment. For new locations, use the guidelines below. You may want to add 10-20% for growth or add for unusual types of usage, e.g., icing down drink barrels, bagging ice for resale. For a replacement unit, be sure to ask if the existing unit met the operator's needs. If not, add the amount of ice being purchased to the capacity of the existing unit to determine necessary production for the new unit.

### Foodservice

#### Restaurants:

1.7 lb (0.8 kg) per customer or 5.0 lb (2.3 kg) per seat.

#### Cocktail Lounge:

3 lb (1.4 kg) per customer.

#### Salad Bar:

Add 35 lb (15.9 kg) per cubic foot of display. Multiply by 2 or 3 depending on estimated refills required.

#### Fast Food:

0.9 lb (0.4 kg) per customer or 7.4 lb per seat. Use 2 oz per 8-10 oz drink; 4 oz per 12-16 oz drink.

### Convenience Stores/Customer Self-Service

4 oz per 12 oz drink; 7 oz per 20 oz drink; 10 oz per 32 oz drink. Cold plate-add 50% more.

### Healthcare:

8 lb (3.6 kg) per patient bed. Use 3 lb (1.4 kg) per employee.

### Lodging:

3 lb (1.4 kg) per guest room. Plan on substantially more if guests are allowed to fill ice chests.



## Ice Machine Sizing & Selector Tool

### What is it?

This tool can be used to find the right machine for your operation. Calculate estimated ice usage and sort ice machine models by categories including: application, ice form, machine width and unit placement.

### How do I access it?

- Type the below link into your web browser  
<https://portal.scotsman-ice.com/SelectorTool/>
- Scan the QR code for instant access
- From our Resource Center, visit the Sales Tools section, and click on Ice Machine Sizing & Selector Tool link


### Functionality

- Available on all devices - Computers, tablets & cell phones
- Requires internet connection



Scan to access

# PRODIGY PLUS® MODULAR CUBE ICE MACHINES



As the world's only self-monitoring cuber, the new Scotsman Prodigy Plus® cube ice machines make it easier than ever to maintain your equipment and save money.

## Features & Benefits

Front-located air filter for more efficient operation

Self-aligning front panel for easy access to key components

Patented **WaterSense** purge control allows operators to save water and energy

**Smart-Board™** advanced feature module available for additional diagnostic capabilities

Operational footprint among the industry's smallest

Optional **Vari-Smart™** ice level control allows operators to customize ice levels

**Antimicrobial** protection guards internal surfaces between cleanings



**One-touch** cleaning reduces labor costs and saves time



**AutoAlert™** indicator lights for better visibility




Scan for an example

Industry-exclusive **QR code** instantly connects users to service information



**Scotsman®**

**PRODIGY  
PLUS**







# Prodigy Plus® Modular Cubers Utilizing AquaArmor™ with AgION®


\*Refer to page 27 & 29 for required bins & bin top kits.




**PRODIGY**  
PLUS

MODULAR CUBE

| Unit Dimensions<br>(W x D x H)  | Cube<br>Size | Model<br>Number | Condenser<br>Type            | 24 hr Ice Production                     |              |  | Shipping<br>Weight<br>lb/kg          | List Price<br>Volts/Hz/Phase             |                      |                          |
|---|--------------|-----------------|------------------------------|--|--------------|--|--------------------------------------|--|----------------------|--------------------------|
|   |              |                 |                              | 70°F/21°C<br>50°F/10°C<br>lb/kg          | Air<br>Water | 90°F/32°C<br>70°F/21°C<br>lb/kg          |                                      | 115/60/1<br>-1                           | 208-230/60/1<br>-32  | 230/50/1<br>-6           |
| <br>22" x 24" x 23"<br>55.9 x 61.0 x 58.4 cm | Med.<br>Sm.  | <b>C0322</b>    | Air<br>Water<br>Air<br>Water | 356/162<br>366/166<br>356/162<br>366/166 |              | 232/105<br>292/133<br>232/105<br>292/133 | 155/70<br>155/70<br>155/70<br>155/70 | \$8,247<br>\$8,406<br>\$8,247<br>\$8,406 | \$8,379<br>\$8,538   | \$8,432 ●<br>\$8,432 ●   |
|   |              | C0322MA         |                              |  |              |  |                                      |  |                      |                          |
|   |              | C0322MW         |                              |  |              |  |                                      |  |                      |                          |
|   |              | C0322SA         |                              |  |              |  |                                      |  |                      |                          |
|   | Med.<br>Sm.  | <b>C0522</b>    | Air<br>Water<br>Air<br>Water | 475/216<br>480/218<br>475/216<br>480/218 |              | 340/154<br>409/186<br>340/154<br>409/186 | 160/73<br>160/73<br>160/73<br>160/73 | \$8,666<br>\$8,825<br>\$8,666<br>\$8,825 | \$8,798<br>\$8,957   | \$8,851 ●<br>\$8,851 ●   |
|   |              | C0522MA         |                              |  |              |  |                                      |  |                      |                          |
|   |              | C0522MW         |                              |  |              |  |                                      |  |                      |                          |
|   |              | C0522SA         |                              |  |              |  |                                      |  |                      |                          |
| <br>22" x 24" x 29"<br>55.9 x 61.0 x 73.7 cm | Med.<br>Sm.  | <b>C0722</b>    | Air<br>Air                   | 758/345<br>758/345                       |              | 566/257<br>566/257                       | 189/86<br>189/86                     |  | \$10,322<br>\$10,322 | \$10,508 ●<br>\$10,508 ● |
|   |              | C0722MA         |                              |  |              |  |                                      |  |                      |                          |
|   |              | C0722SA         |                              |  |              |  |                                      |  |                      |                          |


| Unit Dimensions<br>(W x D x H)  | Cube<br>Size | Model<br>Number | Condenser<br>Type                                | 24 hr Ice Production   |              |  | Shipping<br>Weight<br>lb/kg                              | List Price<br>Volts/Hz/Phase                                   |                     |                        |
|---|--------------|-----------------|--|--|--------------|--|--|--|---------------------|------------------------|
|   |              |                 |  | 70°F/21°C<br>50°F/10°C<br>lb/kg                                | Air<br>Water | 90°F/32°C<br>70°F/21°C<br>lb/kg                                |  | 115/60/1<br>-1   | 208-230/60/1<br>-32 | 230/50/1<br>-6         |
| <br>30" x 24" x 23"<br>76.2 x 61.0 x 58.4 cm | Med.<br>Sm.  | <b>C0330</b>    | Air<br>Water<br>Air<br>Water                     | 400/182<br>420/191<br>400/182<br>420/191                       |              | 288/131<br>326/148<br>288/131<br>326/148                       | 155/70<br>155/70<br>155/70<br>155/70                     | \$7,702<br>\$7,861<br>\$7,702<br>\$7,861                       | \$7,834             |                        |
|   |              | C0330MA         |  |  |              |  |  |  |                     |                        |
|   |              | C0330MW         |  |  |              |  |  |  |                     |                        |
|   |              | C0330SA         |  |  |              |  |  |  |                     |                        |
|   | Med.<br>Sm.  | <b>C0530</b>    | Air<br>Remote<br>Water<br>Air<br>Remote<br>Water | 525/238<br>500/227<br>500/227<br>525/238<br>500/227<br>500/227 |              | 380/172<br>400/181<br>410/186<br>380/172<br>400/181<br>410/186 | 175/80<br>175/80<br>175/80<br>175/80<br>175/80<br>175/80 | \$8,557<br>\$8,451<br>\$8,716<br>\$8,557<br>\$8,451<br>\$8,716 | \$8,690             | \$8,743 ●<br>\$8,743 ● |
|   |              | C0530MA         |  |  |              |  |  |  |                     |                        |
|   |              | C0530MR         |  |  |              |  |  |  |                     |                        |
|   |              | C0530MW         |  |  |              |  |  |  |                     |                        |
|   |              | C0530SA         |  |  |              |  |  |  |                     |                        |
|   |              | C0530SR         |  |  |              |  |  |  |                     |                        |

| Unit Dimensions<br>(W x D x H)  | Cube<br>Size | Model<br>Number | Condenser<br>Type                                | 24 hr Ice Production   |              |  | Shipping<br>Weight<br>lb/kg                              | List Price<br>Volts/Hz/Phase   |                     |                          |
|---|--------------|-----------------|--|--|--------------|--|--|--|---------------------|--------------------------|
|   |              |                 |  | 70°F/21°C<br>50°F/10°C<br>lb/kg                                | Air<br>Water | 90°F/32°C<br>70°F/21°C<br>lb/kg                                |  | 208-230/60/1<br>-32  | 208-230/60/3<br>N/A | 230/50/1<br>-6           |
| <br>30" x 24" x 23"<br>76.2 x 61.0 x 58.4 cm | Med.<br>Sm.  | <b>C0630</b>    | Air<br>Remote<br>Water<br>Air<br>Remote<br>Water | 640/291<br>614/279<br>633/288<br>640/291<br>614/279<br>633/288 |              | 474/215<br>540/245<br>573/260<br>474/215<br>540/245<br>573/260 | 190/86<br>190/86<br>190/86<br>190/86<br>190/86<br>190/86 | \$10,541<br>\$10,435 ✓<br>\$10,700<br>\$10,541<br>\$10,435 ✓<br>\$10,700 |                     | \$10,726 ●<br>\$10,726 ● |
|   |              | C0630MA         |  |  |              |  |  |  |                     |                          |
|   |              | C0630MR         |  |  |              |  |  |  |                     |                          |
|   |              | C0630MW         |  |  |              |  |  |  |                     |                          |
|   |              | C0630SA         |  |  |              |  |  |  |                     |                          |
|   |              | C0630SR         |  |  |              |  |  |  |                     |                          |
|   |              | C0630SW         |  |  |              |  |  |  |                     |                          |


✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 27 for storage bins. Please call for pricing on other international configurations.

# Prodigy Plus® Modular Cubers Utilizing AquaArmor™ with AgION®

| Unit Dimensions<br>(W x D x H)  | Cube Size | Model Number | Condenser Type | 24 hr Ice Production            |              | Shipping Weight<br>lb/kg | List Price<br>Volts/Hz/Phase |                    |                |
|---|-----------|--------------|----------------|---------------------------------|--------------|--------------------------|------------------------------|--------------------|----------------|
|   |           |              |                | 70°F/21°C<br>50°F/10°C<br>lb/kg | Air<br>Water |                          | 208-230/60/1<br>-32          | 208-230/60/3<br>-3 | 230/50/1<br>-6 |
| <br>30" x 24" x 29"<br>76.2 x 61.0 x 73.7 cm | Med.      | <b>C0830</b> |                |                                 |              |                          |                              |                    |                |
|   |           | C0830MA      | Air            | 905/411                         | 718/326      | 220/100                  | \$13,240                     | \$13,479           | \$13,532 ●     |
|   |           | C0830MR      | Remote         | 870/395                         | 780/355      | 220/100                  | \$13,134                     |                    |                |
|   |           | C0830MW      | Water          | 924/420                         | 832/378      | 220/100                  | \$13,505                     |                    |                |
|   |           | C0830SA      | Air            | 905/411                         | 718/326      | 220/100                  | \$13,240                     | \$13,479           | \$13,532 ●     |
|   |           | C0830SR      | Remote         | 870/395                         | 780/355      | 220/100                  | \$13,134                     |                    |                |
|   |           | C0830SW      | Water          | 924/420                         | 832/378      | 220/100                  | \$13,505                     |                    |                |
|   | Sm.       | <b>C1030</b> |                |                                 |              |                          |                              |                    |                |
|   |           | C1030MA      | Air            | 1077/490                        | 816/371      | 235/107                  | \$15,119                     |                    | \$15,410 ●     |
|   |           | C1030MR      | Remote         | 996/453                         | 869/395      | 235/107                  | \$15,013                     | \$15,251           |                |
|   |           | C1030MW      | Water          | 1029/468                        | 929/422      | 235/107                  | \$15,384                     |                    |                |
|   |           | C1030SA      | Air            | 1077/490                        | 816/371      | 235/107                  | \$15,119                     |                    | \$15,410 ●     |
|   |           | C1030SR      | Remote         | 996/453                         | 869/395      | 235/107                  | \$15,013                     | \$15,251           | \$15,304 ●     |
|   |           | C1030SW      | Water          | 1029/468                        | 929/422      | 235/107                  | \$15,384                     |                    |                |

| Unit Dimensions<br>(W x D x H)   | Cube Size | Model Number | Condenser Type | 24 hr Ice Production            |              | Shipping Weight<br>lb/kg | List Price<br>Volts/Hz/Phase |                    |                |
|--|-----------|--------------|----------------|---------------------------------|--------------|--------------------------|------------------------------|--------------------|----------------|
|  |           |              |                | 70°F/21°C<br>50°F/10°C<br>lb/kg | Air<br>Water |                          | 208-230/60/1<br>-32          | 208-230/60/3<br>-3 | 230/50/1<br>-6 |
| <br>48" x 24" x 29"<br>121.9 x 61.0 x 73.7 cm | Med.      | <b>C1448</b> |                |                                 |              |                          |                              |                    |                |
|  |           | C1448MA      | Air            | 1553/706                        | 1296/589     | 345/157                  | \$17,351 ✓                   | \$17,590 ✓         | \$17,643 ●     |
|  |           | C1448MR      | Remote         | 1357/617                        | 1258/572     | 345/157                  | \$17,245                     | \$17,484           |                |
|  |           | C1448MW      | Water          | 1444/656                        | 1340/609     | 345/157                  | \$17,616                     | \$17,855           |                |
|  |           | C1448SA      | Air            | 1553/706                        | 1296/589     | 345/157                  | \$17,351 ✓                   | \$17,590 ✓         | \$17,643 ●     |
|  |           | C1448SR      | Remote         | 1357/617                        | 1258/572     | 345/157                  | \$17,245                     | \$17,484           |                |
|  |           | C1448SW      | Water          | 1444/656                        | 1340/609     | 345/157                  | \$17,616                     | \$17,855           |                |
|  | Sm.       | <b>C1848</b> |                |                                 |              |                          |                              |                    |                |
|  |           | C1848MA      | Air            | 1909/868                        | 1426/647     | 355/161                  | \$22,185                     |                    | \$22,476 ●     |
|  |           | C1848MR      | Remote         | 1828/831                        | 1662/754     | 355/161                  | \$22,079                     | \$22,317           | \$22,370 ●     |
|  |           | C1848MW      | Water          | 1900/864                        | 1668/757     | 355/161                  | \$22,450                     |                    |                |
|  |           | C1848SA      | Air            | 1909/868                        | 1426/647     | 355/161                  | \$22,185                     |                    | \$22,476 ●     |
|  |           | C1848SR      | Remote         | 1828/831                        | 1662/754     | 355/161                  | \$22,079                     | \$22,317           | \$22,370 ●     |
|  |           | C1848SW      | Water          | 1900/864                        | 1668/757     | 355/161                  | \$22,450                     |                    |                |
|  | Med.      | <b>C2148</b> |                |                                 |              |                          |                              |                    |                |
|  |           | C2148MR      | Remote         | 1965/893                        | 1746/794     | 370/168                  | \$27,137                     | \$27,376           | \$27,429 ●     |
|  | Sm.       | C2148SR      | Remote         | 1965/893                        | 1746/794     | 370/168                  | \$27,137                     | \$27,376           | \$27,429 ●     |

| Unit Dimensions<br>(W x D x H)   | Cube Size | Model Number | Condenser Type | 24 hr Ice Production            |              | Shipping Weight<br>lb/kg | List Price<br>Volts/Hz/Phase |                    |                 |
|--|-----------|--------------|----------------|---------------------------------|--------------|--------------------------|------------------------------|--------------------|-----------------|
|  |           |              |                | 70°F/21°C<br>50°F/10°C<br>lb/kg | Air<br>Water |                          | 208-230/60/1<br>N/A          | 208-230/60/3<br>-3 | 230/50/1<br>N/A |
| <br>48" x 28.5" x 34"<br>121.9 x 72.39 x 86.36 cm | Med.      | <b>C2648</b> |                |                                 |              |                          |                              |                    |                 |
|  |           | C2648MR      | Remote         | 2630/1193                       | 2131/967     | 430/195                  |                              | \$28,908           |                 |
|  |           | C2648SR      | Remote         | 2630/1193                       | 2131/967     | 430/195                  |                              | \$28,908           |                 |

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 27 for storage bins. Please call for pricing on other international configurations.

# Modular Cuber Kits and Accessories

| Unit Dimensions<br>(W x D x H)                   | Model Number             | Description  | Shipping Weight<br>lb/kg | List Price<br>Volts/Hz/Phase |                     |                |
|--|--------------------------|--|--------------------------|------------------------------|---------------------|----------------|
|  |                          |  |                          | 115/60/1<br>-1               | 208-230/60/1<br>-32 | 230/50/1<br>-6 |
| 29.5" x 29.13" x 38.47"<br>74.9 x 74.0 x 97.7 cm | <b>Remote Condensers</b> |  |                          |                              |                     |                |
|  | ERC111                   | Remote condenser for C0530xR   | 95/43                    | \$2,713                      |                     |                |
| 29.5" x 29.13" x 38.47"<br>74.9 x 74.0 x 97.7 cm | ERC311                   | Remote condenser for C0630xR, C0830xR, C1030xR, or C1448xR                 | 130/59                   |                              | \$2,863             | \$3,049        |
| 29.5" x 37.8" x 38.47"<br>74.9 x 96.0 x 97.7 cm  | ERC611                   | Remote condenser for C1848xR or C2148xR (Works with 50 Hz and 60 Hz units) | 140/84                   |                              | \$4,100             |                |
| 28.5" x 39" x 34.63"<br>72.4 x 99.1 x 87.9 cm    | PRC241                   | Remote condenser for C2648xR   | 135/61                   |                              | \$4,772             |                |

| Model Number  | Description   | Shipping Weight<br>lb/kg | List Price |
|---|---|--------------------------|------------|
| <b>Miscellaneous</b>  |   |                          |            |
| KERCF   | Air filter for ERC111 or ERC311   | 5/2                      | \$214      |
| RCKCME6GX-E   | Remote condensing kit for connecting E revision Prodigy® models to non-Scotsman remote condenser coils, Quick connects not included | 25/11                    | \$785      |
| KTPS-SM   | Tamper Proof Screw Kit (incl. Tool) to convert 22" (55.9 cm), 30" (76.2 cm) or 48" (121.9 cm) cuber                                 | 5/2                      | \$269      |
| <b>Line Sets</b>  |   |                          |            |
| BRTE10  | Line set, 10 ft, brazing required   | 7/3                      | \$443      |
| BRTE25  | Line set, 25 ft, brazing required   | 12/6                     | \$661      |
| BRTE40  | Line set, 40 ft, brazing required   | 17/8                     | \$749      |
| BRTE75  | Line set, 75 ft, brazing required   | 35/16                    | \$1,144    |
| KTE4  | Tube end kit - contains 4 quick connect fittings for any RTE Line Set   | 5/2                      | \$296      |
| BRTEL25   | Line set, 25 ft (7.6m), use with C2648 remote cooled units, brazing required  | 16/7                     | \$553      |
| BRTEL40   | Line set, 40 ft (12.2m), use with C2648 remote cooled units, brazing required   | 22/10                    | \$830      |
| BRTEL75   | Line set, 75 ft (22.9m), use with C2648 remote cooled units, brazing required   | 40/18                    | \$1,237    |
| KTEL4   | Tube end kit - contains 4 quick connect fittings for any RTEL Line Set  | 5/2                      | \$323      |
| <b>Prodigy® and Prodigy Plus® Modular Cuber Accessories</b> |   |                          |            |
| KPAS  | Kit - Prodigy Advanced Sustainability. Includes KSBUS-N and KVS   | 10/4                     | \$1,552    |
| KSBUS   | Kit - Prodigy Smart-Board™ - Use additional operational data for fast diagnosis   | 5/2                      | \$1,056    |
| KSBUS-N   | Kit - Prodigy Smart-Board™ - Network connection   | 5/2                      | \$1,370    |
| KVS   | Kit - Prodigy Vari-Smart™ Ice Level Control - Adjust ice levels to match ice needs  | 5/2                      | \$471      |
| <b>Air Flow Kits</b>  |   |                          |            |
| KPPSA223  | Kit - Prodigy Plus® Side Air Flow for C0322, C0522, N0422, F0522, N0622, F0822  | 11/5                     | \$359      |
| KPPSA229  | Kit - Prodigy Plus® Side Air Flow for C0722   | 13/6                     | \$491      |
| KPPSA323  | Kit - Prodigy Plus® Side Air Flow for C0330, C0530, C0630   | 13/6                     | \$409      |
| KPPSA329  | Kit - Prodigy Plus® Side Air Flow for C0830, C1030  | 15/7                     | \$522      |

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 27 for storage bins. Please call for pricing on other international configurations.

# Prodigy Plus® Eclipse® Ice Machines



**EH222SL**



22" x 16.5" x 29"  
55.9 x 41.9 x 73.7 cm

**EH330SL**



30" x 24" x 23"  
76.2 x 61.0 x 58.4 cm

**EH430SL / ML**




30" x 24" x 29"  
76.2 x 61.0 x 73.7 cm

| Cube Size  | Model Number     | Use With Condensing Unit | 24 hr Ice Production            |   | Shipping Weight<br>lb/kg | List Price         |                |
|------------|------------------|--------------------------|---------------------------------|---|--------------------------|--------------------|----------------|
|            |                  |                          | 70°F/21°C<br>50°F/10°C<br>lb/kg | Air<br>Water<br>90°F/32°C<br>70°F/21°C<br>lb/kg |                          | 115/60/1<br>-1     | 230/50/1<br>-6 |
| Sm.        | <b>Ice Maker</b> |                          |                                 |   |                          |                    |                |
|            | EH222SL          | ECC0800<br>ECC1410       | 850/386<br>1030/468             | 700/318<br>827/375                              | 319/145<br>332/151       | \$8,523<br>\$8,523 | \$8,735 ●      |
| Sm.        | <b>Ice Maker</b> | ECC1200                  | 1411/641                        | 1103/500  | 310/141                  | \$9,298            |                |
| Sm. / Med. | <b>Ice Maker</b> |                          |                                 |   |                          |                    |                |
|            | EH430SL / ML     | ECC1410<br>ECC1800       | 1425/648<br>1775/807            | 1200/545<br>1600/727                            | 332/151<br>350/159       | \$9,700<br>\$9,700 |                |

## ECC Features

- Energy efficient components save money on utility costs.
- Better corrosion resistance increases life of unit.
- One piece design makes installation and service easier.
- Maximizes air conditioning load.
- Allows for quiet operation in dining and working environments.
- Able to operate in wide outdoor temperature range from -20° F to 120° F.



# Prodigy Plus® Eclipse® Complete Package



+



=

**Eclipse®**  
SYSTEM\*


| Approx. Ice Production<br>(lb.) | Ice Maker Small Cube | Ice Maker List Price | Condensing Unit | Condensing List Price | System List Price |
|---------------------------------|----------------------|----------------------|-----------------|-----------------------|-------------------|
| 800                             | EH222SL              | \$8,523              | ECC0800         | \$10,354              | \$18,877          |
| 1000                            | EH222SL              | \$8,523              | ECC1410         | \$12,171              | \$20,694          |
| 1400                            | EH330SL              | \$9,298              | ECC1200         | \$12,222              | \$21,520          |
| 1400                            | EH430SL / ML         | \$9,700              | ECC1410         | \$12,171              | \$21,871          |
| 1800                            | EH430SL / ML         | \$9,700              | ECC1800         | \$17,898              | \$27,598          |

\*Line sets and bin top kits must be purchased with Eclipse® System for proper operation of equipment.

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 27 for storage bins. Please call for pricing on other international configurations.

# Prodigy Plus® Eclipse® Condensing Unit



| Unit Dimensions<br>(W x D x H)  | Model Number             | Description  | Shipping Weight<br>lb/kg | List Price<br>Volts/Hz/Phase |                    |                |
|---|--------------------------|--|--------------------------|------------------------------|--------------------|----------------|
|   |                          |  |                          | 208-230/60/1<br>-32          | 208-230/60/3<br>-3 | 230/50/1<br>-6 |
| <br>27" x 32.06" x 39.75"<br>68.58 x 81.4 x 100.9 cm | <b>Remote Condensers</b> |  |                          |                              |                    |                |
|   | ECC0800                  | Remote condensing unit Eclipse<br>800 lb/364 kg systems            | 319/145                  |                              | \$10,354           |                |
|   | ECC1200                  | Remote condensing unit Eclipse<br>1400 lb/636 kg systems           | 310/141                  | \$12,222                     |                    |                |
|   | ECC1410                  | Remote condensing unit Eclipse<br>1000-1400 lb /455-636 kg systems | 332/151                  | \$12,171                     | \$12,356           |                |
|   | ECC1800                  | Remote condensing unit Eclipse<br>1800 lb/818 kg systems           | 350/159                  |                              | \$17,898           |                |

# Prodigy Plus® Eclipse® Accessories

| Model Number     | Description                                       | Shipping Weight<br>lb/kg | List Price |
|------------------|---|--------------------------|------------|
| <b>Line Sets</b> |   |                          |            |
| 3BRTE20-EH       | Line set, 20ft. Refrigerant and Brazing required. | 21/10                    | \$488      |
| 3BRTE35-EH       | Line set, 35ft. Refrigerant and Brazing required. | 32/15                    | \$731      |
| 3BRTE50-EH       | Line set, 50ft. Refrigerant and Brazing required. | 53/24                    | \$1,061    |
| 3BRTE75-EH       | Line set, 75ft. Refrigerant and Brazing required. | 79/36                    | \$1,618    |
| KTE6-EH          | Kit, Tube End, 6 Fittings, 3RTExx-EH Line set     | 5/2                      | \$876      |

# Undercounter Gourmet Cube Units



| Unit Dimensions<br>(W x D x H)   | Model Number  | Condenser Type | 24 hr Ice Production            |              | Storage Capacity<br>lb/kg | Shipping Weight<br>lb/kg | List Price<br>Volts/Hz/Phase |                     |                 |
|--|---------------|----------------|---------------------------------|--------------|---------------------------|--------------------------|------------------------------|---------------------|-----------------|
|  |               |                | 70°F/21°C<br>50°F/10°C<br>lb/kg | Air<br>Water |                           |                          | 115/60/1<br>-1               | 208-230/60/1<br>N/A | 230/50/1<br>N/A |
| <br>14.88" x 22" x 34.38"<br>37.8 x 55.9 x 87.3 cm  | <b>CU50</b>   |                |                                 |              |                           |                          |                              |                     |                 |
|  | CU50GA        | Air            | 64/29                           |              | 26/12                     | 100/45                   | \$6,155                      |                     |                 |
|  | CU50PA*       | Air            | 64/29                           |              | 26/12                     | 105/48                   | \$7,060                      |                     |                 |
| <br>15.19" x 23.63" x 34.13"<br>38.6 x 60 x 86.69 cm<br>Height includes 5.25" (13.3cm) legs | <b>CU0515</b> |                |                                 |              |                           |                          |                              |                     |                 |
|  | CU0515GA      | Air            | 74/34                           |              | 24/11                     | 95/43                    | \$7,710                      |                     |                 |

Standard exterior finish: Stainless Steel.


\*CU50PA-1A comes with a pump drain instead of a gravity drain.

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 27 for storage bins. Please call for pricing on other international configurations.



## UNDERCOUNTER CUBE ICE MACHINES



You want ice, not issues. That's why Scotsman created the undercounter line of ice machines. Small in stature. Big on reliability and ease of use. Because at the end of the day, what you really want is a machine that works as hard as you do.

### *Features & Benefits*

Slide back door allows easy access to ice in the bin

Front breathing vents allow for flexible placement

High-volume capacity in a small, compact footprint



**Energy Efficient Design:**  
Environmentally friendly while saving operators money




Unique evaporator produces crystal clear cubes



With an optional floor mount kit, our 15" & 20" wide models can be installed under 34" ADA counter tops



# Scotsman®



# Undercounter Cube Ice Machines



CU0415



15"W x 24"D x 38"H\*  
38.1 x 61.0 x 96.5 cm

CU0715



15"W x 24"D x 38"H\*  
38.1 x 61.0 x 96.5 cm

CU0920



20"W x 24"D x 38"H\*  
50.8 x 61.0 x 96.5 cm

UC2024



24"W x 29"D x 39"H\*  
61.0 x 73.5 x 99.1 cm

UC2724



24"W x 29"D x 39"H\*  
61.0 x 73.5 x 99.1 cm

CU3030



30"W x 30"D x 39"H\*  
76.2 x 76.2 x 99.1 cm

\*Height includes 6" (15.2cm) legs

| Cube Size | Model Number | Condenser Type | 24 hr Ice Production            |              |                                 | Storage Capacity | Shipping Weight | List Price     |                     |                |
|-----------|--------------|----------------|---------------------------------|--------------|---------------------------------|------------------|-----------------|----------------|---------------------|----------------|
|           |              |                | 70°F/21°C<br>50°F/10°C<br>lb/kg | Air<br>Water | 90°F/32°C<br>70°F/21°C<br>lb/kg |                  |                 | 115/60/1<br>-1 | 208-230/60/1<br>-32 | 230/50/1<br>-6 |
| Med.      | CU0415MA     | Air            | 58/26                           |              | 38/17                           | 36/16            | 90/41           | \$4,889        |                     | \$5,048 ●      |
|           | CU0715MA     | Air            | 80/36                           |              | 58/26                           | 36/16            | 96/44           | \$5,381        |                     | \$5,540 ●      |
|           | CU0920MA     | Air            | 100/45                          |              | 80/36                           | 57/26            | 118/54          | \$5,742        |                     | \$5,901 ●      |
| Med. Sm.  | UC2024MA     | Air            | 227/103                         |              | 166/75                          | 80/36            | 150/68          | \$6,188 ✓      |                     |                |
|           | UC2024MW     | Water          | 230/104                         |              | 176/80                          | 80/36            | 150/68          | \$6,347        |                     |                |
|           | UC2024SA     | Air            | 227/103                         |              | 166/75                          | 80/36            | 150/68          | \$6,188 ✓      |                     |                |
|           | UC2024SW     | Water          | 230/104                         |              | 176/80                          | 80/36            | 150/68          | \$6,347        |                     |                |
| Med. Sm.  | UC2724MA     | Air            | 282/128                         |              | 202/92                          | 80/36            | 175/79          | \$7,028        |                     | \$7,187        |
|           | UC2724MW     | Water          | 266/121                         |              | 219/100                         | 80/36            | 175/79          | \$7,187        |                     |                |
|           | UC2724SA     | Air            | 282/128                         |              | 202/92                          | 80/36            | 175/79          | \$7,028        |                     | \$7,187        |
|           | UC2724SW     | Water          | 266/121                         |              | 219/100                         | 80/36            | 175/79          | \$7,187        |                     |                |
| Med. Sm.  | CU3030MA     | Air            | 313/142                         |              | 224/102                         | 110/50           | 230/104         | \$8,414        | \$8,547             | \$8,573 ●      |
|           | CU3030SA     | Air            | 313/142                         |              | 224/102                         | 110/50           | 230/104         | \$8,414        | \$8,547             | \$8,573 ●      |
|           | CU3030SW     | Water          | 347/158                         |              | 282/128                         | 110/50           | 230/104         | \$8,573        |                     |                |

## Undercounter Ice Machine Accessories

| Model Number | Description  | Shipping Weight<br>lb/kg | List Price |
|--------------|--|--------------------------|------------|
| KLP8S        | Kit, Leg 6", Stainless Steel   | 5/2                      | \$412      |
| KBC1         | Kit, Casters   | 8/4                      | \$571      |
| KUFM15       | For ADA applications. Floor mount kit for 15" wide units, lowers overall height to 31.9" | 3/1                      | \$282      |
| KUFM20       | For ADA applications. Floor mount kit for 20" wide units, lowers overall height to 31.9" | 3/1                      | \$282      |
| KUFM24       | Floor mount kit for 24" wide units. Lowers height to 33.5"                               | 3/1                      | \$301      |
| KPUFM30      | Kit - Prodigy® Undercounter Floor Mount for CU3030                                       | 3/1                      | \$346      |

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1.  
Please call for pricing on other international configurations.



# PRODIGY PLUS® MODULAR FLAKE ICE MACHINES



Flake ice is perfect for presentation and preservation. It cools more quickly than other ice forms and is ideal for seafood and produce displays. Newly added sealed bearings eliminate the need to grease, while providing better reliability & lower service costs.



## Features & Benefits

Small flake ice pieces combine **fast cooling** power with very **low production costs**

**Smart-Board™** advanced **feature module** available for additional diagnostic capabilities

Self-aligning front panel for **easy access** to key components

Optional **Vari-Smart™** ice **level control** allows operators to customize ice levels

Easily visible **AutoAlert™** indicator lights & **QR code** for easy maintenance

NEW



More reliable than ever, **sealed, maintenance-free bearings** contribute to a longer machine life



Removable front air filter, built-in **antimicrobial protection** & **sealed refrigeration** system for easy cleaning & sanitary operation



**Stainless steel** evaporator & auger for maximum durability

**Scotsman®**


**PRODIGY PLUS**


DESIGNED  
ENGINEERED  
ASSEMBLED  
IN THE  
**USA**


# Prodigy Plus® Modular Flake Ice Machines


\*Refer to page 27 & 29 for required bins & bin top kits.



| Unit Dimensions<br>(W x D x H)  | Model Number       | Condenser Type         | 24 hr Ice Production            |                               | Shipping Weight<br>lb/kg   | List Price<br>Volts/Hz/Phase     |                     |                |
|---|--------------------|------------------------|---------------------------------|-------------------------------|----------------------------|----------------------------------|---------------------|----------------|
|   |                    |                        | 70°F/21°C<br>50°F/10°C<br>lb/kg | Air<br>Water                  |                            | 115/60/1<br>-1                   | 208-230/60/1<br>-32 | 230/50/1<br>-6 |
| <br>22" x 24" x 23"<br>55.9 x 61.0 x 58.4 cm | <b>F0522</b>       | Air<br>Water           | 450/205<br>530/240              | 372/169<br>409/186            | 173/78<br>173/78           | \$10,436<br>\$10,701             |                     |                |
|   | FS0522A<br>FS0522W |                        |                                 |                               |                            |                                  |                     |                |
|   | <b>F0822</b>       | Air<br>Remote<br>Water | 800/363<br>760/345<br>775/352   | 606/275<br>589/268<br>581/264 | 175/79<br>175/79<br>175/79 | \$13,261<br>\$13,155<br>\$13,526 | \$13,658            |                |
|   | FS0822A            |                        |                                 |                               |                            |                                  |                     |                |
|   | FS0822R<br>FS0822W |                        |                                 |                               |                            |                                  |                     |                |

| Unit Dimensions<br>(W x D x H)  | Model Number                  | Condenser Type         | 24 hr Ice Production             |                               | Shipping Weight<br>lb/kg      | List Price<br>Volts/Hz/Phase       |                        |                |
|---|-------------------------------|------------------------|----------------------------------|-------------------------------|-------------------------------|------------------------------------|------------------------|----------------|
|   |                               |                        | 70°F/21°C<br>50°F/10°C<br>lb/kg  | Air<br>Water                  |                               | 208-230/60/1<br>-32                | 208-230/60/3<br>-3     | 230/50/1<br>-6 |
| <br>22" x 24" x 27"<br>55.9 x 61.0 x 68.6 cm | <b>F1222</b>                  | Air<br>Remote<br>Water | 1100/500<br>1250/567<br>1240/562 | 861/391<br>875/398<br>933/424 | 220/100<br>220/100<br>220/100 | \$16,804 ✓<br>\$16,698<br>\$17,069 | \$17,043 ✓<br>\$16,937 | \$17,096 ●     |
|   | FS1222A<br>FS1222R<br>FS1222W |                        |                                  |                               |                               |                                    |                        |                |
|   | <b>F1522</b>                  | Air<br>Remote          | 1612/733<br>1507/684             | 1100/500<br>1133/515          | 224/102<br>224/102            | \$22,024<br>\$21,918               |                        |                |
|   | FS1522A                       |                        |                                  |                               |                               |                                    |                        |                |
|   | FS1522R                       |                        |                                  |                               |                               |                                    |                        |                |
|   |                               |                        |                                  |                               |                               |                                    |                        |                |

| Unit Dimensions<br>(W x D x H)  | Model Number | Condenser Type  | 24 hr Ice Production            |                      | Shipping Weight<br>lb/kg | List Price<br>Volts/Hz/Phase |                      |                |
|---|--------------|-----------------|---------------------------------|----------------------|--------------------------|------------------------------|----------------------|----------------|
|   |              |                 | 70°F/21°C<br>50°F/10°C<br>lb/kg | Air<br>Water         |                          | 208-230/60/1<br>-32          | 208-230/60/3<br>-3   | 230/50/1<br>-6 |
| <br>30" x 24" x 29"<br>76.2 x 61.0 x 73.7 cm | <b>F2330</b> | Remote<br>Water | 2218/1006<br>2405/1091          | 1861/844<br>2042/926 | 335/152<br>335/152       | \$29,006<br>\$29,377         | \$29,244<br>\$29,615 |                |
|   | FS2330R      |                 |                                 |                      |                          |                              |                      |                |
|   | FS2330W      |                 |                                 |                      |                          |                              |                      |                |

| Unit Dimensions<br>(W x D x H)   | Model Number | Condenser Type | 24 hr Ice Production            |              | Shipping Weight<br>lb/kg | List Price<br>Volts/Hz/Phase    |                     |
|--|--------------|----------------|---------------------------------|--------------|--------------------------|---------------------------------|---------------------|
|  |              |                | 70°F/21°C<br>50°F/10°C<br>lb/kg | Air<br>Water |                          | 90°F/32°C<br>70°F/21°C<br>lb/kg | 208-230/60/1<br>-32 |
| <div></div> <div>42" x 24" x 27"<br/>106.7 x 61.0 x 68.6 cm</div> | FME2404AS    | Air            | 2455/1114                       | 1792/813     | 395/179                  | \$31,802                        |                     |

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 27 for storage bins. Please call for pricing on other international configurations.



# PRODIGY PLUS® MODULAR NUGGET ICE MACHINES



Soft, cylindrical and slow-melting, our proprietary nugget ice is The Original Chewable Ice® - a customer favorite for decades. Also available in H² Nugget ice that provides more reliable dispensing.

## Features & Benefits

NEW

Now available in softer **Original Chewable Nugget Ice** or harder, **H² Nugget Ice**

**Smart-Board™** advanced feature module available for additional diagnostic capabilities

Self-aligning front panel for **easy access** to key components

Optional **Vari-Smart™** ice level control allows operators to customize ice levels



Easily visible **AutoAlert™** indicator lights & **QR code** for easy maintenance

NEW



More reliable than ever, **sealed, maintenance-free bearings** contribute to a longer machine life



Removable front air filter, built-in **antimicrobial protection & sealed refrigeration** system for easy cleaning & sanitary operation




**Stainless steel** evaporator & auger for maximum durability



**Scotsman®**

**PRODIGY PLUS**








# Prodigy Plus® Modular Nugget Ice Machines

\*Refer to page 27 & 29 for required bins & bin top kits.



| Unit Dimensions<br>(W x D x H)  | Nugget<br>Type | Model<br>Number | Condenser<br>Type | 24 hr Ice Production            |                       | Shipping<br>Weight | List Price                      |                     |                |
|---|----------------|-----------------|-------------------|---------------------------------|-----------------------|--------------------|---------------------------------|---------------------|----------------|
|   |                |                 |                   | 70°F/21°C<br>50°F/10°C<br>lb/kg | Air<br>Water<br>lb/kg |                    | 90°F/32°C<br>70°F/21°C<br>lb/kg | Volts/Hz/Phase      |                |
| <br>22" x 24" x 23"<br>55.9 x 61.0 x 58.4 cm |                | <b>N0422</b>    |                   |                                 |                       |                    | 115/60/1<br>-1                  | 208-230/60/1<br>-32 | 230/50/1<br>-6 |
|   | Hard           | NH0422A         | Air               | 456/207                         | 327/149               | 172/78             | \$10,525                        |                     |                |
|   |                | NH0422W         | Water             | 441/200                         | 370/168               | 172/78             | \$10,790                        |                     |                |
|   |                | NS0422A         | Air               | 420/191                         | 320/145               | 172/78             | \$10,525                        |                     |                |
|   |                | NS0422W         | Water             | 455/206                         | 386/175               | 172/78             | \$10,790                        |                     |                |
|   |                | <b>N0622</b>    |                   |                                 |                       |                    |                                 |                     |                |
|   | Hard           | NH0622A         | Air               | 644/292                         | 466/212               | 180/82             | \$13,924                        | \$14,057            |                |
|   |                | NH0622R         | Remote            | 631/286                         | 494/225               | 180/82             | \$13,818                        |                     |                |
|   |                | NH0622W         | Water             | 640/290                         | 505/230               | 180/82             | \$14,189                        |                     |                |
|   |                | NS0622A         | Air               | 643/292                         | 530/241               | 180/82             | \$13,924                        | \$14,057            | \$14,110       |
|   |                | NS0622R         | Remote            | 660/299                         | 515/234               | 180/82             | \$13,818                        |                     |                |
|   |                | NS0622W         | Water             | 715/324                         | 515/234               | 180/82             | \$14,189                        |                     |                |

| Unit Dimensions<br>(W x D x H)  | Nugget<br>Type | Model<br>Number | Condenser<br>Type                                | 24 hr Ice Production   |  | Shipping<br>Weight                                       | List Price<br>Volts/Hz/Phase                         |  |                    |  |
|---|----------------|-----------------|--|--|--|--|--|--|--------------------|--|
|   |                |                 |  | 70°F/21°C<br>50°F/10°C<br>lb/kg                                  | Air<br>Water   |  | 90°F/32°C<br>70°F/21°C<br>lb/kg                      | 115/60/1<br>-1   | 208-230/60/3<br>-3 | 208-230/60/1<br>-32                              |
| <br>22" x 24" x 27"<br>55.9 x 61.0 x 68.6 cm | N0922          |                 | Air<br>Remote<br>Water<br>Air<br>Remote<br>Water | 952/432<br>896/406<br>908/412<br>956/434<br>1044/474<br>1094/496 | 676/307<br>717/326<br>740/336<br>740/336<br>754/343<br>817/371 | 210/95<br>210/95<br>210/95<br>210/95<br>210/95<br>210/95 | \$17,336 ✓<br>\$17,230<br><br>\$17,336 ✓<br>\$17,230 | \$17,469 ✓<br>\$17,363<br>\$17,734<br>\$17,469 ✓<br>\$17,363<br>\$17,734 | \$17,760           |  |
|   | Hard           | NH0922A         |  |  |  |  |  |  |                    |  |
|   |                | NH0922R         |  |  |  |  |  |  |                    |  |
|   |                | NH0922W         |  |  |  |  |  |  |                    |  |
|   |                | NS0922A         |  |  |  |  |  |  |                    |  |
|   | Soft           | NS0922R         |  |  |  |  |  |  |                    |  |
|   |                | NS0922W         |  |  |  |  |  |  |                    |  |
|   |                | N1322           |  |  |  |  |  |  |                    | Air<br>Remote<br>Water<br>Air<br>Remote<br>Water |
|   |                | Hard            | NH1322A  |  |  |  |  |  |                    |  |
|   | NH1322R        |                 |  |  |  |  |  |  |                    |  |
|   | NH1322W        |                 |  |  |  |  |  |  |                    |  |
|   | NS1322A        |                 |  |  |  |  |  |  |                    |  |
|   | Soft           | NS1322R         |  |  |  |  |  |  |                    |  |
|   |                | NS1322W         |  |  |  |  |  |  |                    |  |

| Unit Dimensions<br>(W x D x H)  | Nugget<br>Type | Model<br>Number    | Condenser<br>Type  | 24 hr Ice Production            |                       | Shipping<br>Weight<br>lb/kg | List Price<br>Volts/Hz/Phase    |                      |                      |
|---|----------------|--------------------|--------------------|---------------------------------|-----------------------|-----------------------------|---------------------------------|----------------------|----------------------|
|   |                |                    |                    | 70°F/21°C<br>50°F/10°C<br>lb/kg | Air<br>Water<br>lb/kg |                             | 90°F/32°C<br>70°F/21°C<br>lb/kg | 208-230/60/1<br>-32  | 208-230/60/3<br>-3   |
| <br>30" x 24" x 29"<br>76.2 x 61.0 x 73.7 cm | N2030          |                    | Remote<br>Water    | 1806/819<br>2003/909            | 1555/705<br>1723/782  | 337/153<br>337/153          | \$29,006<br>\$29,377            | \$29,244<br>\$29,615 |                      |
|   | Hard           | NH2030R<br>NH2030W |                    |                                 |                       |                             |                                 |                      |                      |
|   |                | Soft               | NS2030R<br>NS2030W | Remote<br>Water                 | 1886/855<br>2121/962  | 1618/734<br>1781/808        | 337/153<br>337/153              | \$29,006<br>\$29,377 | \$29,244<br>\$29,615 |
|   |                |                    |                    |                                 |                       |                             |                                 |                      |                      |

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 27 for storage bins.  
Please call for pricing on other international configurations.



| Unit Dimensions<br>(W x D x H)               | Model<br>Number    | Ice<br>Form    | 24 hr Ice Production            |              |                                 | Shipping<br>Weight<br>lb/kg | List Price           |                     |
|--|--------------------|----------------|---------------------------------|--------------|---------------------------------|-----------------------------|----------------------|---------------------|
|  |                    |                | 70°F/21°C<br>50°F/10°C<br>lb/kg | Air<br>Water | 90°F/32°C<br>70°F/21°C<br>lb/kg |                             | Volts/Hz/Phase       |                     |
| <br>22" x 24" x 27"<br>55.9 x 61.0 x 68.6 cm | FS1222L<br>FS1522L | Flake<br>Flake | 1180/535<br>1445/655            |              | 1000/454<br>1205/547            | 217/98<br>224/102           | 115/60/1<br>-1       | 208-230/60/1<br>N/A |
|  |                    |                |                                 |              |                                 |                             | \$14,017<br>\$17,877 |                     |

| Unit Dimensions<br>(W x D x H)               | Model<br>Number | Ice<br>Form | 24 hr Ice Production            |              |                                 | Shipping<br>Weight<br>lb/kg | List Price     |                     |
|--|-----------------|-------------|---------------------------------|--------------|---------------------------------|-----------------------------|----------------|---------------------|
|  |                 |             | 70°F/21°C<br>50°F/10°C<br>lb/kg | Air<br>Water | 90°F/32°C<br>70°F/21°C<br>lb/kg |                             | Volts/Hz/Phase |                     |
| <br>30" x 24" x 29"<br>76.2 x 61.0 x 73.7 cm | FS2330L         | Flake       | 2275/1032                       |              | 1900/862                        | 233/106                     | 115/60/1<br>-1 | 208-230/60/1<br>-32 |
|  |                 |             |                                 |              |                                 |                             |                | \$24,622            |

| Unit Dimensions<br>(W x D x H)               | Nugget<br>Type | Model<br>Number                          | Ice<br>Form                          | 24 hr Ice Production                        |              |  | Shipping<br>Weight<br>lb/kg            | List Price                                   |                     |
|--|----------------|--|--------------------------------------|---|--------------|--|--|--|---------------------|
|  |                |  |                                      | 70°F/21°C<br>50°F/10°C<br>lb/kg             | Air<br>Water | 90°F/32°C<br>70°F/21°C<br>lb/kg            |  | Volts/Hz/Phase                               |                     |
| <br>22" x 24" x 27"<br>55.9 x 61.0 x 68.6 cm | Hard<br>Soft   | NH0922L<br>NH1322L<br>NS0922L<br>NS1322L | Nugget<br>Nugget<br>Nugget<br>Nugget | 889/403<br>1191/540<br>1090/494<br>1330/603 |              | 766/347<br>1018/462<br>915/415<br>1100/499 | 217/98<br>225/102<br>217/98<br>225/102 | 115/60/1<br>-1                               | 208-230/60/1<br>N/A |
|  |                |  |                                      |   |              |  |  | \$14,589<br>\$18,137<br>\$14,589<br>\$18,137 |                     |

## FLAKE

## NUGGET



Flake ice is a smart choice for everything from blended cocktails and salad bars to produce, seafood and meat displays. It is also a popular choice for therapeutic use in healthcare facilities.

Our original Nugget ice is the best choice for carbonated beverages and therapeutic use. The H<sup>2</sup> Nugget allows for better dispensing and also melts slower.

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 27 for storage bins. Please call for pricing on other international configurations.

## Remote Low Side Nugget & Flake Accessories

| Model Number     | Description   | Shipping Weight<br>lb/kg | List Price |
|------------------|---|--------------------------|------------|
| <b>Line Sets</b> |   |                          |            |
| NRTE45           | 45 ft. (13.7 m) non-precharged line set for remote low side flaker and nugget ice machines. | 17/8                     | \$855      |

## Nugget & Flake Ice Machine Kits and Accessories

| Unit Dimensions<br>(W x D x H)                   | Model Number             | Description  | Shipping Weight<br>lb/kg | List Price<br>Volts/Hz/Phase |
|--|--------------------------|--|--------------------------|------------------------------|
|  |                          |  |                          | 115/60/1<br>-1               |
|  |                          |  |                          | 208-230/60/1<br>-32          |
|  |                          |  |                          | 230/50/1<br>-6               |
| 29.5" x 29.13" x 38.47"<br>74.9 x 74.0 x 97.7 cm | <b>Remote Condensers</b> |  |                          |                              |
|  | ERC111                   | Remote condenser for F0822R, N0622R or N0922R-1          | 95/43                    | \$2,713                      |
| 29.5" x 29.13" x 38.47"<br>74.9 x 74.0 x 97.7 cm | ERC311                   | Remote condenser for F1222R, F1522R, N0922R-32 or N1322R | 130/59                   | \$2,863                      |
| 29.5" x 37.8" x 38.47"<br>74.9 x 96.0 x 97.7 cm  | ERC611                   | Remote condenser for F2330R and N2030R                   | 140/84                   | \$4,100                      |

MODULAR NUGGET  
& FLAKE ACCS.

| Model Number                                     | Description   | Shipping Weight<br>lb/kg | List Price |
|--|---|--------------------------|------------|
| <b>Line Sets</b>                                 |   |                          |            |
| BRTE10   | Line set, 10 ft, brazing required   | 7/3                      | \$443      |
| BRTE25   | Line set, 25 ft, brazing required   | 12/5                     | \$661      |
| BRTE40   | Line set, 40 ft, brazing required   | 17/7                     | \$749      |
| BRTE75   | Line set, 75 ft, brazing required   | 35/15                    | \$1,144    |
| KTE4   | Tube end kit - Contains 4 quick connect fittings for any RTE Line Set                             | 5/2                      | \$296      |
| <b>Miscellaneous</b>                             |   |                          |            |
| KERCF  | Air filter for ERC111 or ERC311   | 5/2                      | \$214      |
| KPFHM-E  | Headmaster Kit for use with ERC101, ERC151, ERC201, ERC302 or PR2C240; Quick connect not included | 10/5                     | \$453      |
| KCMR-230   | Fan relay kit for two 230V units connected to PR2C240 condenser                                   | 5/2                      | \$352      |
| <b>Prodigy Modular Flaker &amp; Nugget Accs.</b> |   |                          |            |
| KPAS   | Kit-Prodigy Advanced Sustainability. Includes KSBU-N and KVS                                      | 10/4                     | \$1,552    |
| KSBU   | Kit-Prodigy Smart-Board™ - Use additional operational data for fast diagnosis                     | 5/2                      | \$1,056    |
| KSBU-N   | Kit-Prodigy Smart-Board™ - Network connection   | 5/2                      | \$1,370    |
| KVS  | Kit-Prodigy Vari-Smart™ Ice Level Control - Adjust ice levels to match ice needs                  | 5/2                      | \$471      |

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 27 for storage bins. Please call for pricing on other international configurations.



# UNDERCOUNTER NUGGET & FLAKE ICE MACHINES



Get the nugget and flake ice your customers love anywhere you need it with Scotsman's undercounter ice machines. With a proven freezer design and sealed bearings, you'll have the reliable machine your facility requires – with a more compact design.

**BIG**  
OPPORTUNITY  
**SMALL UNIT**

## Features & Benefits

Slide back door allows easy access to ice in the bin

Front breathing vents allow for flexible placement

High-volume capacity in a small, compact footprint



**Energy Star Certified\*:**  
Environmentally friendly while saving operators money




Sealed, maintenance-free bearings ensure **maximum reliability** & contribute to a long machine lifetime



With an optional floor mount kit, our 15" & 20" wide models can be installed under **34" ADA counter tops**

\*Select models only.

**Scotsman®**



# Undercounter Nugget and Flake Ice Machines



**UN0815**



15"W x 24"D x 38"H\*  
38.1 x 61.0 x 96.5 cm

**UN1215**



15"W x 24"D x 38"H\*  
38.1 x 61.0 x 96.5 cm

**UN1520**



20"W x 24"D x 38"H\*  
50.8 x 61.0 x 96.5 cm

**UN324**



24"W x 28.5"D x 39"H\*  
61.0 x 72.4 x 99.1 cm

**UF0915**



15"W x 24"D x 38"H\*  
38.1 x 61.0 x 96.5 cm

**UF1415**



15"W x 24"D x 38"H\*  
38.1 x 61.0 x 96.5 cm

**UF2020**









20"W x 24"D x 38"H\*  
50.8 x 61.0 x 96.5 cm

**UF424**



24"W x 28.5"D x 39"H\*  
61.0 x 72.4 x 99.1 cm

\*Height includes 6" (15.2cm) legs

| Model Number | Condenser Type | 24 hr Ice Production |         | Storage Capacity | Shipping Weight | List Price |   |          |
|--------------|----------------|----------------------|---------|------------------|-----------------|------------|---|----------|
|              |                | 70°F/21°C            | Air     |                  |                 | 90°F/32°C  | Volts/Hz/Phase  |          |
|              |                | 50°F/10°C            | Water   |                  |                 | 70°F/21°C  | 115/60/1  | 230/50/1 |
|              |                | lb/kg                |         | lb/kg            | lb/kg           | -1         | -6  |          |
| Nugget Units |                |                      |         |                  |                 |            |   |          |
| UN0815A      | Air            | 79/36                | 55/25   | 36/16            | 108/49          | \$7,718    | <br><br><br><br>\$11,932 |          |
| UN1215A      | Air            | 119/54               | 84/38   | 36/16            | 109/49          | \$8,644    |   |          |
| UN1520A      | Air            | 167/76               | 125/57  | 57/26            | 129/59          | \$9,682    |   |          |
| UN324A       | Air            | 340/154              | 266/121 | 80/36            | 210/95          | \$11,800   |   |          |
| UN324W       | Water          | 340/154              | 281/127 | 80/36            | 210/95          | \$12,065   |   |          |
| Flake Units  |                |                      |         |                  |                 |            |   |          |
| UF0915       | Air            | 96/44                | 76/35   | 36/16            | 108/49          | \$7,642    | <br><br><br><br>\$11,699 |          |
| UF1415       | Air            | 142/64               | 107/49  | 36/16            | 109/49          | \$8,558    |   |          |
| UF2020       | Air            | 216/98               | 149/68  | 57/26            | 129/59          | \$9,586    |   |          |
| UF424A       | Air            | 440/200              | 310/141 | 80/36            | 200/91          | \$11,567   |   |          |
| UF424W       | Water          | 440/200              | 330/150 | 80/36            | 200/91          | \$11,832   |   |          |

UNDERCOUNTER NUGGET  
& FLAKE

## Undercounter Ice Machine Accessories

| Model Number | Description  | Shipping Weight<br>lb/kg | List Price |
|--------------|--|--------------------------|------------|
| KLP8S        | Kit, Leg 6", Stainless Steel   | 5/2                      | \$412      |
| KBC1         | Kit, Casters   | 8/4                      | \$571      |
| KUFM15       | For ADA applications. Floor mount kit lowers overall height to 31.9" | 3/1                      | \$282      |
| KUFM20       | For ADA applications. Floor mount kit lowers overall height to 31.9" | 3/1                      | \$282      |
| KUFM24       | Floor mount kit. Lowers height to 33.5"                              | 3/1                      | \$301      |

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1.  
Please call for pricing on other international configurations.





# ICE & WATER DISPENSERS

Born out of extensive market research, the Scotsman Ice & Water Dispensers were developed with space, production and installation in mind. These units deliver the softest, most satisfying ice on the market today.

## Features & Benefits

NEW

Maximum versatility with touch-free or button-activated dispensing options, as well as, counter-top or wall mount platforms



Sealed, maintenance-free bearings ensure **maximum reliability** & contribute to a long machine lifetime

Removable front panels allow **ease of access and service** to key internal components

Removable bin, sink, grill and chutes provide **maximum access** for ease of cleaning



Intuitive **LED diagnostic lights** reduce service time

Industry leading **energy and water efficiencies** deliver on-going savings



Scan for an example

Unit specific **QR code** for quick access to service manuals and warranty history



External air filter location **improves breathability & accessibility**, while requiring less side clearance



# Ice and Water Dispensers



Touch-free infrared sensor dispensing



User controlled push-button dispensing

HID312



HID312A & HID312AB:  
16.25" x 24.38" x 35"  
HID312AW: 18.25" x 24.38" x 35"

HID525



HID525A & HID525AB:  
21.25" x 24.38" x 35"  
HID525AW: 23.25" x 24.38" x 35"  
HID525W & HID525WB:  
21.25" x 24.38" x 35"

HID540



HID540A & HID540AB:  
21.25" x 24.38" x 41"  
HID540AW: 23.25" x 24.38" x 41"  
HID525W & HID540WB:  
21.25" x 24.38" x 41"

| Model Number | Condenser Type   | Dispensing Method | 24 hr Ice Production |         |           | Storage Capacity | Shipping Weight | List Price     |          |
|--------------|--|-------------------|----------------------|---------|-----------|------------------|-----------------|----------------|----------|
|              |  |                   | 70°F/21°C            | Air     | 90°F/32°C |                  |                 | Volts/Hz/Phase |          |
|              |  |                   | 50°F/10°C            | Water   | 70°F/21°C |                  |                 | 115/60/1       | 230/50/1 |
|              |  |                   | lb/kg                |         | lb/kg     |                  | lb/kg           | -1             | -6       |
| HID312       | Air  | Touch-Free Sensor |                      |         |           |                  |                 |                |          |
| HID312A      |  |                   | 260/118              | 225/102 | 12/5      | 183/83           | \$12,145        | \$12,463 ●     |          |
| HID312AB     |  |                   | 260/118              | 225/102 | 12/5      | 183/83           | \$12,145        |                |          |
| HID312AW*    |  |                   | 260/118              | 225/102 | 12/5      | 188/85           | \$12,463        |                |          |
| HID525       | Air  | Touch-Free Sensor |                      |         |           |                  |                 |                |          |
| HID525A      |  |                   | 500/227              | 365/166 | 25/11     | 208/94           | \$17,797        | \$18,115 ●     |          |
| HID525AB     |  |                   | 500/227              | 365/166 | 25/11     | 208/94           | \$17,797        |                |          |
| HID525AW*    |  |                   | 500/227              | 365/166 | 25/11     | 213/97           | \$18,168        |                |          |
| HID525W      |  |                   | 500/227              | 400/181 | 25/11     | 208/94           | \$17,797        |                |          |
| HID525WB     |  |                   | 500/227              | 400/181 | 25/11     | 208/94           | \$17,797        |                |          |
| HID540       | Air  | Touch-Free Sensor |                      |         |           |                  |                 |                |          |
| HID540A      |  |                   | 500/227              | 365/166 | 40/18     | 215/98           | \$19,422        | \$19,740 ●     |          |
| HID540AB     |  |                   | 500/227              | 365/166 | 40/18     | 215/98           | \$19,422        |                |          |
| HID540AW*    |  |                   | 500/227              | 365/166 | 40/18     | 220/100          | \$19,846        |                |          |
| HID540W      |  |                   | 500/227              | 400/181 | 40/18     | 215/98           | \$19,422        |                |          |
| HID540WB     |  |                   | 500/227              | 400/181 | 40/18     | 215/98           | \$19,422        |                |          |
| KLP24A       | 4" adjustable legs, plastic with metal foot (box of 4) |                   |                      |         |           | 5/2              | \$125           |                |          |

\*Wall mount configuration. Does not have drip tray. Designed to be installed over existing sink.

## Ice and Water Dispenser Stands

HST16-A



HST16-A: 16.5" x 23.75" x 32"  
41.9 x 60.3 x 81.3 cm  
Height includes 6" (15.2cm) legs

HST16B-A



HST16B-A: 16.5" x 23.75" x 32"  
41.9 x 60.3 x 81.3 cm  
Height includes 6" (15.2cm) legs

HST21-A



HST21-A: 21.5" x 23.75" x 32"  
54.6 x 60.3 x 81.3 cm  
Height includes 6" (15.2cm) legs

HST21B-A



HST21B-A: 21.5" x 23.75" x 32"  
54.6 x 60.3 x 81.3 cm  
Height includes 6" (15.2cm) legs

| Model Number          | Description   | Shipping Weight | List Price |
|-----------------------|---|-----------------|------------|
|                       |   | lb/kg           |            |
| <b>Dispenser Kits</b> |   |                 |            |
| HST16-A               | Stand with door, use with HID312, SS, includes 6" legs          | 50/23           | \$1,904    |
| HST16B-A              | Stand for HID312, basic version, SS, includes 6" legs           | 50/23           | \$1,752    |
| HST21-A               | Stand with door, use with HID525 & HID540, SS, includes 6" legs | 80/36           | \$1,966    |
| HST21B-A              | Stand for HID525 & HID540, basic version, SS, includes 6" legs  | 80/36           | \$1,809    |

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1.  
Please call for pricing on other international configurations.

## Hotel / Motel Cube Dispensers

**HD22**



22" x 33.5" x 53.25"  
55.9 x 85.1 x 135.3 cm  
Height includes 6" (15.2cm) legs

**HD30**



30" x 33.5" x 53.25"  
76.2 x 85.1 x 135.3 cm  
Height includes 6" (15.2cm) legs

| Model Number   | Dispensing Method               | Storage Capacity<br>lb/kg | Shipping Weight<br>lb/kg | List Price<br>Volts/Hz/Phase |                |
|----------------|---------------------------------|---------------------------|--------------------------|------------------------------|----------------|
|                |                                 |                           |                          | 115/60/1<br>-1               | 230/50/1<br>-6 |
| <b>HD22</b>    | Lever Activated                 | 120/59                    | 201/91                   | \$8,315                      | \$8,447 ●      |
| HD22B          |                                 |                           |                          |                              |                |
| <b>HD30</b>    | Lever Activated<br>Water Filler | 180/81<br>180/81          | 220/100<br>225/102       | \$9,718<br>\$10,690          | \$9,851 ●      |
| HD30B<br>HD30W |                                 |                           |                          |                              |                |

## Hotel / Motel Dispenser Accessories

| Unit Dimensions<br>(W x D x H)         | Model Number | Description                      | Shipping Weight<br>lb/kg | List Price |
|--|--------------|----------------------------------|--------------------------|------------|
| 12" x 6" x 6"<br>30.5 x 15.2 x 15.2 cm | KHDSANLV     | Sanitary lever kit for HD models | 5/2                      | \$190      |

## Ice Only Counter Top Dispensers

**ID150**



22" x 30" x 35.63"  
55.9 x 76.2 x 90.5 cm

**ID200**



30" x 30" x 35.63"  
76.2 x 76.2 x 90.5 cm

**ID250**




30" x 30" x 39.63"  
76.2 x 76.2 x 100.7 cm

| Model Number               | Dispensing Method | Storage Capacity<br>lb/kg | Shipping Weight<br>lb/kg | List Price<br>Volts/Hz/Phase |  |
|----------------------------|-------------------|---------------------------|--------------------------|------------------------------|--|
|                            |                   |                           |                          | 115/60/1<br>-1               |  |
| <b>Ice Only Dispensers</b> |                   |                           |                          |                              |  |
| ID150B                     | Lever Activated   | 150/68                    | 149/68                   | \$9,763                      |  |
| ID200B                     | Lever Activated   | 200/91                    | 183/83                   | \$11,691                     |  |
| ID250B                     | Lever Activated   | 250/114                   | 188/85                   | \$14,030                     |  |



✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1.  
Please call for pricing on other international configurations.

## Ice Only Dispenser Kits and Accessories

| Unit Dimensions<br>(W x D x H)  | Model Number          | Description  | Shipping Weight<br>lb/kg | List Price         |
|---|-----------------------|--|--------------------------|--------------------|
|  <p>IOBDMS22: 22" x 30" x 30"<br/>55.9 x 76.2 x 76.2 cm<br/>Height includes 6" (15.2cm) legs</p> <p>IOBDMS30: 30" x 30" x 30"<br/>76.2 x 76.2 x 76.2 cm<br/>Height includes 6" (15.2cm) legs</p> | <b>Machine Stands</b> |  |                          |                    |
|   | IOBDMS22<br>IOBDMS30  | Machine stand for ID150<br>Machine stand for ID200 & ID250   | 93/42<br>120/55          | \$2,938<br>\$2,952 |
|   | <b>Kits</b>           |  |                          |                    |
|   | KWGFID<br>KNUGDIV     | Field installed water glass filler kit for ID150, ID200, & ID250<br>Field installed nugget ice kit for all ID dispensers | 2/1<br>1/0.5             | \$690<br>\$219     |


## Storage Bins

| Model Number  |                         | Storage Capacity | Ext. Finish | Liner Material | Unit Dimensions   | Shipping Weight | List Price |
|---|-------------------------|------------------|-------------|----------------|---|-----------------|------------|
|   |                         | lb/kg            |             |                | (W x D x H)   | lb/kg           |            |
|  | Modular Bins            |                  |             |                |   |                 |            |
|   | B322S                   | 370/168          | Metallic    | Poly           | 22" x 34" x 50" (55.9 x 86.4 x 127 cm)  | 140/64          | \$2,866    |
|   | B330P                   | 344/156          | Poly        | Poly           | 30" x 34" x 37" (76.2 x 86.4 x 94 cm)   | 90/41           | \$2,735    |
|   | B530P                   | 536/244          | Poly        | Poly           | 30" x 34" x 50" (76.2 x 86.4 x 127 cm)  | 110/50          | \$2,974    |
|   | B530S                   | 536/244          | Metallic    | Poly           | 30" x 34" x 50" (76.2 x 86.4 x 127 cm)  | 150/68          | \$3,159    |
|   | B842S                   | 778/353          | Metallic    | Poly           | 42" x 34" x 50" (106.7 x 86.4 x 127 cm)                                       | 190/86          | \$4,252    |
|   | B948S                   | 893/406          | Metallic    | Poly           | 48" x 34" x 50" (121.9 x 86.4 x 127 cm)<br>Height includes 6" (15.2cm) legs   | 209/95          | \$4,429    |
|   | BL Upright Modular Bins |                  |             |                |   |                 |            |
|   | BL1048S                 | 1000/454         | SS          | Poly           | 48" x 31" x 54.4" (121.9 x 78.7 x 138.2 cm)                                   | 268/122         | \$11,491   |
|   | BL1360S                 | 1320/599         | SS          | Poly           | 60" x 31" x 54.4" (152.4 x 78.7 x 138.2 cm)                                   | 322/147         | \$13,283   |
|   | BL1660S                 | 1660/753         | SS          | Poly           | 60" x 31" x 63.4" (152.4 x 78.7 x 161 cm)<br>Height includes 6" (15.2cm) legs | 340/154         | \$13,961   |




BL bins include universal adapter plate for use with most ice machines. See machine bin sizing chart on pages 34-35 for special configurations. Pricing for special bin tops is on page 29.



## Ice Express System Built-to-Order Only

| Unit Dimensions<br>(W x D x H)   | Model Number              | Description                       | Storage Capacity<br>lb/kg | Ext. Finish | Liner Material | Shipping Weight<br>lb/kg | List Price |
|--|---------------------------|-----------------------------------|---------------------------|-------------|----------------|--------------------------|------------|
|  <p>ICS730 31" x 40" x 75"<br/>78.7 x 101.6 x 1968.5 cm</p> <p>ICS1360 60" x 40" x 75"<br/>152.4 x 101.6 x 190.5 cm</p> <p>ICS1790 90" x 40" x 70"<br/>228.6 x 101.6 x 177.8 cm</p> | <b>Ice Express System</b> |                                   |                           |             |                |                          |            |
|  | ICS730                    | 1 Bay*                            | 652/296                   | SS          | Poly           | 398/181                  | \$18,633   |
|  | ICS1360                   | 2 Bay*                            | 1327/603                  | SS          | Poly           | 712/323                  | \$33,755   |
|  | ICS1790                   | 3 Bay*                            | 1716/779                  | SS          | Poly           | 978/444                  | \$52,362   |
|  | <b>Options</b>            |                                   |                           |             |                |                          |            |
|  | ICS-PADDLE                | Replacement paddle, white plastic | N/A                       | Poly        | N/A            | 9/4                      | \$638      |
|  | ICS-SHOVEL                | Shovel, white plastic             | N/A                       | Poly        | N/A            | 9/4                      | \$559      |
|  | ICS-CP                    | Replacement Poly Cart             | 240/109                   | Poly        | N/A            | 75/34                    | \$5,250    |
|  | ICS-TOTE                  | Ice Totes - Set of 6              | 150/68                    | Poly        | N/A            | 34/15                    | \$1,835    |
| * Includes 1 poly cart for each bay.   |                           |                                   |                           |             |                |                          |            |

## Bin Accessories

| Unit Dimensions<br>(W x D x H)   | Model Number            | Description  | Shipping Weight<br>lb/kg | List Price |
|--|-------------------------|--|--------------------------|------------|
|   | <b>Caster Kits</b>      |  |                          |            |
|  | KBC1                    | Bin caster kit for B530S, B842S, B948S, SB480, UC2024, UC2724, CU3030, BH bins, UF & UN Undercounter models [3.5" (8.9 cm) diameter wheels, 2 standard wheels and 2 locking. Raises bin 4 7/16" (11.3 cm)] - Not to be used with SB480 when using extension or B222S or B322S. | 8/4                      | \$571      |
|  | KBC1P                   | Bin caster kit for B330P and B530P. [3.5" (8.9 cm) diameter wheels, 2 standard wheels and 2 locking. Raises bin a maximum of 4 7/16" (11.3 cm).  | 20/9                     | \$718      |
|   | <b>Leg Kits</b>         |  |                          |            |
|  | KLP7                    | Kit, legs, 6" black enamel, flanged feet, B Bins, HST stands, HD dispensers, CU0515, UC2024, UC2724, CU3030, UF & UN Undercounter models.  | 5/2                      | \$251      |
|  | KLP8S                   | Kit, legs, 6" stainless steel, Bx22, Bx30, B842, B948, HST stands, HD dispensers CU1526, CU2026, CU3030, UF & UN Undercounter models.<br>Note: Legs are supplied with self-contained machines, bins and machine stands.  | 5/2                      | \$412      |
|  <p>19 1/4" x 10 3/4" x 28 1/2"<br/>48.9 x 27.3 x 72.4 cm</p> | <b>Ice Bagger</b>       |  |                          |            |
|  | BGS10                   | Hooks over any ice bin opening. Aluminum.  | 25/11                    | \$1,017    |
|  | KBAG                    | Case of 1000 8lb bags.   | 30/14                    | \$502      |
|  | KTAPE                   | One roll - 180 ft (54.9 m)   | 1/0.5                    | \$69       |
|  | KSEALER                 | Tape sealer.   | 5/2                      | \$576      |
| Note: BGS10 includes easy bagger, wicket of bags (250), tape sealer and 1 roll of tape.  |                         |  |                          |            |
|  | <b>Ice Scoop Holder</b> |  |                          |            |
|  | KHOLDER                 | Stainless steel scoop holder. Fits all B330, B530, B842 and B948 ice storage bins  | 2/1                      | \$147      |



## Bin Top Kits

| Model Number | Description   | Shipping Dimensions<br>L x W x H | Use On       | Shipping Weight<br>lb/kg | List Price |
|--------------|---|----------------------------------|--------------|--------------------------|------------|
| KBT14A       | NME1854, FME2404  | 10" x 27" x 5"                   | B948         | 8/4                      | \$470      |
| KBT22B       | All 30" (76.2 cm) modular cube, flake or nugget ice makers                            | 17" x 29" x 5"                   | B948         | 11/5                     | \$553      |
| KBT27        | All 22" (55.9 cm) modular cube, flake or nugget ice makers except EH222               | 10" x 27" x 5"                   | B330, B530   | 8/4                      | \$464      |
| KBT29        | All 30" (76.2 cm) modular cube, flake or nugget ice makers                            | 14" x 27" x 7"                   | B842         | 10/5                     | \$514      |
| KBT31        | EH222   | 10" x 27" x 5"                   | B322         | 8/4                      | \$459      |
| KBT38        | All 22" (55.9 cm) modular cube, flake and nugget ice makers except EH222              | 6" x 30" x 17"                   | B948         | 14/7                     | \$576      |
| KBT38-2X     | All 22" (55.9 cm) modular cube, flake and nugget ice makers except EH222 side by side | 10" x 27" x 5"                   | B948         | 5/2                      | \$340      |
| KBT39        | All 22" (55.9 cm) modular cube, flake and nugget ice makers except EH222              | 14" x 27" x 7"                   | B842         | 10/5                     | \$522      |
| KBTAB5       | EH222   | 26" x 24" x 7"                   | AB5          | 24/11                    | \$2,109    |
| KBT40A       | EH222   | 26" x 24" x 7"                   | ID150        | 24/11                    | \$2,089    |
| KBT41        | EH222   | 32" x 32" x 5"                   | ID200, ID250 | 25/11                    | \$2,120    |
| KBT42        | All 22" modular ice machines except EH222   | 31" x 33" x 5"                   | ID150        | 12/5                     | \$1,043    |
| KBT43        | All 22" modular cube and nugget ice makers except EH222                               | 33" x 47" x 5"                   | ID200, ID250 | 26/12                    | \$1,388    |
| KBT44        | All 30" modular cube ice makers   | 32" x 33" x 2"                   | ID200, ID250 | 13/5                     | \$962      |
| KBT45        | EH222   | 32" x 31" x 5"                   | ED300        | 33/15                    | \$4,975    |

## Bin Top Kits - BL1048, BL1360, BL1660, ICS

| Model Number | Description   | Shipping Dimensions<br>L x W x H | Use On         | Shipping Weight<br>lb/kg | List Price |
|--------------|---|----------------------------------|----------------|--------------------------|------------|
| KBT70        | Kit, Bin top for use with (2) 30" heads on BL1360 or BL1660 | 36"x 63"x 5"                     | BL1360, BL1660 | 70/32                    | \$3,199    |
| KBT71        | Kit, Bin top for use with 22" EH222 head on BL1048          | 36"x 63"x 5"                     | BL1048         | 70/32                    | \$3,189    |
| KBT72        | Kit, Bin top for use with (2) EH222 on BL1048               | 36"x 63"x 5"                     | BL1048         | 70/32                    | \$3,199    |
| KBT73        | Kit, Bin top for use with EH222 on BL1360, BL1660           | 36"x 63"x 5"                     | BL1360, BL1660 | 70/32                    | \$2,999    |
| KBT74        | Kit, Bin top for use with (2) EH222 on BL1360 or BL1660     | 36"x 63"x 5"                     | BL1360, BL1660 | 70/32                    | \$3,199    |
| KBT75        | Kit, Bin top for use with (2) 30" heads on ICS1360          | 36"x 63"x 5"                     | ICS1360        | 70/32                    | \$3,500    |

## Bin Top Kits - BH1100, BH1300, BH1600

| Model Number | Description   | Shipping Dimensions<br>L x W x H | Use On         | Shipping Weight<br>lb/kg | List Price |
|--------------|---|----------------------------------|----------------|--------------------------|------------|
| KBT50        | SS top for EH222  | 36" x 63" x 5"                   | BH1100         | 80/36                    | \$2,621    |
| KBT51        | SS top for (2) EH222 units side-by-side                   | 36" x 63" x 5"                   | BH1100         | 80/36                    | \$2,643    |
| KBT62        | SS top for (2) 22" units side-by-side                     | 36" x 63" x 5"                   | BH1100         | 80/36                    | \$2,565    |
| KBT63        | SS top for (2) 22" units side-by-side                     | 36" x 63" x 5"                   | BH1300, BH1600 | 80/36                    | \$2,814    |
| KBT52        | SS top for EH222  | 36" x 63" x 5"                   | BH1300, BH1600 | 80/36                    | \$2,897    |
| KBT53        | SS top for (2) EH222 units side-by-side                   | 36" x 63" x 5"                   | BH1300, BH1600 | 80/36                    | \$3,126    |
| KBT54        | SS top for (2) 30" (76.2 cm) cube ice makers side-by-side | 36" x 63" x 5"                   | BH1300, BH1600 | 80/36                    | \$3,126    |

## Accessory Kits


| Model Number   | Description   | Shipping Weight<br>lb/kg | List Price |
|--|---|--------------------------|------------|
| <b>Prodigy Plus® Nugget Dispenser Accessory Kits</b> |   |                          |            |
| KDIL-PN-150  | Kit, Ice Level Control with KVS, Prodigy Nugget on Cornelius DF or ED150        | 2/1                      | \$1,372    |
| KDIL-PN-200  | Kit, Ice Level Control with KVS, Prodigy Nugget on Cornelius DF or ED200        | 5/2                      | \$1,379    |
| KDIL-PN-250  | Kit, Ice Level Control with KVS, Prodigy Nugget on Cornelius DF or ED250        | 5/2                      | \$1,518    |
| KDIL-PN-ID3  | Kit, Ice Level Control with thermostat, Prodigy Nugget on Cornelius DF or ED300 | 2/1                      | \$257      |
| KFSMF  | Kit, manual fill nugget for Coca Cola Freestyle 9000 dispenser                  | 3/1                      | \$473      |
| KFSTM  | Kit, top mounted nugget for Coca Cola Freestyle 9000 dispenser                  | 3/1                      | \$576      |

## XSafe® Sanitation System



NEW




Our XSafe® device is an optional sanitation system that is integrated on the top of your ice machine. XSafe® circulates cold oxygen plasma inside of the machine to help sanitize the air and surrounding surfaces. Operating automatically, this sanitation system runs all day long to ensure your equipment is clean and safe.

| Unit Dimensions<br>(W x D x H)  | Model Number                    | Description   | Shipping Weight<br>lb/kg | List Price |
|---|---------------------------------|---|--------------------------|------------|
| <br>12" x 4 1/4" x 2 1/4"<br>30.5 x 10.8 x 5.7 cm | <b>XSafe® Sanitation System</b> |   |                          |            |
|   | XR-30                           | Sanitation system for helping eliminate viruses, bacteria and slime. Compatible with all modular units. | 10/5                     | \$975      |

## AquaDefense® System - Sanitation Solution

| Unit Dimensions<br>(W x D x H)   | Model Number                                    | Description   | Shipping Weight<br>lb/kg | List Price |
|--|---|---|--------------------------|------------|
|   | <b>AquaBullet® Anti Microbial Wand</b>          |   |                          |            |
|  | ADS-AB6   | 6 pack of Antimicrobial wands to prevent slime and mold build up. Used for modular cube ice machines.             | 5/2                      | \$1,745    |
| <br>AP1-P: 5 5/8" x 4 3/4" x 21 1/2"<br>14.3 x 12.1 x 54.6 cm<br>AP2-P: 16 1/2" x 5 1/2" x 19 1/4"<br>41.9 x 14.0 x 48.9 cm<br>AP3-P: 21" x 5 1/2" x 19 1/4"<br>53.3 x 14.0 x 48.9 cm | <b>AquaPatrol™ Plus Water Filtration System</b> |   |                          |            |
|  | AP1-P   | Single system - Cubers up to 650 lb (395 kg), flakers, nuggets and nugget dispensers up to 1,200 lb (544 kg)      | 7/3                      | \$568      |
|  | AP2-P   | Twin System - Cubers over 650 lb (395 kg) and up to 1,200 lb (544 kg), flakers and nuggets over 1,200 lb (544 kg) | 11/5                     | \$1,028    |
|  | AP3-P   | Triple System - Cubers over 1,200 lb (544 kg)   | 16/7                     | \$1,587    |
|  | APRC6-P   | Replacement cartridge (package of 6)  | 7/3                      | \$894      |
|  | APRC1-P   | Replacement cartridge (package of 1)  | 3/1.5                    | \$178      |

## Water Filtration Systems By Everpure®

| Unit Dimensions<br>(W x D x H)   | Model Number  | Description  | Shipping Weight<br>lb/kg | List Price       |
|--|---|--|--------------------------|------------------|
| <br>SSM1 5 5/8" x 4 3/4" x 30 1/2"<br>14.3 x 12.1 x 77.5 cm<br>SSM2 16 1/2" x 5 1/2" x 29 1/4"<br>41.9 x 14.0 x 74.0 cm<br>SSM3 21" x 5 1/2" x 29 1/4"<br>53.3 x 14.0 x 74.0 cm | <b>SSM Plus Filtration Systems with AquaArmor by AgION®</b> |  |                          |                  |
|  | SSM1-P  | Single system - Cubers up to 650 lb (395 kg), flakers, nuggets and nugget dispensers up to 1,200 lb (544 kg) | 7/3                      | \$754            |
|  | SSM2-P  | Twin System - Cubers over 650 lb (295 kg), flakers and nuggets over 1,200 lb (544 kg)                        | 11/5                     | \$1,323          |
|  | SSM3-P  | Triple System - Cubers over 1,200 lb (544 kg)  | 16/7                     | \$2,078          |
|  | <b>SSMRC Replacement Cartridges</b>                         |  |                          |                  |
|  | SSMRC1<br>SSMRC6  | Single replacement cartridge (package of 1)<br>6 pack replacement cartridge (package of 6)                   | 3/1.5<br>7/3             | \$249<br>\$1,215 |
|  | <b>SC Coarse Prefilters</b>                                 |  |                          |                  |
|  | SC10-A<br>SC20-A  | 10" (25.4 cm) Coarse prefilter<br>20" (50.8 cm) Coarse prefilter   | 5/2<br>11/5              | \$260<br>\$386   |
|  | <b>SC Replacement Prefilters</b>                            |  |                          |                  |
|  | SC10RC40<br>SC20RC20  | SC10 replacement filter<br>SC20 replacement filter   | 17/8<br>17/8             | \$480<br>\$498   |

## Water Filter Selection

| Ice Form     | Configuration            | Model Number   | AquaPatrol<br>(System, Cartridge) | SSM Plus<br>(System, Cartridge) |
|--------------|--------------------------|--|-----------------------------------|---------------------------------|
| Cube         | Self-Contained           | CU50, CU0415, CU0515, CU0715, CU0920, UC2024, UC2724, CU3030         | AP1-P, APRC1-P                    | SSM1-P, SSMRC1                  |
| Cube         | Up to 650 lbs            | BC0530, C0322, C0330, C0522, C0530, C0630, C0722                     | AP1-P, APRC1-P                    | SSM1-P, SSMRC1                  |
| Cube         | Up to 1,200 lbs          | C0830, C1030, EH222  | AP2-P, APRC1-P                    | SSM2-P, SSMRC1                  |
| Cube         | Over 1,200 lbs           | C1448, C1848, C2148, C2648, EH330, EH430                             | AP3-P, APRC1-P                    | SSM3-P, SSMRC1                  |
| Nugget/Flake | Self-Contained/Dispenser | HID312, HID525, HID540, UF0915, UF1415, UF424, UN0815, UN1215, UN324 | AP1-P, APRC1-P                    | SSM1-P, SSMRC1                  |
| Nugget/Flake | Up to 1,200 lbs          | F0522, F0822, F1222, N0422, N0622, N0922                             | AP1-P, APRC1-P                    | SSM1-P, SSMRC1                  |
| Nugget/Flake | Over 1,200 lbs           | F1522, F2330, FME2404, N1322, N2030, NME1854                         | AP2-P, APRC1-P                    | SSM2-P, SSMRC1                  |

# CHARTS & INDEX

|  |       |
|--|-------|
| ICE MACHINE TO DISPENSER KIT CHART ..... | 33    |
| MACHINE / BIN SIZING CHART .....         | 34-35 |
| INDEX .....                              | 36-38 |
| WARRANTY & DEFINITIONS .....             | 39    |



# Ice Machine to Dispenser Kit Application Chart

| Company   | Dispenser                         | Ice Machines EH222                    | C0322/522/722                                | C0330/530/630/830<br>1030, EH330, EH430      | N0422/622<br>922/1322                               |
|-----------|-----------------------------------|---------------------------------------|--|--|---|
| Cornelius | ED150                             | KBT40A                                | KBT42  |  | KBT42<br>KDIL-PN-150                                |
| Cornelius | DF150                             | 629087959*                            | 02388*                                       |  | 02388*<br>KDIL-PN-150                               |
| Cornelius | ED175                             | 629087571*                            | 629093782TE                                  |  | KDIL-PN-150<br>629093782TE*                         |
| Cornelius | ED200                             | KBT41                                 | KBT43  | KBT44  | KBT43<br>KDIL-PN-200                                |
|           | DF200                             | 629087572*                            | 08035*                                       | 08004*                                       |   |
| Cornelius | ED250                             | KBT41                                 | KBT43  | KBT44, KVS**                                 | KBT43<br>KDIL-PN-250                                |
|           | DF250                             | 629087572                             | 08035*                                       | 08004*, KVS**                                |   |
| Cornelius | ED300                             | KBT45                                 | 08028*                                       | 629087943*                                   | KDIL-PN-ID3<br>629087966*<br>629088644*             |
|           | DF300                             | KBT45                                 | 08028*                                       | 629087943*                                   |   |
| Cornelius | Flavor Fusion 255                 | 629088666*                            | KVS**<br>629088502*                          | KVS**<br>629088505*                          | KVS<br>629088681*<br>629097086*                     |
|           | IDC215/ID255                      | 629088662*                            | KVS**<br>629088537*                          | KVS**<br>629088536*                          | KVS<br>629088677*<br>629097086*                     |
| Lancer    | 22" Wide                          | 82-4063*                              | 82-4062*                                     |  | KVS<br>A40403-021<br>82-3633/01*                    |
| Lancer    | 30" Wide                          | 82-4061*                              | 82-4060*                                     | 82-4059*, KVS**                              | KVS<br>A40403-021<br>82-3633/01*                    |
| SerVend   | S-150/SV-150                      | SL27-020000246*                       | SL30-020000249*<br>CL10-5012116*             |  | KVS<br>SL30-020000249<br>CL10-5012116*              |
| SerVend   | SV-175                            | SL22-020000198*                       | SL24-020000200*                              |  | KVS<br>SL24-020000200*                              |
| SerVend   | S-200/SV-200<br>S-250/SV-250      | SL17-5031150*                         | SL25-5031609*                                | N3-5031125*<br>CL10-5012116*                 | KVS<br>SL25-5031609*                                |
| Coca-Cola | Freestyle 9000<br>(free standing) | Contact Coca-Cola for<br>bin adapters | KVS<br>Contact Coca-Cola for<br>bin adapters |  | KFSTM<br>Contact Coca-Cola for<br>bin adapters      |
| Coca-Cola | Freestyle 7000<br>(countertop)    | Contact Coca-Cola for<br>bin adapters | KVS<br>Contact Coca-Cola for<br>bin adapters | KVS<br>Contact Coca-Cola for<br>bin adapters | 11-0353-23<br>Contact Coca-Cola for<br>bin adapters |

\* Non Scotsman kits must be purchased from the dispenser manufacturer.

\*\* Recommended but not required.

- Please check with dispenser manufacturer for appropriate kits. Application chart subject to change.
- Blank cells indicate cannot be used together, N/A indicates no adapter needed.
- See spare parts price list for Scotsman A37693-021 & R629088514 pricing.
- Lancer dispensers must be specially configured for dispensing Scotsman Nugget Ice®
- Some Cornelius adapters kits include binstats - do not use the thermostats.
- All Cornelius ED/DF adapter kits have gray doors/covers. Contact Cornelius for black.
- All Cornelius FlavorFusion adapter kits are midnight black. Contact Cornelius for silver, orange or green.
- All Cornelius IDC255 adapter kits are black.



# Machine / Bin Sizing Chart

Dimensions in W x D x H - (Height includes 6" legs)

No bin top required when KBT not listed.

|                               | BINS<br>(Storage)    | B322S                                     | B330P  | B530P/S  | B842S   | B948S   | BL1048S*  | BL1360S*  | BL1660S*  |
|-------------------------------|----------------------|---|--|--|---|---|---|---|---|
| ICE<br>MAKERS<br>(Production) | LBS                  | 370                                       | 344  | 536  | 778   | 893   | 1000  | 1320  | 1660  |
| C0322<br>C0522                | 300<br>500           | 22" x 34" x 73"<br>55.9 x 86.4 x 185.4 cm | 30" x 34" x 59"<br>76.2 x 86.4 x 149.9 cm<br>w/KBT27 top | 30" x 34" x 73"<br>76.2 x 86.4 x 185.4 cm<br>w/KBT27 top | 42" x 34" x 73"<br>106.2 x 86.4 x 185.4 cm<br>w/KBT39 top | 48" x 34" x 73"<br>121.9 x 86.4 x 185.4 cm<br>w/KBT38 top or<br>KBT38-2x - side by side |   |   |   |
| C0722                         | 700                  | 22" x 34" x 76"<br>55.9 x 86.4 x 193.0 cm | 30" x 34" x 65"<br>76.2 x 86.4 x 165.1 cm<br>w/KBT27 top | 30" x 34" x 79"<br>76.2 x 86.4 x 200.7 cm<br>w/KBT27 top | 42" x 34" x 79"<br>106.2 x 86.4 x 200.7 cm<br>w/KBT39 top | 48" x 34" x 79"<br>121.9 x 86.4 x 200.7 cm<br>w/KBT38 top or<br>KBT38-2x - side by side | 48" x 31" x 84"<br>121.9 x 78.7 x 213.3 cm  | 60" x 31" x 84"<br>152.4 x 78.7 x 213.3 cm  | 60" x 31" x 93"<br>152.4 x 78.7 x 236.2 cm  |
| C0330<br>C0530<br>C0630       | 300<br>500<br>600    |   | 30" x 34" x 59"<br>76.2 x 86.4 x 149.9 cm                | 30" x 34" x 73"<br>76.2 x 86.4 x 185.4 cm                | 42" x 34" x 73"<br>106.7 x 86.4 x 185.4 cm<br>w/KBT29 top | 48" x 34" x 73"<br>121.9 x 86.4 x 185.4 cm<br>w/KBT22B top                              |   |   |   |
| C0830<br>C1030                | 800<br>1000          |   |  | 30" x 34" x 79"<br>76.2 x 86.4 x 200.7 cm                | 42" x 34" x 79"<br>106.2 x 86.4 x 200.7 cm<br>w/KBT29 top | 48" x 34" x 79"<br>121.9 x 86.4 x 200.7 cm<br>w/KBT22B top                              | 48" x 31" x 84"<br>121.9 x 78.7 x 213.3 cm  | 60" x 31" x 84"<br>152.4 x 78.7 x 213.3 cm  | 60" x 31" x 93"<br>152.4 x 78.7 x 236.2 cm  |
| C1448<br>C1848<br>C2148       | 1400<br>1800<br>2000 |   |  |  |   | 48" x 34" x 79"<br>121.9 x 86.4 x 200.7 cm  | 48" x 31" x 84"<br>121.9 x 78.7 x 213.3 cm  | 60" x 31" x 84"<br>152.4 x 78.7 x 213.3 cm  | 60" x 31" x 93"<br>152.4 x 78.7 x 236.2 cm  |
| C2648                         | 2600                 |   |  |  |   | 48" x 34" x 84"<br>121.9 x 86.4 x 213.4 cm  | 48" x 31" x 89"<br>121.9 x 78.7 x 226 cm  | 60" x 31" x 89"<br>152.4 x 78.7 x 226 cm  | 60" x 31" x 98"<br>152.4 x 78.7 x 248.9 cm  |
| EH222                         | 800<br>1000          |   |  |  |   |   | 48" x 31" x 84"<br>121.9 x 78.7 x 213.3 cm<br>w/ KBT71 or KBT72 -<br>side by side | 60" x 31" x 84"<br>152.4 x 78.7 x 213.3 cm<br>w/ KBT73 or KBT74 -<br>side by side | 60" x 31" x 93"<br>152.4 x 78.7 x 236.2 cm<br>w/ KBT73 or KBT74 -<br>side by side |
| EH330                         | 1400                 |   |  |  | 42" x 34" x 73"<br>106.2 x 86.4 x 185.4 cm<br>w/KBT29 top | 48" x 34" x 73"<br>121.9 x 86.4 x 185.4 cm<br>w/KBT22B top                              | 48" x 31" x 78"<br>121.9 x 78.7 x 198.1 cm  | 60" x 31" x 78"<br>152.4 x 78.7 x 198.1 cm  | 60" x 31" x 87"<br>152.4 x 78.7 x 221 cm  |
| EH430                         | 1400<br>1800         |   |  |  | 42" x 34" x 79"<br>106.2 x 86.4 x 200.7 cm<br>w/KBT29 top | 48" x 34" x 79"<br>121.9 x 86.4 x 200.7 cm<br>w/KBT22B top                              | 48" x 31" x 84"<br>121.9 x 78.7 x 213.3 cm  | 60" x 31" x 84"<br>152.4 x 78.7 x 213.3 cm  | 60" x 31" x 93"<br>152.4 x 78.7 x 236.2 cm  |
| N0422<br>N0622                | 400<br>600           | 22" x 34" x 73"<br>55.9 x 86.4 x 184.4 cm | 30" x 34" x 59"<br>76.2 x 86.4 x 149.9 cm<br>w/KBT27 top | 30" x 34" x 73"<br>76.2 x 86.4 x 185.4 cm<br>w/KBT27 top | 42" x 34" x 73"<br>106.2 x 86.4 x 185.4 cm<br>w/KBT39 top | 48" x 34" x 73"<br>121.9 x 86.4 x 185.4 cm<br>w/KBT38 top or<br>KBT38-2x - side by side |   |   |   |
| N0922<br>N1322                | 900<br>1300          | 22" x 34" x 77"<br>55.9 x 86.4 x 195.6 cm | 30" x 34" x 63"<br>76.2 x 86.4 x 160.0 cm<br>w/KBT27 top | 30" x 34" x 77"<br>76.2 x 86.4 x 195.6 cm<br>w/KBT27 top | 42" x 34" x 77"<br>106.2 x 86.4 x 195.6 cm<br>w/KBT39 top | 48" x 34" x 77"<br>121.9 x 86.4 x 195.6 cm<br>w/KBT38 top or<br>KBT38-2x - side by side | 48" x 31" x 84"<br>121.9 x 78.7 x 213.3 cm  | 60" x 31" x 84"<br>152.4 x 78.7 x 213.3 cm  | 60" x 31" x 93"<br>152.4 x 78.7 x 236.2 cm  |
| N2030                         | 2000                 |   |  | 30" x 34" x 79"<br>76.2 x 86.4 x 200.7 cm                | 42" x 34" x 79"<br>106.2 x 86.4 x 200.7 cm<br>w/KBT29 top | 48" x 34" x 79"<br>121.9 x 86.4 x 200.7 cm<br>w/KBT22B top                              | 48" x 31" x 84"<br>121.9 x 78.7 x 213.3 cm  | 60" x 31" x 84"<br>152.4 x 78.7 x 213.3 cm  | 60" x 31" x 93"<br>152.4 x 78.7 x 236.2 cm  |
| F0522<br>F0822                | 500<br>800           | 22" x 34" x 73"<br>55.9 x 86.4 x 184.4 cm | 30" x 34" x 59"<br>76.2 x 86.4 x 149.9 cm<br>w/KBT27 top | 30" x 34" x 73"<br>76.2 x 86.4 x 185.4 cm<br>w/KBT27 top | 42" x 34" x 73"<br>106.2 x 86.4 x 185.4 cm<br>w/KBT39 top | 48" x 34" x 73"<br>121.9 x 86.4 x 185.4 cm<br>w/KBT38 top or<br>KBT38-2x - side by side | 48" x 31" x 78"<br>121.9 x 78.7 x 198.1 cm  | 60" x 31" x 78"<br>152.4 x 78.7 x 198.1 cm  | 60" x 31" x 87"<br>152.4 x 78.7 x 221 cm  |
| F1222<br>F1522                | 1200<br>1500         | 22" x 34" x 77"<br>55.9 x 86.4 x 195.6 cm | 30" x 34" x 63"<br>76.2 x 86.4 x 160.0 cm<br>w/KBT27 top | 30" x 34" x 77"<br>76.2 x 86.4 x 195.6 cm<br>w/KBT27 top | 42" x 34" x 77"<br>106.2 x 86.4 x 195.6 cm<br>w/KBT39 top | 48" x 34" x 77"<br>121.9 x 86.4 x 195.6 cm<br>w/KBT38 top or<br>KBT38-2x - side by side | 48" x 31" x 84"<br>121.9 x 78.7 x 213.3 cm  | 60" x 31" x 84"<br>152.4 x 78.7 x 213.3 cm  | 60" x 31" x 93"<br>152.4 x 78.7 x 236.2 cm  |
| F2330                         | 2300                 |   |  | 30" x 34" x 79"<br>76.2 x 86.4 x 200.7 cm                | 42" x 34" x 79"<br>106.2 x 86.4 x 200.7 cm<br>w/KBT29 top | 48" x 34" x 79"<br>121.9 x 86.4 x 200.7 cm<br>w/KBT22B top                              | 48" x 31" x 84"<br>121.9 x 78.7 x 213.3 cm  | 60" x 31" x 84"<br>152.4 x 78.7 x 213.3 cm  | 60" x 31" x 93"<br>152.4 x 78.7 x 236.2 cm  |
| FME2404                       | 2400                 |   |  |  | 42" x 34" x 77"<br>106.2 x 86.4 x 195.6 cm                | 48" x 34" x 77"<br>121.9 x 86.4 x 195.6 cm<br>w/KBT14A top                              | 48" x 31" x 82"<br>121.9 x 78.7 x 208.3 cm  | 60" x 31" x 82"<br>152.4 x 78.8 x 208.3 cm  | 60" x 31" x 91"<br>152.4 x 78.7 x 231.1 cm  |
|                               |                      |   |  |  |   |   |   |   |   |

\*Universal bin top adapter included for most applications. See above chart for adapters (if applicable).

## Ice Only Dispensers

## Hotel D-Bins

| ABS     | ID150   | ID200  | ID250  | Cornelius<br>ED300  | HD22  | HD30  |
|---------|---|--|--|---|---|---|
| 150     | 150   | 200  | 250  | 300   | 120   | 180   |
|         | 22" x 30 1/2" x 57 1/4"<br>55.9 x 77.5 x 145.4 cm<br>w/KBT42 top          | 30" x 30 1/2" x 59"<br>76.2 x 77.5 x 149.9 cm<br>w/KBT43 top                 | 30" x 30 1/2" x 63"<br>76.2 x 77.5 x 160.0 cm<br>w/KBT43 top                 |   | 22" x 33 1/2" x 76 1/4"<br>55.9 x 85.1 x 193.7 cm |   |
|         | 22" x 30 1/2" x 63 1/4"<br>55.9 x 77.5 x 160.7 cm<br>w/KBT42 top          | 30" x 30 1/2" x 65"<br>76.2 x 77.5 x 165.1 cm<br>w/KBT43 top                 | 30" x 30 1/2" x 69"<br>76.2 x 77.5 x 175.3 cm<br>w/KBT43 top                 |   | 22" x 33 1/2" x 82 1/4"<br>55.9 x 85.1 x 208.9 cm |   |
|         |   | 30" x 30 1/2" x 57 1/4"<br>76.2 x 77.5 x 145.4 cm<br>w/KBT44 top             | 30" x 30 1/2" x 61 1/4"<br>76.2 x 77.5 x 155.6 cm<br>w/KBT44 top             | 44" x 30 1/2" x 60"<br>112.7 x 77.5 x 152.4 cm<br>w/Cornelius #629087943                                      |   | 30" x 33 1/2" x 76 1/4"<br>76.2 x 85.1 x 193.7 cm |
|         |   | 30" x 30 1/2" x 63 1/4"<br>76.2 x 77.5 x 160.7 cm<br>w/KBT44 top             | 30" x 30 1/2" x 67 1/4"<br>76.2 x 77.5 x 170.8 cm<br>w/KBT44 top             | 44 1/2" x 30 1/2" x 66"<br>112.7 x 77.5 x 170.8 cm<br>w/Cornelius #629087943                                  |   |   |
|         |   |  |  |   |   |   |
|         |   |  |  |   |   |   |
|         |   |  |  |   |   |   |
| KB TABS | 22" x 30 1/2" x 64 1/4"<br>55.9 x 77.5 x 163.2 cm<br>w/KBT40A top         | 30" x 30 1/2" x 64 1/2"<br>76.2 x 77.5 x 163.2 cm<br>w/KBT41 top             | 30" x 30 1/2" x 68 1/4"<br>76.2 x 77.5 x 173.4 cm<br>w/KBT41 top             | 44 1/2" x 30 1/2" x 66"<br>112.7 x 77.5 x 167.6 cm<br>w/KBT45 top   |   |   |
|         |   | 30" x 30 1/2" x 57 1/2"<br>76.2 x 77.5 x 145.4 cm<br>w/KBT44 top             | 30" x 30 1/2" x 61 1/4"<br>76.2 x 77.5 x 145.4 cm<br>w/KBT44 top             | 44 1/2" x 30 1/2" x 60 1/4"<br>112.7 x 77.5 x 153 cm<br>w/Cornelius #629087943                                |   |   |
|         |   | 30" x 30 1/2" x 63 1/4"<br>76.2 x 77.5 x 160.7 cm<br>w/KBT44 top             | 30" x 30 1/2" x 67 1/4"<br>76.2 x 77.5 x 170.8 cm<br>w/KBT44 top             | 44 1/2" x 30 1/2" x 66 1/4"<br>112.7 x 77.5 x 167.6 cm<br>w/Cornelius #629087943                              |   |   |
|         | 22" x 30 1/2" x 57 1/4"<br>55.9 x 77.5 x 145.4 cm<br>w/KBT42 top, KNUGDIV | 30" x 30 1/2" x 59"<br>76.2 x 77.5 x 149.9 cm<br>w/KBT43 top<br>KVS, KNUGDIV | 30" x 30 1/2" x 63"<br>76.2 x 77.5 x 160.0 cm<br>w/KBT43 top<br>KVS, KNUGDIV | 44 1/2" x 30 1/2" x 64"<br>112.7 x 77.5 x 152.4 cm<br>KDIL-PN-ID3<br>w/Cornelius #629087966<br>and #629088644 |   |   |
|         | 22" x 30 1/2" x 61 1/4"<br>55.9 x 77.5 x 155.6 cm<br>w/KBT42 top, KNUGDIV | 30" x 30 1/2" x 63"<br>76.2 x 77.5 x 160.0 cm<br>w/KBT43 top<br>KVS, KNUGDIV | 30" x 30 1/2" x 67"<br>76.2 x 77.5 x 170.2 cm<br>w/KBT43 top<br>KVS, KNUGDIV | 44 1/2" x 30 1/2" x 64"<br>112.7 x 77.5 x 152.4 cm<br>KDIL-PN-ID3<br>w/Cornelius #629087966<br>and #629088644 |   |   |
|         |   | 30" x 30 1/2" x 63 1/4"<br>76.2 x 77.5 x 160.7 cm<br>w/KBT44 top             | 30" x 30 1/2" x 67 1/4"<br>76.2 x 77.5 x 170.8 cm<br>w/KBT44 top             | 44 1/2" x 30 1/2" x 66"<br>112.7 x 77.5 x 170.8 cm<br>w/Cornelius #629087943                                  |   |   |
|         |   |  |  |   |   |   |
|         |   |  |  |   |   |   |
|         |   |  |  |   |   |   |
|         |   |  |  |   |   |   |
|         |   |  |  |   |   |   |
|         |   |  |  |   |   |   |
|         |   |  |  |   |   |   |

# INDEX

|                       |                       |                           |
|-----------------------|-----------------------|---------------------------|
| 3BRTE20-EH.....PG. 13 | C0522SW-32.....PG. 9  | C1448SA-3.....PG. 10      |
| 3BRTE35-EH.....PG. 13 | C0530MA-1.....PG. 9   | C1448SA-32.....PG. 10     |
| 3BRTE50-EH.....PG. 13 | C0530MA-32.....PG. 9  | C1448SA-6.....PG. 10      |
| 3BRTE75-EH.....PG. 13 | C0530MA-6.....PG. 9   | C1448SR-32.....PG. 10     |
| ADS-AB6.....PG. 30    | C0530MR-1.....PG. 9   | C1448SR-3.....PG. 10      |
| AP1-P.....PG. 30      | C0530MW-1.....PG. 9   | C1448SW-32.....PG. 10     |
| AP2-P.....PG. 30      | C0530SA-1.....PG. 9   | C1448SW-3.....PG. 10      |
| AP3-P.....PG. 30      | C0530SA-32.....PG. 9  | C1848MA-32.....PG. 10     |
| APRC1-P.....PG. 30    | C0530SA-6.....PG. 9   | C1848MA-6.....PG. 10      |
| APRC6-P.....PG. 30    | C0530SR-1.....PG. 9   | C1848MR-3.....PG. 10      |
| B322S.....PG. 27      | C0530SW-1.....PG. 9   | C1848MR-32.....PG. 10     |
| B330P.....PG. 27      | C0630MA-32.....PG. 9  | C1848MR-6.....PG. 10      |
| B530P.....PG. 27      | C0630MA-6.....PG. 9   | C1848MW-32.....PG. 10     |
| B530S.....PG. 27      | C0630MR-32.....PG. 9  | C1848SA-32.....PG. 10     |
| B842S.....PG. 27      | C0630MW-32.....PG. 9  | C1848SA-6.....PG. 10      |
| B948S.....PG. 27      | C0630SA-32.....PG. 9  | C1848SR-3.....PG. 10      |
| BGS10.....PG. 28      | C0630SA-6.....PG. 9   | C1848SR-32.....PG. 10     |
| BL1048S.....PG. 27    | C0630SR-32.....PG. 9  | C1848SR-6.....PG. 10      |
| BL1360S.....PG. 27    | C0630SW-32.....PG. 9  | C1848SW-32.....PG. 10     |
| BL1660S.....PG. 27    | C0722MA-32.....PG. 9  | C2148MR-3.....PG. 10      |
| BRTE10.....PG. 11, 21 | C0722MA-6.....PG. 9   | C2148MR-32.....PG. 10     |
| BRTE25.....PG. 11, 21 | C0722SA-32.....PG. 9  | C2148MR-6.....PG. 10      |
| BRTE40.....PG. 11, 21 | C0722SA-6.....PG. 9   | C2148SR-3.....PG. 10      |
| BRTE75.....PG. 11, 21 | C0830MA-3.....PG. 10  | C2148SR-32.....PG. 10     |
| BRTEL25.....PG. 11    | C0830MA-32.....PG. 10 | C2148SR-6.....PG. 10      |
| BRTEL40.....PG. 11    | C0830MA-6.....PG. 10  | C2648MR-3.....PG. 10      |
| BRTEL75.....PG. 11    | C0830MR-32.....PG. 10 | C2648SR-3.....PG. 10      |
| C0322MA-1.....PG. 9   | C0830MW-32.....PG. 10 | CU0415MA-1.....PG. 15     |
| C0322MA-32.....PG. 9  | C0830SA-32.....PG. 10 | CU0415MA-6.....PG. 15     |
| C0322MA-6.....PG. 9   | C0830SA-3.....PG. 10  | CU0515GA-1.....PG. 13     |
| C0322MW-1.....PG. 9   | C0830SA-32.....PG. 10 | CU0715MA-1.....PG. 15     |
| C0322SA-1.....PG. 9   | C0830SR-6.....PG. 10  | CU0715MA-6.....PG. 15     |
| C0322SA-6.....PG. 9   | C0830SR-32.....PG. 10 | CU0920MA-1.....PG. 15     |
| C0322SW-1.....PG. 9   | C0830SW-32.....PG. 10 | CU0920MA-6.....PG. 15     |
| C0322SW-32.....PG. 9  | C1030MA-32.....PG. 10 | CU3030MA-1.....PG. 15     |
| C0330MA-1.....PG. 9   | C1030MA-6.....PG. 10  | CU3030MA-32.....PG. 15    |
| C0330MA-32.....PG. 9  | C1030MR-32.....PG. 10 | CU3030MA-6.....PG. 15     |
| C0330MW-1.....PG. 9   | C1030MR-3.....PG. 10  | CU3030SA-1.....PG. 15     |
| C0330SA-1.....PG. 9   | C1030MW-32.....PG. 10 | CU3030SA-32.....PG. 15    |
| C0330SW-1.....PG. 9   | C1030SA-32.....PG. 10 | CU3030SA-6.....PG. 15     |
| C0522MA-1.....PG. 9   | C1030SA-6.....PG. 10  | CU3030SW-1.....PG. 15     |
| C0522MA-32.....PG. 9  | C1030SR-3.....PG. 10  | CU50GA-1.....PG. 13       |
| C0522MA-6.....PG. 9   | C1030SR-32.....PG. 10 | CU50PA-1.....PG. 13       |
| C0522MW-1.....PG. 9   | C1030SR-6.....PG. 10  | ECC0800-3.....PG. 12, 13  |
| C0522SA-1.....PG. 9   | C1030SW-32.....PG. 10 | ECC0800-6.....PG. 12, 13  |
| C0522SA-32.....PG. 9  | C1448MA-3.....PG. 10  | ECC1200-32.....PG. 12, 13 |
| C0522SA-6.....PG. 9   | C1448MA-32.....PG. 10 | ECC1410-32.....PG. 12, 13 |
| C0522SW-1.....PG. 9   | C1448MA-6.....PG. 10  | ECC1410-3.....PG. 12, 13  |
|                       | C1448MR-32.....PG. 10 | ECC1800-3.....PG. 12, 13  |
|                       | C1448MR-3.....PG. 10  | EH222SL-1.....PG. 12      |
|                       | C1448MW-32.....PG. 10 | EH222SL-6.....PG. 12      |
|                       | C1448MW-3.....PG. 10  | EH330SL-1.....PG. 12      |

|                 |            |                  |            |                   |            |
|-----------------|------------|------------------|------------|-------------------|------------|
| EH430ML-1.....  | PG. 12     | ID150B-1.....    | PG. 26     | KPAS.....         | PG. 11, 21 |
| EH430SL-1.....  | PG. 12     | ID200B-1.....    | PG. 26     | KPFHM-E.....      | PG. 21     |
| ERC111-1.....   | PG. 11, 21 | ID250B-1.....    | PG. 26     | KPPSA223.....     | PG. 11     |
| ERC311-32.....  | PG. 11, 21 | IOBDM522.....    | PG. 27     | KPPSA229.....     | PG. 11     |
| ERC311-6.....   | PG. 11, 21 | IOBDM530.....    | PG. 27     | KPPSA323.....     | PG. 11     |
| ERC611-32.....  | PG. 11     | KBAG.....        | PG. 28     | KPPSA329.....     | PG. 11     |
| FS0522A-1.....  | PG. 17     | KBC1.....        | PG. 28     | KPUFM30.....      | PG. 15     |
| FS0522W-1.....  | PG. 17     | KBC1P.....       | PG. 28     | KSBU.....         | PG. 11, 21 |
| FS0822A-1.....  | PG. 17     | KBCSTK30.....    | PG. 7      | KSBU-N.....       | PG. 11, 21 |
| FS0822R-1.....  | PG. 17     | KBT14A.....      | PG. 29     | KSEALER.....      | PG. 28     |
| FS0822W-1.....  | PG. 17     | KBT22B.....      | PG. 29     | KTAPE.....        | PG. 28     |
| FS0822W-32..... | PG. 17     | KBT27.....       | PG. 29     | KTE4.....         | PG. 11, 21 |
| FS1222A-3.....  | PG. 17     | KBT29.....       | PG. 29     | KTE6-EH.....      | PG. 13     |
| FS1222A-32..... | PG. 17     | KBT31.....       | PG. 29     | KTEL4.....        | PG. 11     |
| FS1222A-6.....  | PG. 17     | KBT32.....       | PG. 29     | KTPS-SM.....      | PG. 11     |
| FS1222L-1.....  | PG. 20     | KBT38.....       | PG. 29     | KUFM15.....       | PG. 15, 23 |
| FS1222R-3.....  | PG. 17     | KBT38-2X.....    | PG. 29     | KUFM20.....       | PG. 15, 23 |
| FS1222R-32..... | PG. 17     | KBT39.....       | PG. 29     | KUFM24.....       | PG. 15, 23 |
| FS1222W-32..... | PG. 17     | KBT40A.....      | PG. 29     | KVS.....          | PG. 11, 21 |
| FS1522A-32..... | PG. 17     | KBT41.....       | PG. 29     | KWGFID.....       | PG. 27     |
| FS1522L-1.....  | PG. 20     | KBT42.....       | PG. 29     | NH0422A-1.....    | PG. 19     |
| FS1522R-32..... | PG. 17     | KBT43.....       | PG. 29     | NH0422W-1.....    | PG. 19     |
| FS2330L-32..... | PG. 20     | KBT44.....       | PG. 29     | NH0622A-1.....    | PG. 19     |
| FS2330R-32..... | PG. 17     | KBT45.....       | PG. 29     | NH0622A-32.....   | PG. 19     |
| FS2330R-3.....  | PG. 17     | KBT50.....       | PG. 29     | NH0622R-1.....    | PG. 19     |
| FS2330W-32..... | PG. 17     | KBT51.....       | PG. 29     | NH0622W-1.....    | PG. 19     |
| FS2330W-3.....  | PG. 17     | KBT52.....       | PG. 29     | NH0922A-1.....    | PG. 19     |
| HD22B-1.....    | PG. 26     | KBT53.....       | PG. 29     | NH0922A-32.....   | PG. 19     |
| HD22B-6.....    | PG. 26     | KBT54.....       | PG. 29     | NH0922L-1.....    | PG. 20     |
| HD30B-1.....    | PG. 26     | KBT62.....       | PG. 29     | NH0922R-1.....    | PG. 19     |
| HD30B-6.....    | PG. 26     | KBT63.....       | PG. 29     | NH0922R-32.....   | PG. 19     |
| HD30W-1.....    | PG. 26     | KBT70.....       | PG. 29     | NH0922W-32.....   | PG. 19     |
| HID312A-1.....  | PG. 25     | KBT71.....       | PG. 29     | NH1322A-32.....   | PG. 19     |
| HID312A-6.....  | PG. 25     | KBT72.....       | PG. 29     | NH1322L-1.....    | PG. 20     |
| HID312AW-1..... | PG. 25     | KBT73.....       | PG. 29     | NH1322R-32.....   | PG. 19     |
| HID525A-1.....  | PG. 25     | KBT74.....       | PG. 29     | NH1322W-3.....    | PG. 19     |
| HID525A-6.....  | PG. 25     | KBT75.....       | PG. 29     | NH1322W-32.....   | PG. 19     |
| HID525AW-1..... | PG. 25     | KBTABS.....      | PG. 29     | NH2030R-32.....   | PG. 19     |
| HID525W-1.....  | PG. 25     | KCMR-230.....    | PG. 21     | NH2030R-3.....    | PG. 19     |
| HID540A-1.....  | PG. 25     | KDIL-PN-150..... | PG. 29     | NH2030W-32.....   | PG. 19     |
| HID540A-6.....  | PG. 25     | KDIL-PN-200..... | PG. 29     | NH2030W-3.....    | PG. 19     |
| HID540AW-1..... | PG. 25     | KDIL-PN-250..... | PG. 29     | NME1854RS-32..... | PG. 20     |
| HID540W-1.....  | PG. 25     | KDIL-PN-ID3..... | PG. 29     | NRTE45.....       | PG. 21     |
| HST16-A.....    | PG. 25     | KERCF.....       | PG. 11, 21 | NS0422A-1.....    | PG. 19     |
| HST16B-A.....   | PG. 25     | KFSMF.....       | PG. 29     | NS0422W-1.....    | PG. 19     |
| HST21-A.....    | PG. 25     | KFSTM.....       | PG. 29     | NS0622A-1.....    | PG. 19     |
| HST21B-A.....   | PG. 25     | KHDSANLV.....    | PG. 26     | NS0622A-32.....   | PG. 19     |
| ICS730.....     | PG. 28     | KHOLDER.....     | PG. 28     | NS0622A-6.....    | PG. 19     |
| ICS1360.....    | PG. 28     | KLP24A.....      | PG. 25     | NS0622R-1.....    | PG. 19     |
| ICS1790.....    | PG. 28     | KLP7.....        | PG. 28     | NS0622W-1.....    | PG. 19     |
| ICS-CP.....     | PG. 28     | KLP8S.....       | PG. 28     | NS0922A-1.....    | PG. 19     |
| ICS-DIVIDE..... | PG. 28     | KNUGDIV.....     | PG. 27     | NS0922A-32.....   | PG. 19     |
| ICS-PADDLE..... | PG. 28     |                  |            |                   |            |
| ICS-SHOVEL..... | PG. 28     |                  |            |                   |            |
| ICS-TOTE.....   | PG. 28     |                  |            |                   |            |

|                       |        |
|-----------------------|--------|
| NS0922A-6 . . . . .   | PG. 19 |
| NS0922L-1 . . . . .   | PG. 20 |
| NS0922R-1 . . . . .   | PG. 19 |
| NS0922R-32 . . . . .  | PG. 19 |
| NS0922W-3 . . . . .   | PG. 19 |
| NS0922W-32 . . . . .  | PG. 19 |
| NS1322A-32 . . . . .  | PG. 19 |
| NS1322L-1 . . . . .   | PG. 20 |
| NS1322R-32 . . . . .  | PG. 19 |
| NS1322W-3 . . . . .   | PG. 19 |
| NS1322W-32 . . . . .  | PG. 19 |
| NS2030R-32 . . . . .  | PG. 19 |
| NS2030R-3 . . . . .   | PG. 19 |
| NS2030W-32 . . . . .  | PG. 19 |
| NS2030W-3 . . . . .   | PG. 19 |
| PRC241-32 . . . . .   | PG. 11 |
| RCKCME6GX-E . . . . . | PG. 11 |
| SC10-A . . . . .      | PG. 31 |
| SC10RC40 . . . . .    | PG. 31 |
| SC20-A . . . . .      | PG. 31 |
| SC20RC20 . . . . .    | PG. 31 |
| SSM1-P . . . . .      | PG. 31 |
| SSM2-P . . . . .      | PG. 31 |
| SSM3-P . . . . .      | PG. 31 |
| SSMRC1 . . . . .      | PG. 31 |
| SSMRC6 . . . . .      | PG. 31 |
| UC2024MA-1 . . . . .  | PG. 15 |
| UC2024MW-1 . . . . .  | PG. 15 |
| UC2024SA-1 . . . . .  | PG. 15 |
| UC2024SW-1 . . . . .  | PG. 15 |
| UC2724MA-1 . . . . .  | PG. 15 |
| UC2724MA-6 . . . . .  | PG. 15 |
| UC2724MW-1 . . . . .  | PG. 15 |
| UC2724SA-1 . . . . .  | PG. 15 |
| UC2724SA-6 . . . . .  | PG. 15 |
| UC2724SW-1 . . . . .  | PG. 15 |
| UF0915A-1 . . . . .   | PG. 23 |
| UF1415A-1 . . . . .   | PG. 23 |
| UF2020A-1 . . . . .   | PG. 23 |
| UF424A-1 . . . . .    | PG. 23 |
| UF424A-6 . . . . .    | PG. 23 |
| UF424W-1 . . . . .    | PG. 23 |
| UN0815A-1 . . . . .   | PG. 23 |
| UN1215A-1 . . . . .   | PG. 23 |
| UN1520A-1 . . . . .   | PG. 23 |
| UN324A-1 . . . . .    | PG. 23 |
| UN324A-6 . . . . .    | PG. 23 |
| UN324W-1 . . . . .    | PG. 23 |
| XR-30 . . . . .       | PG. 30 |



# Commercial Product Warranty Information

## Effective May 1, 2022

The List Price Schedule is intended only as a guideline to pricing. It does not restrict the price a distributor or dealer may establish. Pricing and specifications subject to change without notice.



## Warranty\*

### Prodigy Plus®, Eclipse® Cubers, iceValet® Hotel Dispensers & Bins

(EH, ERC, ECC, HD, BL, B, C0, C1, C2, CB & PR)

3 years parts

3 years labor

5 years parts & labor on Prodigy Evaporator, BL1360, BL1048, BL1660 & ICS systems

5 years parts on compressor & condenser

### Prodigy Plus® & AutoSentry™ Flake & Nugget Ice Machines

(FM, NM, FS, NH & NS)

3 years parts

3 years labor

5 years parts on compressor

### 15" & 20" Wide Undercounter Ice Machines

(CU0415, CU0715, CU0920, UF0915, UF1415, UF2020,

UN0815, UN1215, UN1520)

3 years parts

3 years labor

### 24" Wide Undercounter Ice Machines

(UC2024, UC2724, UF424, UN324)

3 years parts

3 years labor

5 years parts on compressor

### Undercounter Gourmet Ice Machines

(CU50)

1 years parts

1 years labor

5 years parts on compressor

(CU0515)

3 years parts

3 years labor

5 years parts on compressor & condenser

### Undercounter Cube Ice Machine

(CU3030)

3 years parts

3 years labor

5 years parts & labor on the evaporator

5 years parts on compressor & condenser

### Meridian™ Ice & Water Dispensers

(HID)

3 years parts

3 years labor

5 years parts on compressor & condenser

### Water Filtration Systems

(SSM & AP)

5 years on manifold parts only (SSMx-P & SCx0-A)

### Ice Only Dispensers

(ID)

2 years parts

1 years labor

\* Warranty valid in North, South & Central America for commercial installations.

Residential warranty on commercial products: 1 year parts and labor.

## Definitions

- Maximum production capabilities are typical peak production for 24 hours at 70°F/21°C air and 50°F/10°C water
- AHRI certified production capabilities are typical peak production for 24 hours at 90°F/32°C air and 70°F/21°C water
- Maximum capacity is based on 90% of total volume in cubic feet x 34 lb/ft
- (SS) Stainless Steel
- (RC) Rotocast Plastic
- (R-Air) Remote Air
- (RLS) Remote Lowside
- Freight F.O.B. Fairfax, South Carolina

# Scotsman®



• 101 Corporate Woods Parkway, Vernon Hills, IL 60061 • 1-800-SCOTSMAN • Fax: 847-913-9844 • [www.scotsman-ice.com](http://www.scotsman-ice.com) • [orders@scotsman-ice.com](mailto:orders@scotsman-ice.com) •  
© 2022 Scotsman Ice Systems. SIS-PL-COMIN22 03-22

an Ali Group Company



The Spirit of Excellence

**You Tube**  
@ScotsmanIceSystems