





COMMERCIAL PRODUCTS

LIST PRICE SCHEDULE

— Effective February 1, 2020 —



Scotsman®

THE **ULTIMATE**

ICE
experience

The List Price Schedule is intended only as a guideline to pricing. It does not restrict the price a distributor or dealer may establish.

Our global-leading ice products and services are very local. To see how easy it is to bring them to your location, call 1-800-SCOTSMAN (726-8762) or visit www.scotsman-ice.com.



Scan to learn more.

TABLE OF CONTENTS

Introduction	3-6
WHY SCOTSMAN	3
RECOGNITION / CERTIFICATION	3
SALES & MARKETING TOOLS	4
MODEL IDENTIFICATION	5
FACTS & FIGURES	5
ICE FORMS & MACHINE SIZING GUIDELINES	6
Modular Cube Ice Machines	7-12
MODULAR CUBE FEATURES & BENEFITS	7
MODULAR CUBE UNITS	8-9
MODULAR CUBE KITS & ACCESSORIES	10
MODULAR CUBE / REMOTE CONDENSER PACKAGES	11-12
UNDERCOUNTER GOURMET CUBE UNITS	12
Modular Big Cube Ice Machine	13
MODULAR BIG CUBE FEATURES & BENEFITS	13
MODULAR BIG CUBE UNIT & ACCESSORY	13
Undercounter Cube Ice Machines	14-15
UNDERCOUNTER CUBE FEATURES & BENEFITS	14
UNDERCOUNTER CUBE UNITS & ACCESSORIES	15
Modular Flake Ice Machines	16-17
MODULAR FLAKE FEATURES & BENEFITS	16
MODULAR FLAKE UNITS	17
Modular Nugget Ice Machines	18-21
MODULAR NUGGET FEATURES & BENEFITS	18
MODULAR NUGGET UNITS	19-20
REMOTE LOW SIDE NUGGET / FLAKE UNITS	20
NUGGET / FLAKE KITS & ACCESSORIES	21
Undercounter Nugget & Flake Ice Machines	22-23
UNDERCOUNTER NUGGET / FLAKE FEATURES & BENEFITS	22
UNDERCOUNTER NUGGET / FLAKE UNITS & ACCESSORIES	23
Ice & Water Dispensers	24-27
ICE & WATER DISPENSER FEATURES & BENEFITS	24
ICE & WATER DISPENSERS	25
DISPENSER STANDS	25
HOTEL / MOTEL DISPENSERS	26
ICE ONLY COUNTER TOP DISPENSERS	26
ICE ONLY DISPENSER KITS & ACCESSORIES	27
Bins & Sanitation	27-33
STORAGE BINS	28
ICE EXPRESS SYSTEM	28
BIN ACCESSORIES	28
BIN TOP KITS / ACCESSORY KITS	29
SANITATION & WATER FILTRATION	30
MACHINE / BIN SIZING CHART	31-32
ICE MACHINE TO DISPENSER KIT CHART	33
Energy Quick Facts	34
Index	35-36
2 Warranty & Definitions	37

WHY SCOTSMAN?



Scotsman - Above and Beyond Great Ice Machines

Scotsman is more than just great ice machines. We back up quality products with The Ultimate Ice Experience. This starts with our world-class manufacturing facility in South Carolina, to our high quality and reliable products, and extends to our dedicated support network. From beginning to end, Scotsman's channel partners and customers get the products, service and support they deserve.



Award Winning Manufacturing & Products

When equipment is functioning smoothly, operators have more time and energy to spend on serving customers. That's why Scotsman offers an impressive array of technology that keeps operators informed – well before issues arise.



Designed, Engineered & Assembled In The USA

At Scotsman, our quality story begins inside our award-winning production facility in South Carolina. And with 99% of our equipment U.S.-based, we're proud to keep things close to home.



24/7 Technical Support

Our Technical Service department has a 24 hour emergency line so there is always a Scotsman representative available to help when you need it. We also have an area on our website specifically dedicated to technical information.




Certified Product Performance

So you don't have to just take our word for it, AHRI provides Scotsman with certifications for almost every single one of our ice machines and bins. Scotsman is ISO 9001:2015 certified with 100% of our units being quality checked before leaving the plant.



Focus on Energy & Savings

Offering several ENERGY STAR® certified models, Scotsman ice machines incorporate a superior design that reduces energy and water consumption, making a difference for the environment and the bottom line. Look for the  symbol throughout the price book to find our qualified products.




Innovative Sales Tools & Trainings

Scotsman has created several tools to help our partners and customers learn more about our brand and products. These tools include the Resource Center, Sales App, Ice Machine Sizing and Selector Tool, Comparison Tool and more.



Sales & Marketing Tools



iPad App

What is it?

An Apple Enterprise iPad App with true on-the-go access to presentations, images and videos, marketing literature and interactive tools

How do I access it?

- Type the below link into your web browser
<http://salesapp.scotsman-ice.com/ipad-app/>
- Scan the QR code for instant access
- Visit the Sales App Microsite and click the "Download iPad App" button in the top left corner

Functionality

- Only available for Apple iPads
- Formatted for offline use as a true, on-the-go resource



Scan to access



Microsite

What is it?

A web-based microsite with access to presentations, images and videos, marketing literature and interactive tools

How do I access it?

- Type the below link into your web browser
<http://salesapp.scotsman-ice.com>
- Scan the QR code for instant access
- Visit the Scotsman website homepage. Click "Resource Center" from the top tool-bar. Then scroll to the Sales Tools section and click "Sales App"

Functionality

- Available on all devices - Computers, tablets & cell phones
- Requires internet connection



Scan to access



Resource Center

What is it?

The Scotsman Resource Center replaces our Library web page and is the ultimate destination for getting Scotsman marketing tools and information.

How do I access it?

- Type the below link into your web browser
<http://portal.scotsman-ice.com>
- Scan the QR code for instant access
- From our website home page, click the Resource Center tab

Functionality

- Available on all devices - Computers, tablets & cell phones
- Requires internet connection



Scan to access



Comparison Tool

What is it?

This tool can be used to find the closest machine for a complete comparison of specifications and operating costs.

How do I access it?

- Type the below link into your web browser
<https://portal.scotsman-ice.com/ComparisonTool/>
- Scan the QR code for instant access
- From our Resource Center, visit the Sales Tools section, and click on Comparison Tool link

Functionality

- Available on all devices - Computers, tablets & cell phones
- Requires internet connection



Scan to access



Ice Machine Model Identification

C0530SA-1E

C	05	30	S	A	-1	E
model type	capacity 100s of lb	cabinet width (in.)	cube size	condenser type	base electrical volts/hz/phase	series code
C = cuber U = undercounter F = flaker N = nugget EH = remote low side cuber HD = hotel dispenser HID = ice & water dispenser ID = ice only dispenser			S = small M = medium	A = air cooled W = water cooled R = remote L = remote low side	-1 = 115/60/1 -32 = 208-230/60/1 -3 = 208-230/60/3 -6 = 220-240/50/1	

Date Code: Scotsman's production date code is located in the serial number.

2 digit year, 2 digit month, mfg site ID, six numbers

Example: 09061320998877

0906 = Manufactured June, 2009



Scotsman Facts and Figures

One million +

NUMBER OF
SCOTSMAN ICE
MACHINES
INSTALLED
WORLDWIDE

2,500
Famous Brand Restaurant Installs

12,500
TONS OF SCOTSMAN FLAKE AND NUGGET
ICE PRODUCED DAILY WORLDWIDE

4,800

SERVICE
DISPATCHES
INCLUDING PM,
SERVICE AND
EMERGENCY
SERVICE

6 Billion

SCOTSMAN
ICE CUBES
PRODUCED
DAILY
WORLDWIDE

85 Thousand

INBOUND TECHNICAL
SERVICE CALLS HANDLED BY
THE TEAM



An Ice Form to Meet Every Need



SMALL & MEDIUM CUBE ICE

Our familiar crystal-clear diced ice cube form, available in both small and medium sizes to fit your needs.

APPLICATIONS: Mixed Drinks
Carbonated Beverages
Ice Dispensing
Banquet Services

SIZE: Small: 7/8" x 7/8" x 3/8"
Medium: 7/8" x 7/8" x 7/8"



BIG CUBE ICE

Scotsman's largest cube form. Big Cubes are slow-melting and cool drinks without diluting them.

APPLICATIONS: Cocktail Bars
Nightclubs
Fine Restaurants
Resorts

SIZE: 1 1/4" x 1 1/4" x 1 1/4"



NUGGET ICE

Soft, cylindrical and slow-melting, our proprietary nugget ice is The Original Chewable Ice® - a customer favorite for decades. H² Nugget available for Meridian™ Series only.

APPLICATIONS: Carbonated Beverages
Food Displays
Ice Dispensing
Therapeutic Applications

SIZE: 3/4" x 5/16" x 3/8"



GOURMET ICE

The perfect unique shape for upscale bars and restaurants.

APPLICATIONS: Bar Use
Waitress Stations
Office Suites
Break Rooms

SIZE: 1" x 1 1/8" x 1 1/4"



FLAKE ICE

These small pieces of ice combine fast cooling power with very low production costs.

APPLICATIONS: Blended Cocktails
Salad Bars
Meat & Seafood Displays
Banquet Services

SIZE: Compressed Flake Ice



Guidelines to Sizing Ice Systems

Every operation is different and requires special considerations in sizing equipment. For new locations, use the guidelines below. You may want to add 10-20% for growth or add for unusual types of usage, e.g., icing down drink barrels, bagging ice for resale. For a replacement unit, be sure to ask if the existing unit met the operator's needs. If not, add the amount of ice being purchased to the capacity of the existing unit to determine necessary production for the new unit.

Foodservice

Restaurants:

1.7 lb (0.8 kg) per customer or 5.0 lb (2.3 kg) per seat.

Cocktail Lounge:

3 lb (1.4 kg) per customer.

Salad Bar:

Add 35 lb (15.9 kg) per cubic foot of display. Multiply by 2 or 3 depending on estimated refills required.

Fast Food:

0.9 lb (0.4 kg) per customer or 7.4 lb per seat. Use 2 oz per 8-10 oz drink; 4 oz per 12-16 oz drink.

Convenience Stores/Customer Self-Service

4 oz per 12 oz drink; 7 oz per 20 oz drink; 10 oz per 32 oz drink. Cold plate-add 50% more.


Healthcare:

8 lb (3.6 kg) per patient bed. Use 3 lb (1.4 kg) per employee.

Lodging:

3 lb (1.4 kg) per guest room. Plan on substantially more if guests are allowed to fill ice chests.

PRODIGY PLUS® MODULAR CUBE ICE MACHINES



As the world's only self-monitoring cuber, the new Scotsman Prodigy Plus® cube ice machines make it easier than ever to maintain your equipment and save money.

Features & Benefits

Front-located air filter for more efficient operation

Self-aligning front panel for easy access to key components

Patented WaterSense purge control allows operators to save water and energy

Smart-Board™ advanced feature module available for additional diagnostic capabilities

Operational footprint among the industry's smallest

Optional Vari-Smart™ ice level control allows operators to customize ice levels

Antimicrobial protection guards internal surfaces between cleanings



One-touch cleaning reduces labor costs and saves time



AutoAlert™ indicator lights for better visibility



Scan for an example

Industry-exclusive QR code instantly connects users to service information



Scotsman®



PRODIGY
PLUS


DESIGNED
ENGINEERED
ASSEMBLED
IN THE
USA


Prodigy Plus® Modular Cubers Utilizing AquaArmor™ with AgION®

*Refer to page 26 & 28 for required bin tops.



Unit Dimensions (W x D x H)	Cube Size	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase		
				70°F/21°C 50°F/10°C lb/kg	Air Water lb/kg		115/60/1 -1	208-230/60/1 -32	230/50/1 -6
 22" x 24" x 23" 55.9 x 61.0 x 58.4 cm	Med. Sm.	C0322							
		C0322MA	Air	356/162	232/105	155/70	\$6,286	\$6,411	\$6,461 ●
		C0322MW	Water	366/166	292/133	155/70	\$6,436		
		C0322SA	Air	356/162	232/105	155/70	\$6,286		\$6,461 ●
	Med. Sm.	C0322SW	Water	366/166	292/133	155/70	\$6,436	\$6,561	
		C0522							
		C0522MA	Air	475/216	340/154	160/73	\$6,605	\$6,730	\$6,780 ●
		C0522MW	Water	480/218	409/186	160/73	\$6,755		
 22" x 24" x 29" 55.9 x 61.0 x 73.7 cm	Med. Sm.	C0722							
		C0722MA	Air	758/345	566/257	189/86		\$7,944	\$8,119 ●
	Med. Sm.	C0722SA	Air	758/345	566/257	189/86		\$7,944	\$8,119 ●


Unit Dimensions (W x D x H)	Cube Size	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase		
				70°F/21°C 50°F/10°C lb/kg	Air Water lb/kg		115/60/1 -1	208-230/60/1 -32	230/50/1 -6
 30" x 24" x 23" 76.2 x 61.0 x 58.4 cm	Med. Sm.	C0330							
		C0330MA	Air	400/182	288/131	155/70	\$5,927	\$6,052	
		C0330MW	Water	420/191	326/148	155/70	\$6,077		
		C0330SA	Air	400/182	288/131	155/70	\$5,927		
	Med. Sm.	C0330SW	Water	420/191	326/148	155/70	\$6,077		
		C0530							
		C0530MA	Air	525/238	380/172	175/80	\$6,585	\$6,710	\$6,760 ●
		C0530MR	Remote	500/227	400/181	175/80	\$6,485		
		C0530MW	Water	500/227	410/186	175/80	\$6,735		
		C0530SA	Air	525/238	380/172	175/80	\$6,585	\$6,710	\$6,760 ●
	Med. Sm.	C0530SR	Remote	500/227	400/181	175/80	\$6,485		
		C0530SW	Water	500/227	410/186	175/80	\$6,735		

Unit Dimensions (W x D x H)	Cube Size	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase		
				70°F/21°C 50°F/10°C lb/kg	Air Water lb/kg		208-230/60/1 -32	208-230/60/3 N/A	230/50/1 -6
 30" x 24" x 23" 76.2 x 61.0 x 58.4 cm	Med. Sm.	C0630							
		C0630MA	Air	640/291	474/215	190/86	\$8,073		\$8,248 ●
		C0630MR	Remote	614/279	540/245	190/86	\$7,973 ✓		
		C0630MW	Water	633/288	573/260	190/86	\$8,223		
		C0630SA	Air	640/291	474/215	190/86	\$8,073		\$8,248 ●
		C0630SR	Remote	614/279	540/245	190/86	\$7,973 ✓		
		C0630SW	Water	633/288	573/260	190/86	\$8,223		


✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 26 for storage bins. Please call for pricing on other international configurations.

Prodigy Plus® Modular Cubers Utilizing AquaArmor™ with AgION®

Unit Dimensions (W x D x H)		Cube Size	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase			
					70°F/21°C 50°F/10°C lb/kg	Air Water		90°F/32°C 70°F/21°C lb/kg	208-230/60/1 -32	208-230/60/3 -3	230/50/1 -6
 30" x 24" x 29" 76.2 x 61.0 x 73.7 cm	Med. <div></div>		C0830		Air	905/411	718/326	220/100	\$10,140	\$10,365	\$10,415 ●
			C0830MR	Remote	870/395	780/355	220/100	\$10,040			
			C0830MW	Water	924/420	832/378	220/100	\$10,390			
			C0830SA	Air	905/411	718/326	220/100	\$10,140	\$10,365	\$10,415 ●	
			C0830SR	Remote	870/395	780/355	220/100	\$10,040			
			C0830SW	Water	924/420	832/378	220/100	\$10,390			
	Med. <div></div>		C1030		Air	1077/490	816/371	235/107	\$11,579	\$11,704	\$11,854 ●
			C1030MR	Remote	996/453	869/395	235/107	\$11,479			
			C1030MW	Water	1029/468	929/422	235/107	\$11,829			
			C1030SA	Air	1077/490	816/371	235/107	\$11,579	\$11,704	\$11,854 ●	
			C1030SR	Remote	996/453	869/395	235/107	\$11,479			
			C1030SW	Water	1029/468	929/422	235/107	\$11,829			

Unit Dimensions (W x D x H)	Cube Size	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight	List Price			
				70°F/21°C 50°F/10°C lb/kg	Air Water		90°F/32°C 70°F/21°C lb/kg	Volts/Hz/Phase	208-230/60/1 -32	208-230/60/3 -3
 48" x 24" x 29" 121.9 x 61.0 x 73.7 cm	Med. Sm.	C1448		Air	1553/706	1296/589	345/157	\$13,224 ✓	\$13,449 ✓	\$13,499 ●
		C1448MA	Remote	C1448MR	1357/617	1258/572	345/157	\$13,124	\$13,349	
				C1448MW	Water	1444/656	1340/609	345/157	\$13,474	\$13,699
		C1448SA	Air	1553/706	1296/589	345/157	\$13,224 ✓	\$13,449 ✓	\$13,499 ●	
		C1448SR	Remote	1357/617	1258/572	345/157	\$13,124	\$13,349		
		C1448SW	Water	1444/656	1340/609	345/157	\$13,474	\$13,699		
	Med. Sm.	C1848		Air	1909/868	1426/647	355/161	\$17,072		\$17,347 ●
		C1848MA	Remote	C1848MR	1828/831	1662/754	355/161	\$16,972	\$17,197	\$17,247 ●
				C1848MW	Water	1900/864	1668/757	355/161	\$17,322	
		C1848SA	Air	1909/868	1426/647	355/161	\$17,072		\$17,347 ●	
		C1848SR	Remote	1828/831	1662/754	355/161	\$16,972	\$17,197	\$17,247 ●	
		C1848SW	Water	1900/864	1668/757	355/161	\$17,322			
	Med. Sm.	C2148								
		C2148MR	Remote	1965/893	1746/794	370/168	\$20,783	\$21,008	\$21,058 ●	
		C2148SR	Remote	1965/893	1746/794	370/168	\$20,783	\$21,008	\$21,058 ●	

Unit Dimensions (W x D x H)		Cube Size	Model Number	Condenser Type	24 hr Ice Production			Shipping Weight	List Price Volts/Hz/Phase		
					70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg		208-230/60/1 N/A	208-230/60/3 -3	230/50/1 N/A
 48" x 28.5" x 34" 121.9 x 72.39 x 86.36 cm	Med. Sm.	C2648			Remote Remote	2630/1193 2630/1193	2131/967 2131/967	430/195 430/195	\$22,033 \$22,033		
		C2648MR									
		C2648SR									

Modular Cuber Kits and Accessories

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price Volts/Hz/Phase		
				115/60/1 -1	208-230/60/1 -32	230/50/1 -6
29.5" x 29.13" x 38.47" 74.9 x 74.0 x 97.7 cm 29.5" x 29.13" x 38.47" 74.9 x 74.0 x 97.7 cm 29.5" x 37.8" x 38.47" 74.9 x 96.0 x 97.7 cm 28.5" x 39" x 34.63" 72.4 x 99.1 x 87.9 cm	Remote Condensers					
	ERC111	Remote condenser for C0530xR	95/43	\$2,077		
	ERC311	Remote condenser for C0630xR, C0830xR, C1030xR, or C1448xR	130/59		\$2,193	\$2,368
	ERC611	Remote condenser for C1848xR or C2148xR	140/84		\$3,140	
	PRC241	Remote condenser for C2648xR	135/61		\$3,654	

Model Number	Description	Shipping Weight lb/kg	List Price
Miscellaneous			
KERCF	Air filter for ERC111 or ERC311	5/2	\$164
RCKCME6GX-E	Remote condensing kit for connecting E revision Prodigy® models to non-Scotsman remote condenser coils, Quick connects not included	25/11	\$601
KTPS-SM	Tamper Proof Screw Kit (incl. Tool) to convert 22" (55.9 cm), 30" (76.2 cm) or 48" (121.9 cm) cuber	5/2	\$207
Line Sets			
BRTE10	Line set, 10 ft, brazing required	7/3	\$340
BRTE25	Line set, 25 ft, brazing required	12/6	\$507
BRTE40	Line set, 40 ft, brazing required	17/8	\$574
BRTE75	Line set, 75 ft, brazing required	35/16	\$876
KTE4	Tube end kit - contains 4 quick connect fittings for any RTE Line Set	5/2	\$226
BRTEL25	Line set, 25 ft (7.6m), use with C2648 remote cooled units, brazing required	16/7	\$423
BRTEL40	Line set, 40 ft (12.2m), use with C2648 remote cooled units, brazing required	22/10	\$636
BRTEL75	Line set, 75 ft (22.9m), use with C2648 remote cooled units, brazing required	40/18	\$948
KTEL4	Tube end kit - contains 4 quick connect fittings for any RTEL Line Set	5/2	\$248
Prodigy® and Prodigy Plus® Modular Cuber Accessories			
KPAS	Kit - Prodigy Advanced Sustainability. Includes KSBU-N and KVS	10/4	\$1,172
KSBU	Kit - Prodigy Smart-Board™ - Use additional operational data for fast diagnosis	5/2	\$809
KSBU-N	Kit - Prodigy Smart-Board™ - Network connection	5/2	\$1,049
KVS	Kit - Prodigy Vari-Smart™ Ice Level Control - Adjust ice levels to match ice needs	5/2	\$360
Air Flow Kits			
KPPSA223	Kit - Prodigy Plus® Side Air Flow for C0322, C0522, N0422, F0522, N0622, F0822	11/5	\$275
KPPSA229	Kit - Prodigy Plus® Side Air Flow for C0722	13/6	\$376
KPPSA323	Kit - Prodigy Plus® Side Air Flow for C0330, C0530, C0630	13/6	\$314
KPPSA329	Kit - Prodigy Plus® Side Air Flow for C0830, C1030	15/7	\$400

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 26 for storage bins. Please call for pricing on other international configurations.

Prodigy Plus® Eclipse® Ice Machines



PRODIGY PLUS ECLIPSE

EH222SL



22" x 16.5" x 29"
55.9 x 41.9 x 73.7 cm

EH330SL



30" x 24" x 23"
76.2 x 61.0 x 58.4 cm

EH430SL / ML




30" x 24" x 29"
76.2 x 61.0 x 73.7 cm


Cube Size	Model Number	Use With Condensing Unit	24 hr Ice Production		Shipping Weight lb/kg	List Price	
			70°F/21°C 50°F/10°C lb/kg	Air Water 90°F/32°C 70°F/21°C lb/kg		115/60/1 -1	230/50/1 -6
Sm.	Ice Maker						
	EH222SL	ECC0800 ECC1410	850/386 1030/468	700/318 827/375	319/145 332/151	\$6,496 \$6,496	\$6,696 ●
Sm.	Ice Maker	ECC1200	1411/641	1103/500	310/141	\$7,087	
Sm. / Med.	Ice Maker						
	EH430SL / ML	ECC1410 ECC1800	1425/648 1775/807	1200/545 1600/727	332/151 350/159	\$7,392 \$7,392	

ECC Features

- Energy efficient components save money on utility costs.
- Better corrosion resistance increases life of unit.
- One piece design makes installation and service easier.
- Maximizes air conditioning load.
- Allows for quiet operation in dining and working environments.
- Able to operate in wide outdoor temperature range from -20° F to 120° F.



Prodigy Plus® Eclipse® Complete Package



+



=

Eclipse
SYSTEM*


Approx. Ice Production (lb.)	Ice Maker Small Cube	Ice Maker List Price	Condensing Unit	Condensing List Price	System List Price
800	EH222SL	\$6,496	ECC0800	\$7,891	\$14,387
1000	EH222SL	\$6,496	ECC1410	\$9,275	\$15,771
1400	EH330SL	\$7,087	ECC1200	\$9,314	\$16,401
1400	EH430SL / ML	\$7,392	ECC1410	\$9,275	\$16,667
1800	EH430SL / ML	\$7,392	ECC1800	\$13,640	\$21,032

*Line sets and bin top kits must be purchased with Eclipse® System for proper operation of equipment.

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 26 for storage bins. Please call for pricing on other international configurations.

Prodigy Plus® Eclipse® Condensing Unit



Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price Volts/Hz/Phase		
				208-230/60/1 -32	208-230/60/3 -3	230/50/1 -6
 27" x 32.06" x 39.75" 68.58 x 81.4 x 100.9 cm	Remote Condensers					
	ECC0800	Remote condensing unit Eclipse 800 lb/364 kg systems	319/145		\$7,891	\$8,091
	ECC1200	Remote condensing unit Eclipse 1400 lb/636 kg systems	310/141	\$9,314		
	ECC1410	Remote condensing unit Eclipse 1000-1400 lb /455-636 kg systems	332/151	\$9,275	\$9,450	
	ECC1800	Remote condensing unit Eclipse 1800 lb/818 kg systems	350/159		\$13,640	

Prodigy Plus® Eclipse® Accessories

Model Number	Description	Shipping Weight lb/kg	List Price
Line Sets			
3BRTE20-EH	Line set, 20ft. Refrigerant and Brazing required.	21/10	\$374
3BRTE35-EH	Line set, 35ft. Refrigerant and Brazing required.	32/15	\$560
3BRTE50-EH	Line set, 50ft. Refrigerant and Brazing required.	53/24	\$813
3BRTE75-EH	Line set, 75ft. Refrigerant and Brazing required.	79/36	\$1,239
KTE6-EH	Kit, Tube End, 6 Fittings, 3RTExx-EH Line set	5/2	\$671

Undercounter Gourmet Cube Units



Unit Dimensions (W x D x H)	Model Number	Condenser Type	24 hr Ice Production			Storage Capacity lb/kg	Shipping Weight lb/kg	List Price Volts/Hz/Phase		
			70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg			115/60/1 -1	208-230/60/1 N/A	230/50/1 N/A
 14.88" x 22" x 34.38" 37.8 x 55.9 x 87.3 cm	CU50	Air								
	CU50GA CU50PA*		64/29 64/29		44/20 44/20	26/12 26/12	100/45 105/48	\$4,639 \$5,364		
 15.19" x 23.63" x 34.13" 38.6 x 60 x 86.69 cm Height includes 5.25" (13.3cm) legs	CU0515	Air								
	CU0515GA		74/34		58/26	24/11	95/43	\$5,904 (Price includes legs)		

Standard exterior finish: Stainless Steel.

*CU50PA-1A comes with a pump drain instead of a gravity drain.

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 26 for storage bins. Please call for pricing on other international configurations.

BIG CUBE MODULAR ICE MACHINE

B
I
G
C
U
B
E



Introducing Scotsman's largest cube yet, the Big Cube. Sizing in at 1 ¼" x 1 ¼" x 1 ¼", Big Cubes are slow-melting and cool drinks without diluting them.



Features & Benefits


Perfectly square, individual Big Cubes

Produces **108 cubes every harvest cycle** - approximately every 30 mins

Horizontal evaporator **minimizes impurities** resulting in **clearer cubes** and **reduced scale buildup** between cleanings

Unit specific QR code for **quick access** to service manuals, cleaning guides and warranty history

Heavy duty stainless steel exterior panels for **maximum durability** and **lifespan**

Unit Dimensions (W x D x H)	Model Number	Condenser Type	70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg	Shipping Weight lb/kg	List Price Volts/Hz/Phase 115/60/1 -1
 30.7" x 25.8" x 33.7" 77.9 x 65.5 x 85.6 cm	BC0530A	Air	428/194		383/174	235/107	\$10,100

Accessory Model Number	Description	Shipping Weight lb/kg	List Price
KBCSTK30	Stacking kit - Up to 3 units high	TBD	TBD



UNDERCOUNTER CUBE ICE MACHINES



You want ice, not issues. That's why Scotsman created the undercounter line of ice machines. Small in stature. Big on reliability and ease of use. Because at the end of the day, what you really want is a machine that works as hard as you do.

Features & Benefits

Slide back door allows easy access to ice in the bin

Front breathing vents allow for flexible placement

High-volume capacity in a small, compact footprint



Energy Efficient Design:
Environmentally friendly while saving operators money




Unique evaporator produces crystal clear cubes



With an optional floor mount kit, our 15" & 20" wide models can be installed under 34" ADA counter tops



Scotsman®



Undercounter Cube Ice Machines



UNDERCOUNTER CUBER

CU0415



15"W x 24"D x 38"H*
38.1 x 61.0 x 96.5 cm

CU0715



15"W x 24"D x 38"H*
38.1 x 61.0 x 96.5 cm

CU0920



20"W x 24"D x 38"H*
50.8 x 61.0 x 96.5 cm

UC2024



24"W x 29"D x 39"H*
61.0 x 73.5 x 99.1 cm

UC2724



24"W x 29"D x 39"H*
61.0 x 73.5 x 99.1 cm

CU3030



30"W x 30"D x 39"H*
76.2 x 76.2 x 99.1 cm

*Height includes 6" (15.2cm) legs

Model Number	Condenser Type	24 hr Ice Production		Storage Capacity lb/kg	Shipping Weight lb/kg	List Price Volts/Hz/Phase		
		70°F/21°C 50°F/10°C lb/kg	Air Water			115/60/1 -1	208-230/60/1 -32	230/50/1 -6
CU0415MA	Air	58/26		36/16	90/41	\$3,780		\$3,930 ●
CU0715MA	Air	80/36		36/16	96/44	\$4,161		\$4,311 ●
CU0920MA	Air	100/45		57/26	118/54	\$4,440		\$4,590 ●
UC2024MA	Air	227/103		80/36	150/68	\$4,785		
UC2024MW	Water	230/104		80/36	150/68	\$4,935		
UC2024SA	Air	227/103		80/36	150/68	\$4,785		
UC2024SW	Water	230/104		80/36	150/68	\$4,935		
UC2724MA	Air	282/128		80/36	175/79	\$5,434		\$5,584
UC2724MW	Water	266/121		80/36	175/79	\$5,584		
UC2724SA	Air	282/128		80/36	175/79	\$5,434		\$5,584
UC2724SW	Water	266/121		80/36	175/79	\$5,584		
CU3030MA	Air	313/142		110/50	230/104	\$6,475	\$6,600	\$6,625 ●
CU3030SA	Air	313/142		110/50	230/104	\$6,475	\$6,600	\$6,625 ●
CU3030SW	Water	347/158		110/50	230/104	\$6,625		

Undercounter Ice Machine Accessories

Model Number	Description	Shipping Weight lb/kg	List Price
KLP8S	Kit, Leg 6", Stainless Steel	5/2	\$316
KBC1	Kit, Casters	8/4	\$401
KUFM15	For ADA applications. Floor mount kit for 15" wide units, lowers overall height to 31.9"	3/1	\$216
KUFM20	For ADA applications. Floor mount kit for 20" wide units, lowers overall height to 31.9"	3/1	\$216
KUFM24	Floor mount kit for 24" wide units. Lowers height to 33.5"	3/1	\$231
KPUFM30	Kit - Prodigy® Undercounter Floor Mount for CU3030	3/1	\$264

● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1.

Please call for pricing on other international configurations.

PRODIGY PLUS® MODULAR FLAKE ICE MACHINES



Now the soft, chewable flake ice that customers love is available with more innovative technology than ever before. Flake ice cools more quickly than other ice forms and is ideal for seafood and produce displays.



Features & Benefits

Self-aligning front panel for **easy access** to key components

Smart-Board™ advanced **feature module** available for additional diagnostic capabilities

Optional **Vari-Smart™ ice level control** allows operators to customize ice levels

Small flake ice pieces combine **fast cooling** power with very **low production costs**

Antimicrobial protection guards internal surfaces between cleanings



Front-located air filter for more efficient operation



AutoAlert™ indicator lights for better visibility



Scan for an example

Industry-exclusive **QR code** instantly connects users to service information

Scotsman®

**PRODIGY
PLUS**

DESIGNED
ENGINEERED
ASSEMBLED
**IN THE
USA**



PRODIGY PLUS FLAKER



Prodigy Plus® Modular Flake Ice Machines

*Refer to page 26 & 28 for required bin tops.



Flake ice is a smart choice for everything from blended cocktails and salad bars to produce, seafood and meat displays. It is also a popular choice for therapeutic use in healthcare facilities.

Unit Dimensions (W x D x H)	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase		
			70°F/21°C 50°F/10°C lb/kg	Air Water		115/60/1 -1	208-230/60/1 -32	230/50/1 -6
 22" x 24" x 23" 55.9 x 61.0 x 58.4 cm	F0522	Air Water	450/205 530/240	343/156 429/195	173/78 173/78	\$8,050 \$8,300		
	F0522A F0522W							
 22" x 24" x 23" 55.9 x 61.0 x 58.4 cm	F0822	Air Remote Water	800/363 760/345 775/352	641/291 631/287 654/297	175/79 175/79 175/79	\$10,229 \$10,129 \$10,479	\$10,604	
	F0822A F0822R F0822W							

Unit Dimensions (W x D x H)	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase		
			70°F/21°C 50°F/10°C lb/kg	Air Water		208-230/60/1 -32	208-230/60/3 -3	230/50/1 -6
 22" x 24" x 27" 55.9 x 61.0 x 68.6 cm	F1222	Air Remote Water	1100/500 1250/567 1240/562	878/395 907/409 967/436	220/100 220/100 220/100	\$12,900 ✓ \$12,800 \$13,150	\$13,125 ✓ \$13,025	\$13,175 ●
	F1222A F1222R F1222W							
 22" x 24" x 27" 55.9 x 61.0 x 68.6 cm	F1522	Air	1612/733	1088/495	224/102	\$16,907		
	F1522A							

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 26 for storage bins. Please call for pricing on other international configurations.

PRODIGY PLUS® MODULAR NUGGET ICE MACHINES



Soft, cylindrical and slow-melting, our proprietary nugget ice is The Original Chewable Ice® - a customer favorite for decades. Now available with more innovative technology than ever before.



Scotsman®

Features & Benefits

Self-aligning front panel for **easy access** to key components

Patented **WaterSense** purge control allows operators to save water and energy

Smart-Board™ advanced feature module available for additional diagnostic capabilities

Nugget ice displaces more liquid than cubed ice, **lowering syrup costs** per cup

Optional **Vari-Smart™** ice level control allows operators to customize ice levels

Antimicrobial protection guards internal surfaces between cleanings



Front-located air filter for more efficient operation



AutoAlert™ indicator lights for better visibility



Scan for an example

Industry-exclusive **QR code** instantly connects users to service information

PRODIGY PLUS NUGGET

PRODIGY PLUS



Scotsman Nugget Ice®, The Original Chewable Ice®




Scotsman Ice Systems introduced the first Nugget ice machine in 1981 and today ice-chewing fanatics have embraced Nugget ice, which is soft and chewy. In fact, some of these chewers are looking for bags - not just cups - of Scotsman Nugget Ice®, creating a great opportunity for restaurants and convenience stores to add a new, high margin, repeat-business product customers really want. And, Nugget ice makers from Scotsman can transform that opportunity into profit.


Beyond their crunch appeal, the slow-melting Nugget ice form cools drinks rapidly without foaming, and Nuggets displace more liquid than cube ice, lowering costs per cup. Nugget ice also consumes up to 50% less water and 15% less energy than cube machines. It all adds up to new customers, increased sales and a stronger bottom line.


PRODIGY PLUS NUGGET

Prodigy Plus® Modular Nugget Ice Machines



Unit Dimensions (W x D x H)	Model Number	Condenser Type	24 hr Ice Production			Shipping Weight lb/kg	List Price Volts/Hz/Phase		
			70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg		115/60/1 -1	208-230/60/1 N/A	230/50/1 N/A
 22" x 24" x 23" 55.9 x 61.0 x 58.4 cm	N0422	Air Water							
	N0422A		420/191		348/158	172/78	\$8,178		
	N0422W		455/206		397/180	172/78	\$8,428		

Unit Dimensions (W x D x H)	Model Number	Condenser Type	24 hr Ice Production			Shipping Weight lb/kg	List Price Volts/Hz/Phase		
			70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg		115/60/1 -1	208-230/60/1 -32	230/50/1 -6
 22" x 24" x 23" 55.9 x 61.0 x 58.4 cm	N0622	Air Remote Water							
	N0622A		643/292		547/249	172/78	\$10,820	\$10,945	\$10,995 ●
	N0622R		660/299		579/263	172/78	\$10,720		
	N0622W		715/325		581/264	172/78	\$11,070		


Unit Dimensions (W x D x H)	Model Number	Condenser Type	24 hr Ice Production			Shipping Weight lb/kg	List Price Volts/Hz/Phase		
			70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg		208-230/60/1 -32	208-230/60/3 -3	230/50/1 -6
 22" x 24" x 27" 55.9 x 61.0 x 68.6 cm	N0922	Air Remote Water							
	N0922A		956/438		784/353	210/95	\$13,508 ✓		\$13,783 ●
	N0922R		1044/474		781/352	210/95	\$13,408		
	N0922W		1094/496		863/389	210/95	\$13,758		

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 26 for storage bins. Please call for pricing on other international configurations.

Prodigy Plus® Modular Nugget Ice Machines




Unit Dimensions (W x D x H)	Model Number	Condenser Type	24 hr Ice Production			Shipping Weight lb/kg	List Price Volts/Hz/Phase		
			70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg		208-230/60/1 -32	208-230/60/3 -3	230/50/1 -6
 22" x 24" x 27" 55.9 x 61.0 x 68.6 cm	N1322	Air Remote Water							
	N1322A		1385/630		990/450	225/102	\$17,194 ✓		\$17,469 ●
	N1322R		1360/618		1061/482	225/102	\$17,094		
	N1322W		1513/688		1129/513	225/102	\$17,444	\$17,669	

Prodigy Plus® Remote Low Side Flake and Nugget Complete Packages

*Refer to page 26 & 28 for required bin tops.




Unit Dimensions (W x D x H)	Model Number	Ice Form	24 hr Ice Production			Shipping Weight lb/kg	List Price Volts/Hz/Phase	
			70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg		115/60/1 -1	208-230/60/1 N/A
 22" x 24" x 27" 55.9 x 61.0 x 68.6 cm	Flaker	Flake Flake						
	F1222L		1180/535		1000/454	217/98	\$10,760	
	F1522L		1445/655		1205/547	224/102	\$13,724	
	Nugget	Nugget Nugget						
	N0922L		1090/494		915/415	217/98	\$11,281	
	N1322L		1330/605		1100/499	224/102	\$14,025	

PRODIGY PLUS NUGGET

Modular and Remote Low Side Flake and Nugget Ice Machines



Unit Dimensions (W x D x H)	Model Number	Condenser Type	24 hr Ice Production			Shipping Weight lb/kg	List Price Volts/Hz/Phase	
			70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg		208-230/60/1 -32	230/50/1 N/A
 42" x 24" x 27" 106.7 x 61.0 x 68.6 cm	Flaker	Air Remote Low Side						
	FME2404AS		2455/1114		1792/813	395/179	\$24,412	
	FME2404RLS		2365/1072		2000/907	255/115	\$20,519	
	Nugget	Remote						
	NME1854RS		2185/991		1631/740	425/193	\$25,480	

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 26 for storage bins. Please call for pricing on other international configurations.

Remote Low Side Flake and Nugget Accessories

Model Number	Description	Shipping Weight lb/kg	List Price
Line Sets			
NRTE45	45 ft. (13.7 m) non-precharged line set for remote low side flaker and nugget ice machines.	17/8	\$654

Flake & Nugget Ice Machine Kits and Accessories

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price Volts/Hz/Phase
				115/60/1 -1 208-230/60/1 -32 230/50/1 -6
29.5" x 29.13" x 38.47"	Remote Condensers			
74.9 x 74.0 x 97.7 cm	ERC111	Remote condenser for F0822R or N0622R	95/43	\$2,077
29.5" x 29.13" x 38.47"	ERC311	Remote condenser for F1222R, N0922R or N1322R	130/59	\$2,193
74.9 x 74.0 x 97.7 cm				\$2,368
28.5" x 39" x 34.63"	PR2C240	Remote condenser for 2-F1222R, 2-N0922R, 1-NME1854R	135/61	\$3,318
72.4 x 99.1 x 87.9 cm				

Note: PR2C40-32A requires two line sets per ice machine when used with NME1854R; PRC2C240-32A requires two KPFBM kits when used with 2-F1222R or N0922R units.

Model Number	Description	Shipping Weight lb/kg	List Price
Line Sets			
BRTE10	Line set, 10 ft, brazing required	7/3	\$340
BRTE25	Line set, 25 ft, brazing required	12/5	\$507
BRTE40	Line set, 40 ft, brazing required	17/7	\$574
BRTE75	Line set, 75 ft, brazing required	35/15	\$876
KTE4	Tube end kit - Contains 4 quick connect fittings for any RTE Line Set	5/2	\$226
Miscellaneous			
KERCF	Air filter for ERC111 or ERC311	5/2	\$164
KPFHM-E	Headmaster Kit for use with ERC101, ERC151, ERC201, ERC302 or PR2C240; Quick connect not included	10/5	\$347
KCMR-230	Fan relay kit for two 230V units connected to PR2C240 condenser	5/2	\$257
Prodigy Modular Flaker & Nugget Accessories			
KPAS	Kit-Prodigy Advanced Sustainability. Includes KSBU-N and KVS	10/4	\$1,172
KSBU	Kit-Prodigy Smart-Board™ - Use additional operational data for fast diagnosis	5/2	\$809
KSBU-N	Kit-Prodigy Smart-Board™ - Network connection	5/2	\$1,049
KVS	Kit-Prodigy Vari-Smart™ Ice Level Control - Adjust ice levels to match ice needs	5/2	\$360

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 26 for storage bins. Please call for pricing on other international configurations.

UNDERCOUNTER NUGGET & FLAKE ICE MACHINES



Get the nugget and flake ice your customers love anywhere you need it with Scotsman's undercounter ice machines. With a proven freezer design and sealed bearings, you'll have the reliable machine your facility requires – with a more compact design.

BIG
OPPORTUNITY
SMALL UNIT

Features & Benefits

Slide back door allows easy access to ice in the bin

Front breathing vents allow for flexible placement

High-volume capacity in a small, compact footprint



Energy Star Certified*:
Environmentally friendly while saving operators money



Sealed, maintenance-free bearings ensure **maximum reliability** & contribute to a long machine lifetime




With an optional floor mount kit, our 15" & 20" wide models can be installed under **34" ADA counter tops**



*Select models only.

Scotsman®



UNDERCOUNTER
NUGGET & FLAKE

Undercounter Nugget and Flake Ice Machines



UN0815

NEW



15"W x 24"D x 38"H*
38.1 x 61.0 x 96.5 cm

UN1215

NEW



15"W x 24"D x 38"H*
38.1 x 61.0 x 96.5 cm

UN1520

NEW



20"W x 24"D x 38"H*
50.8 x 61.0 x 96.5 cm

UN324



24"W x 28.5"D x 39"H*
61.0 x 72.4 x 99.1 cm

UF0915

NEW



15"W x 24"D x 38"H*
38.1 x 61.0 x 96.5 cm

UF1415

NEW



15"W x 24"D x 38"H*
38.1 x 61.0 x 96.5 cm

UF2020

NEW



20"W x 24"D x 38"H*
50.8 x 61.0 x 96.5 cm

UF424



24"W x 28.5"D x 39"H*
61.0 x 72.4 x 99.1 cm

*Height includes 6" (15.2cm) legs

Model Number	Condenser Type	24 hr Ice Production			Storage Capacity	Shipping Weight	List Price		
		70°F/21°C	Air	90°F/32°C			Volts/Hz/Phase		
		50°F/10°C	Water	70°F/21°C			115/60/1	230/50/1	
		lb/kg		lb/kg		lb/kg		-1	-6
Nugget Units									
UN0815A	Air	79/36		55/25	36/16	108/49	\$5,939	✓✓✓	
UN1215A	Air	119/54		84/38	36/16	109/49	\$6,652	✓✓✓	
UN1520A	Air	167/76		125/57	57/26	129/59	\$7,450	✓✓✓	
UN324A	Air	340/154		266/121	80/36	210/95	\$9,080		\$9,205
UN324W	Water	340/154		281/127	80/36	210/95	\$9,330		
Flake Units									
UF0915	Air	96/44		76/35	36/16	108/49	\$5,880	✓✓✓	
UF1415	Air	142/64		107/49	36/16	109/49	\$6,586	✓✓✓	
UF2020	Air	216/98		149/68	57/26	129/59	\$7,376	✓✓✓	
UF424A	Air	440/200		310/141	80/36	200/91	\$8,901		\$9,026
UF424W	Water	440/200		330/150	80/36	200/91	\$9,151		

UNDERCOUNTER
NUGGET & FLAKE

Undercounter Ice Machine Accessories

Model Number	Description	Shipping Weight lb/kg	List Price
KLP8S	Kit, Leg 6", Stainless Steel	5/2	\$316
KBC1	Kit, Casters	8/4	\$401
KUFM15	For ADA applications. Floor mount kit lowers overall height to 31.9"	3/1	\$216
KUFM20	For ADA applications. Floor mount kit lowers overall height to 31.9"	3/1	\$216
KUFM24	Floor mount kit. Lowers height to 33.5"	3/1	\$231

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1.
Please call for pricing on other international configurations.

MERIDIAN™ ICE & WATER DISPENSERS



Born out of extensive market research, Meridian™ was developed with space, production and installation in mind – and delivers the softest, most satisfying ice on the market today.

Features & Benefits

The industry's **smallest operational footprint** relative to capacity

Removable front panels allow **ease of access and service** to key internal components

Removable sink and grill provide **maximum access** for ease of cleaning

Industry leading **energy and water efficiencies** deliver on-going savings



Sealed, maintenance-free bearings ensure **maximum reliability** & contribute to a long machine lifetime



Intuitive **LED diagnostic lights** reduce service time



Scan for an example

Unit specific **QR code** for quick access to service manuals and warranty history



External air filter location **improves breathability & accessibility**, while requiring less side clearance



Scotsman®

meridian™



MERIDIAN DISPENSERS

Meridian™ Ice and Water Dispensers



meridian™

HID312



HID312A: 16.25" x 24.38" x 35"
HID312AW: 18.25" x 24.38" x 35"

HID525



HID525A: 21.25" x 24.38" x 35"
HID525AW: 23.25" x 24.38" x 35"
HID525W: 21.25" x 24.38" x 35"

HID540



HID540A: 21.25" x 24.38" x 41"
HID540AW: 23.25" x 24.38" x 41"
HID525W: 21.25" x 24.38" x 41"

Model Number	Condenser Type	24 hr Ice Production		Storage Capacity lb/kg	Shipping Weight lb/kg	List Price Volts/Hz/Phase	
		70°F/21°C 50°F/10°C lb/kg	Air Water 70°F/21°C lb/kg			115/60/1 -1	230/50/1 -6
HID312							
HID312A	Air	260/118		12/5	183/83	\$9,256	\$9,556 ●
HID312AW*	Air	260/118		12/5	188/85	\$9,556	
HID525							
HID525A	Air	500/227		25/11	208/94	\$13,564	\$13,864 ●
HID525AW*	Air	500/227		25/11	213/97	\$13,914	
HID525W	Water	500/227	400/181	25/11	208/94	\$13,564	
HID540							
HID540A	Air	500/227		40/18	215/98	\$14,802	\$15,102 ●
HID540AW*	Air	500/227		40/18	220/100	\$15,202	
HID540W	Water	500/227	400/181	40/18	215/98	\$14,802	
KLP24A	4" adjustable legs, plastic with metal foot (box of 4)				5/2	\$96	

*Wall mount configuration. Does not have drip tray. Designed to be installed over existing sink.

Meridian™ Ice and Water Dispenser Stands

HST16-A



HST16-A: 16.5" x 23.75" x 32"
41.9 x 60.3 x 81.3 cm
Height includes 6" (15.2cm) legs

HST16B-A



HST16B-A: 16.5" x 23.75" x 32"
41.9 x 60.3 x 81.3 cm
Height includes 6" (15.2cm) legs

HST21-A



HST21-A: 21.5" x 23.75" x 32"
54.6 x 60.3 x 81.3 cm
Height includes 6" (15.2cm) legs

HST21B-A



HST21B-A: 21.5" x 23.75" x 32"
54.6 x 60.3 x 81.3 cm
Height includes 6" (15.2cm) legs

Model Number	Description	Shipping Weight lb/kg	List Price
Dispenser Kits			
HST16-A	Stand with door, use with HID312, SS, includes 6" legs	50/23	\$1,451
HST16B-A	Stand for HID312, basic version, SS, includes 6" legs	50/23	\$1,335
HST21-A	Stand with door, use with HID525 & HID540, SS, includes 6" legs	80/36	\$1,499
HST21B-A	Stand for HID525 & HID540, basic version, SS, includes 6" legs	80/36	\$1,379

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 26 for storage bins. Please call for pricing on other international configurations.

iceValet® Hotel / Motel Cube Dispensers

HD22



22" x 33.5" x 53.25"
55.9 x 85.1 x 135.3 cm
Height includes 6" (15.2cm) legs

HD30



30" x 33.5" x 53.25"
76.2 x 85.1 x 135.3 cm
Height includes 6" (15.2cm) legs


Model Number	Actuation	Storage Capacity lb/kg	Shipping Weight lb/kg	List Price	
				115/60/1 -1	230/50/1 -6
HD22	Push	120/59	201/91	\$6,399	\$6,524* ●
HD22B					
HD30	Push Water Filler	180/81 180/81	220/100 225/102	\$7,478 \$8,226	\$7,603* ● * Price includes legs
HD30B HD30W					

Ice Only Counter Top Dispensers



Unit Dimensions (W x D x H)	Model Number	Actuation	Storage Capacity lb/kg	Shipping Weight lb/kg	List Price Volts/Hz/Phase 115/60/1 -1
 ID150: 22" x 30" x 35 5/8" 55.9 x 76.2 x 90.5 cm ID200: 30" x 30" x 35 5/8" 76.2 x 76.2 x 90.5 cm ID250: 30" x 30" x 39 5/8" 76.2 x 76.2 x 100.6 cm	Ice Only Dispensers				
	ID150B	Cup Activated	150/68	149/68	\$7,369
	ID200B	Cup Activated	200/91	183/83	\$8,825
	ID250B	Cup Activated	250/114	188/85	\$10,591

= Energy Star certified.
 = CE Approved.
 Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 26 for storage bins.
 Please call for pricing on other international configurations.


Ice Only Dispenser Kits and Accessories

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price
 <p>IOBDMS22: 22" x 30" x 30" 55.9 x 76.2 x 76.2 cm Height includes 6" (15.2cm) legs</p> <p>IOBDMS30: 30" x 30" x 30" 76.2 x 76.2 x 76.2 cm Height includes 6" (15.2cm) legs</p>	Machine Stands			
	IOBDMS22 IOBDMS30	Machine stand for ID150 Machine stand for ID200 & ID250	93/42 120/55	\$2,176* \$2,187*
	Kits			
	KWGFID KNUGDIV	Field installed water glass filler kit for ID150, ID200, & ID250 Field installed nugget ice kit for all ID dispensers	2/1 1/0.5	\$504 \$168 * Price includes legs




Storage Bins

Model Number		Storage Capacity lb/kg	Ext. Finish	Liner Material	Unit Dimensions (W x D x H)	Shipping Weight lb/kg	List Price
	Modular Bins						
	B322S	370/168	Metallic	Poly	22" x 34" x 50" (55.9 x 86.4 x 127 cm)	140/64	\$2,206
	B330P	344/156	Poly	Poly	30" x 34" x 37" (76.2 x 86.4 x 94 cm)	90/41	\$2,104
	B530P	536/244	Poly	Poly	30" x 34" x 50" (76.2 x 86.4 x 127 cm)	110/50	\$2,289
	B530S	536/244	Metallic	Poly	30" x 34" x 50" (76.2 x 86.4 x 127 cm)	150/68	\$2,431
	B842S	778/353	Metallic	Poly	42" x 34" x 50" (106.7 x 86.4 x 127 cm)	190/86	\$3,271
	B948S	893/406	Metallic	Poly	48" x 34" x 50" (121.9 x 86.4 x 127 cm) Height includes 6" (15.2cm) legs	209/95	\$3,408 Price includes legs
	BH Upright Modular Bins						
	BH1100BB-A	1100/490	SS w/GBB*	Poly	48" x 34" x 56" (121.9 x 86.4 x 142.2 cm)	280/127	\$7,609
	BH1100SS-A	1100/490	SS	Poly	48" x 34" x 56" (121.9 x 86.4 x 142.2 cm)	280/127	\$9,327
	BH1300BB-A	1400/635	SS w/GBB*	Poly	60" x 34" x 56" (152.4 x 86.4 x 142.2 cm)	310/141	\$8,819
	BH1300SS-A	1400/635	SS	Poly	60" x 34" x 56" (152.4 x 86.4 x 142.2 cm)	310/141	\$10,783
	BH1600BB-A	1755/796	SS w/GBB*	Poly	60" x 34" x 68" (152.4 x 86.4 x 172.7 cm)	370/168	\$9,381
	BH1600SS-A	1755/796	SS * Stainless steel with galvanized back and bottom	Poly	60" x 34" x 68" (152.4 x 86.4 x 172.7 cm) Height includes 6" (15.2cm) legs	370/168	\$11,332 Price includes legs
BH bins include adjustable bin top filler panels for use with most ice machines. (See machine bin sizing chart on pages 30-31 for special configurations). No extra charge for special bin tops when ordered with new bin purchase, except for field installed kit KBT50 - KBT54 bin tops. See page 28 for purchase price for field installed bin tops.							

Ice Express System Built-to-Order Only

Unit Dimensions (W x D x H)	Model Number	Description	Storage Capacity lb/kg	Ext. Finish	Liner Material	Shipping Weight lb/kg	List Price
 <p>ICS-1 30" x 36" x 65" 76.2 x 91.4 x 165 cm</p> <p>ICS-2 60" x 36" x 71" 152.4 x 91.4 x 180.3 cm</p> <p>ICS-3 90" x 36" x 71" 228.6 x 91.4 x 180.3 cm</p> <p>ICS-3-SL 90" x 36" x 101" 228.6 x 91.4 x 256.5 cm</p>	Ice Express System						
	ICS-1	1 Bay*	500/227	SS	Poly	309/140	\$15,273
	ICS-2	2 Bay*	1200/544	SS	Poly	840/381	\$27,668
	ICS-3	3 Bay*	1800/817	SS	SS	1200/544	\$42,919
	ICS-3-SL	3 Bay with extension*	2900/1315	SS	SS	1470/667	\$53,822
	Options						
	ICS-PADDLE	Replacement paddle, white plastic	N/A	N/A	N/A	11/5	\$488
	ICS-SHOVEL	Shovel, white plastic	N/A	N/A	N/A	11/5	\$428
	ICS-CP	Replacement Poly Cart	250/113	Poly	Poly	100/45	\$4,020
	ICS-TOTE	Ice Totes - Set of 6	N/A	Poly	Poly	25/11	\$1,405
	ICS-DIVIDE	Ice Express - SS divider	N/A	N/A	N/A	70/32	\$2,307
* Includes 1 poly cart for each bay. NOTE: All ICS systems & accessories ship F.O.B. Denver.							

Bin Accessories

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price
	Caster Kits			
	KBC1	Bin caster kit for B530S, B842S, B948S, SB480, CU1526, CU2026, CU3030, BH bins and AFE [3.5" (8.9 cm) diameter wheels, 2 standard wheels and 2 locking. Raises bin 4 7/16" (11.3 cm)] - Not to be used with SB480 when using extension or B222S or B322S.	8/4	\$401
	KBC1P	Bin caster kit for B330P and B530P. [3.5" (8.9 cm) diameter wheels, 2 standard wheels and 2 locking. Raises bin a maximum of 4 7/16" (11.3 cm).	20/9	\$516
	Leg Kits			
	KLP7	Kit, legs, 6" black enamel, flanged feet, B Bins, HST stands, HD dispensers, AFE, CU0515, CU1526, CU2026 and CU3030.	5/2	\$192
	KLP8S	Kit, legs, 6" stainless steel, Bx22, Bx30, B842, B948, HST stands, HD dispensers CU1526, CU2026, CU3030 and AFE. Note: Legs are supplied with self-contained machines, bins and machine stands.	5/2	\$316
 <p>19 1/4" x 10 3/4" x 28 1/2" 48.9 x 27.3 x 72.4 cm</p>	Ice Bagger			
	BGS10	Hooks over any ice bin opening. Aluminum.	25/11	\$779
	KBAG	Case of 1000 8lb bags.	30/14	\$384
	KTAPE	One roll - 180 ft (54.9 m)	1/0.5	\$52
	KSEALER	Tape sealer.	5/2	\$441
Note: BGS10 includes easy bagger, wicket of bags (250), tape sealer and 1 roll of tape.				
	Ice Scoop Holder			
	KHOLDER	Stainless steel scoop holder. Fits all B330, B530, B842 and B948 ice storage bins	2/1	\$114

Bin Top Kits

Model Number	Description	Shipping Dimensions L x W x H	Use On	Shipping Weight lb/kg	List Price
KBT14A	NME1854, FME2404	10" x 27" x 5"	B948	8/4	\$359
KBT22B	All 30" (76.2 cm) modular cubers, flakers or nugget makers	17" x 29" x 5"	B948	11/5	\$423
KBT27	All 22" (55.9 cm) modular cubers, flakers or nugget makers except EH222	10" x 27" x 5"	B330, B530	8/4	\$355
KBT29	All 30" (76.2 cm) modular cubers	14" x 27" x 7"	B842	10/5	\$394
KBT31	EH222	10" x 27" x 5"	B322	8/4	\$351
KBT32	EH222	10" x 27" x 5"	B330, B530	8/4	\$439
KBT38	All 22" (55.9 cm) modular cubers, flakers and nugget makers except EH222	6" x 30" x 17"	B948	14/7	\$441
KBT38-2X	All 22" (55.9 cm) modular cubers, flakers and nugget makers except EH222 side by side	10" x 27" x 5"	B948	5/2	\$261
KBT39	All 22" (55.9 cm) modular cubers, flakers and nugget makers except EH222	14" x 27" x 7"	B842	10/5	\$400
KBTAB5	EH222	26" x 24" x 7"	ABS	24/11	\$1,577
KBT40A	EH222	26" x 24" x 7"	ID150	24/11	\$1,477
KBT41	EH222	32" x 32" x 5"	ID200, ID250	25/11	\$1,623
KBT42	All 22" modular ice machines except EH222	31" x 33" x 5"	ID150	12/5	\$736
KBT43	All 22" modular cubers and nugget makers except EH222	33" x 47" x 5"	ID200, ID250	26/12	\$981
KBT44	All 30" modular cubers	32" x 33" x 2"	ID200, ID250	13/5	\$681
KBT45	EH222	32" x 31" x 5"	ED300	33/15	\$3,516



Field Installed - BH1100, BH1300, BH1600

Model Number	Description	Shipping Dimensions L x W x H	Use On	Shipping Weight lb/kg	List Price
KBT50	SS top for EH222	36" x 63" x 5"	BH1100	80/36	\$2,084
KBT51	SS top for (2) EH222 units side-by-side	36" x 63" x 5"	BH1100	80/36	\$2,101
KBT62	SS top for (2) 22" units side-by-side	36" x 63" x 5"	BH1100	80/36	\$2,040
KBT63	SS top for (2) 22" units side-by-side	36" x 63" x 5"	BH1300, BH1600	80/36	\$2,238
KBT52	SS top for EH222	36" x 63" x 5"	BH1300, BH1600	80/36	\$2,304
KBT53	SS top for (2) EH222 units side-by-side	36" x 63" x 5"	BH1300, BH1600	80/36	\$2,462
KBT54	SS top for (2) 30" (76.2 cm) cubers side-by-side	36" x 63" x 5"	BH1300, BH1600	80/36	\$2,462


Accessory Kits

Model Number	Description	Shipping Weight lb/kg	List Price
Prodigy Plus® Nugget Dispenser Accessory Kits			
KDIL-PN-150	Kit, Ice Level Control with KVS, Prodigy Nugget on Cornelius DF or ED150	2/1	\$1,040
KDIL-PN-200	Kit, Ice Level Control with KVS, Prodigy Nugget on Cornelius DF or ED200	5/2	\$1,041
KDIL-PN-250	Kit, Ice Level Control with KVS, Prodigy Nugget on Cornelius DF or ED250	5/2	\$1,162
KDIL-PN-ID3	Kit, Ice Level Control with thermostat, Prodigy Nugget on Cornelius DF or ED300	2/1	\$196
KFSMF	Kit, manual fill nugget for Coca Cola Freestyle 9000 dispenser	3/1	\$340
KFSTM	Kit, top mounted nugget for Coca Cola Freestyle 9000 dispenser	3/1	\$431

AquaDefense® System - Sanitation Solution

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price
	AquaBullet® Anti Microbial Wand			
	ADS-AB6	6 pack of Antimicrobial wands to prevent slime and mold build up. Used for modular cube ice machines.	5/2	\$1,336
 <p>AP1-P 5 5/8" x 4 3/4" x 21 1/2" 14.3 x 12.1 x 54.6 cm</p> <p>AP2-P 16 1/2" x 5 1/2" x 19 1/4" 41.9 x 14.0 x 48.9 cm</p> <p>AP3-P 21" x 5 1/2" x 19 1/4" 53.3 x 14.0 x 48.9 cm</p>	AquaPatrol™ Plus Water Filtration System			
	AP1-P	Single system - Cubers up to 650 lb (395 kg), flakers, nuggets and nugget dispensers up to 1,200 lb (544 kg)	7/3	\$435
	AP2-P	Twin System - Cubers over 650 lb (395 kg) and up to 1,200 lb (544 kg), flakers and nuggets over 1,200 lb (544 kg)	11/5	\$787
	AP3-P	Triple System - Cubers over 1,200 lb (544 kg)	16/7	\$1,215
	APRC6-P	Replacement cartridge (package of 6)	7/3	\$684
	APRC1-P	Replacement cartridge (package of 1)	3/1.5	\$137

Water Filtration Systems By Everpure®

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price
 <p>SSM1 5 5/8" x 4 3/4" x 30 1/2" 14.3 x 12.1 x 77.5 cm</p> <p>SSM2 16 1/2" x 5 1/2" x 29 1/4" 41.9 x 14.0 x 74.0 cm</p> <p>SSM3 21" x 5 1/2" x 29 1/4" 53.3 x 14.0 x 74.0 cm</p>	SSM Plus Filtration Systems with AquaArmor by AgION®			
	SSM1-P	Single system - Cubers up to 650 lb (395 kg), flakers, nuggets and nugget dispensers up to 1,200 lb (544 kg)	7/3	\$577
	SSM2-P	Twin System - Cubers over 650 lb (295 kg), flakers and nuggets over 1,200 lb (544 kg)	11/5	\$1,013
	SSM3-P	Triple System - Cubers over 1,200 lb (544 kg)	16/7	\$1,591
	SSMRC Replacement Cartridges			
	SSMRC1 SSMRC6	Single replacement cartridge (package of 1) 6 pack replacement cartridge (package of 6)	3/1.5 7/3	\$191 \$930
	SC Coarse Prefilters			
	SC10-A SC20-A	10" (25.4 cm) Coarse prefilter 20" (50.8 cm) Coarse prefilter	5/2 11/5	\$199 \$295
	SC Replacement Prefilters			
	SC10RC40 SC20RC20	SC10 replacement filter SC20 replacement filter	17/8 17/8	\$368 \$382

Water Filter Selection

Ice Form	Configuration	Model Number	AquaPatrol (System, Cartridge)	SSM Plus (System, Cartridge)
Cube	Self-Contained	CU50, CU0415, CU0515, CU0715, CU0920, CU1526, CU2026, CU3030	AP1-P, APRC1-P	SSM1-P, SSMRC1
Cube	Up to 650 lbs	C0322, C0330, C0522, C0530, C0630, C0722	AP1-P, APRC1-P	SSM1-P, SSMRC1
Cube	Up to 1,200 lbs	C0830, C1030, EH222	AP2-P, APRC1-P	SSM2-P, SSMRC1
Cube	Over 1,200 lbs	C1448, C1848, C2148, C2648, EH330, EH430	AP3-P, APRC1-P	SSM3-P, SSMRC1
Nugget/Flake	Self-Contained/Dispenser	HID312, HID525, HID540, UF424, UN324	AP1-P, APRC1-P	SSM1-P, SSMRC1
Nugget/Flake	Up to 1,200 lbs	F0522, F0822, F1222, N0422, N0622, N0922	AP1-P, APRC1-P	SSM1-P, SSMRC1
Nugget/Flake	Over 1,200 lbs	F1522, N1322, FME2404, NME1854	AP2-P, APRC1-P	SSM2-P, SSMRC1

Machine / Bin Sizing Chart

Dimensions in W x D x H - (Height includes 6" legs)

	BINS (Storage)	B322S	B330P	B530P/S	B842S	B948S	BH1100	BH1300	BH1600
ICE MAKERS (Production)	LBS	370	344	536	778	893	1100	1400	1755
C0322 C0522	300 500	22" x 34" x 73" 55.9 x 86.4 x 185.4 cm	30" x 34" x 59" 76.2 x 86.4 x 149.9 cm w/KBT27 top	30" x 34" x 73" 76.2 x 86.4 x 185.4 cm w/KBT27 top	42" x 34" x 73" 106.2 x 86.4 x 185.4 cm w/KBT39 top	48" x 34" x 73" 121.9 x 86.4 x 185.4 cm w/KBT38 top or KBT38-2x - side by side			
C0722	700	22" x 34" x 76" 55.9 x 86.4 x 193.0 cm	30" x 34" x 65" 76.2 x 86.4 x 165.1 cm w/KBT27 top	30" x 34" x 79" 76.2 x 86.4 x 200.7 cm w/KBT27 top	42" x 34" x 79" 106.2 x 86.4 x 200.7 cm w/KBT39 top	48" x 34" x 79" 121.9 x 86.4 x 200.7 cm w/KBT38 top or KBT38-2x - side by side	48" x 34" x 87" 121.9 x 86.4 x 221.0 cm KBT62 - side by side	60" x 34" x 87" 152.4 x 86.4 x 221.0 cm KBT63 - side by side	60" x 34" x 99" 152.4 x 86.4 x 251.5 cm KBT63 - side by side
C0330 C0530 C0630	300 500 600		30" x 34" x 59" 76.2 x 86.4 x 149.9 cm	30" x 34" x 73" 76.2 x 86.4 x 185.4 cm	42" x 34" x 73" 106.7 x 86.4 x 185.4 cm w/KBT29 top	48" x 34" x 73" 121.9 x 86.4 x 185.4 cm w/KBT22B top			
BC0530			31" x 34" x 70" 78.7 x 86.4 x 177.8 cm	31" x 34" x 84" 78.7 x 86.4 x 213.4 cm					
C0830 C1030	800 1000			30" x 34" x 79" 76.2 x 86.4 x 200.7 cm	42" x 34" x 79" 106.2 x 86.4 x 200.7 cm w/KBT29 top	48" x 34" x 79" 121.9 x 86.4 x 200.7 cm w/KBT22B top	48" x 34" x 85" 121.9 x 86.4 x 215.9 cm	60" x 34" x 85" 152.4 x 86.4 x 215.9 cm No bin top or KBT54 - side by side	60" x 34" x 97" 152.4 x 86.4 x 246.4 cm No bin top or KBT54 - side by side
C1448 C1848 C2148	1400 1800 2000					48" x 34" x 79" 121.9 x 86.4 x 200.7 cm	48" x 34" x 85" 121.9 x 86.4 x 215.9 cm	60" x 34" x 85" 152.4 x 86.4 x 215.9 cm	60" x 34" x 97" 152.4 x 86.4 x 246.4 cm
C2648	2600					48" x 34" x 84" 121.9 x 86.4 x 213.4 cm	48" x 34" x 90" 121.9 x 86.4 x 228.6 cm	60" x 34" x 90" 152.4 x 86.4 x 228.6 cm	60" x 34" x 102" 152.4 x 86.4 x 259.1 cm
EH222	800 1000						48" x 34" x 85" 121.9 x 86.4 x 215.9 cm KBT50 - single unit KBT51 - side by side	60" x 34" x 85" 152.4 x 86.4 x 215.9 cm KBT52 - single unit KBT53 - side by side	60" x 34" x 85" 152.4 x 86.4 x 215.9 cm KBT52 - single unit KBT53 - side by side
EH330	1400				42" x 34" x 73" 106.2 x 86.4 x 185.4 cm w/KBT29 top	48" x 34" x 73" 121.9 x 86.4 x 185.4 cm w/KBT22B top	48" x 34" x 79" 121.9 x 86.4 x 200.7 cm	60" x 34" x 79" 152.4 x 86.4 x 200.8 cm KBT54 - side by side	60" x 34" x 91" 152.4 x 86.4 x 231.1 cm No bin top or KBT54 - side by side
EH430	1400 1800				42" x 34" x 79" 106.2 x 86.4 x 200.7 cm w/KBT29 top	48" x 34" x 79" 121.9 x 86.4 x 200.7 cm w/KBT22B top	48" x 34" x 85" 121.9 x 86.4 x 215.9 cm	60" x 34" x 85" 152.4 x 86.4 x 215.9 cm KBT54 - side by side	60" x 34" x 97" 152.4 x 86.4 x 246.4 cm No bin top or KBT54 - side by side
N0422 N0622	400 600	22" x 34" x 73" 55.9 x 86.4 x 184.4 cm	30" x 34" x 59" 76.2 x 86.4 x 149.9 cm w/KBT27 top	30" x 34" x 73" 76.2 x 86.4 x 185.4 cm w/KBT27 top	42" x 34" x 73" 106.2 x 86.4 x 185.4 cm w/KBT39 top	48" x 34" x 73" 121.9 x 86.4 x 185.4 cm w/KBT38 top or KBT38-2x - side by side			
N0922 N1322	900 1300	22" x 34" x 77" 55.9 x 86.4 x 195.6 cm	30" x 34" x 63" 76.2 x 86.4 x 160.0 cm w/KBT27 top	30" x 34" x 77" 76.2 x 86.4 x 195.6 cm w/KBT27 top	42" x 34" x 77" 106.2 x 86.4 x 195.6 cm w/KBT39 top	48" x 34" x 77" 121.9 x 86.4 x 195.6 cm w/KBT38 top or KBT38-2x - side by side	48" x 34" x 85" 121.9 x 86.4 x 215.9 cm KBT62 - side by side	60" x 34" x 85" 152.4 x 86.4 x 215.9 cm KBT63 - side by side	60" x 34" x 97" 152.4 x 86.4 x 246.4 cm KBT63 - side by side
F0522 F0822	500 800	22" x 34" x 73" 55.9 x 86.4 x 184.4 cm	30" x 34" x 59" 76.2 x 86.4 x 149.9 cm w/KBT27 top	30" x 34" x 73" 76.2 x 86.4 x 185.4 cm w/KBT27 top	42" x 34" x 73" 106.2 x 86.4 x 185.4 cm w/KBT39 top	48" x 34" x 73" 121.9 x 86.4 x 185.4 cm w/KBT38 top or KBT38-2x - side by side	48" x 34" x 81" 121.9 x 86.4 x 205.7 cm KBT62 - side by side	60" x 34" x 81" 152.4 x 86.4 x 205.7 cm KBT63 - side by side	60" x 34" x 93" 152.4 x 86.4 x 236.2 cm KBT63 - side by side
F1222 F1522	1200 1500	22" x 34" x 77" 55.9 x 86.4 x 195.6 cm	30" x 34" x 63" 76.2 x 86.4 x 160.0 cm w/KBT27 top	30" x 34" x 77" 76.2 x 86.4 x 195.6 cm w/KBT27 top	42" x 34" x 77" 106.2 x 86.4 x 195.6 cm w/KBT39 top	48" x 34" x 77" 121.9 x 86.4 x 195.6 cm w/KBT38 top or KBT38-2x - side by side	48" x 34" x 85" 121.9 x 86.4 x 215.9 cm KBT62 - side by side	60" x 34" x 85" 152.4 x 86.4 x 215.9 cm KBT63 - side by side	60" x 34" x 97" 152.4 x 86.4 x 246.4 cm KBT63 - side by side
NME1854	1825				42" x 34" x 77" 106.2 x 86.4 x 195.6 cm	48" x 34" x 77" 121.9 x 86.4 x 195.6 cm w/KBT14A top	48" x 34" x 83" 121.9 x 86.4 x 210.8 cm	60" x 34" x 83" 152.4 x 86.4 x 210.8 cm	60" x 34" x 95" 152.4 x 86.4 x 241.3 cm
FME2404	2020				42" x 34" x 77" 106.2 x 86.4 x 195.6 cm	48" x 34" x 77" 121.9 x 86.4 x 195.6 cm w/KBT14A top	48" x 34" x 83" 121.9 x 86.4 x 210.8 cm	60" x 34" x 83" 152.4 x 86.4 x 210.8 cm	60" x 34" x 95" 152.4 x 86.4 x 241.3 cm

No bin top required when KBT not listed.

Ice Only Dispensers

Hotel D-Bins

ABS	ID150	ID200	ID250	Cornelius ED300	HD22	HD30
150	150	200	250	300	120	180
	22" x 30 1/2" x 57 1/4" 55.9 x 77.5 x 145.4 cm w/KBT42 top	30" x 30 1/2" x 59" 76.2 x 77.5 x 149.9 cm w/KBT43 top	30" x 30 1/2" x 63" 76.2 x 77.5 x 160.0 cm w/KBT43 top		22" x 33 1/2" x 76 1/4" 55.9 x 85.1 x 193.7 cm	
	22" x 30 1/2" x 63 1/4" 55.9 x 77.5 x 160.7 cm w/KBT42 top	30" x 30 1/2" x 65" 76.2 x 77.5 x 165.1 cm w/KBT43 top	30" x 30 1/2" x 69" 76.2 x 77.5 x 175.3 cm w/KBT43 top		22" x 33 1/2" x 82 1/4" 55.9 x 85.1 x 208.9 cm	
		30" x 30 1/2" x 57 1/4" 76.2 x 77.5 x 145.4 cm w/KBT44 top	30" x 30 1/2" x 61 1/4" 76.2 x 77.5 x 155.6 cm w/KBT44 top	44" x 30 1/2" x 60" 112.7 x 77.5 x 152.4 cm w/Cornelius #629087943		30" x 33 1/2" x 76 1/4" 76.2 x 85.1 x 193.7 cm
		30" x 30 1/2" x 63 1/4" 76.2 x 77.5 x 160.7 cm w/KBT44 top	30" x 30 1/2" x 67 1/4" 76.2 x 77.5 x 170.8 cm w/KBT44 top	44 1/2" x 30 1/2" x 66" 112.7 x 77.5 x 167.6 cm w/Cornelius #629087943		
KBTABS	22" x 30 1/2" x 64 1/4" 55.9 x 77.5 x 163.2 cm w/KBT40A top	30" x 30 1/2" x 64 1/2" 76.2 x 77.5 x 163.2 cm w/KBT41 top	30" x 30 1/2" x 68 1/4" 76.2 x 77.5 x 173.4 cm w/KBT41 top	44 1/2" x 30 1/2" x 66" 112.7 x 77.5 x 167.6 cm w/KBT45 top		
		30" x 30 1/2" x 57 1/2" 76.2 x 77.5 x 145.4 cm w/KBT44 top	30" x 30 1/2" x 61 1/4" 76.2 x 77.5 x 145.4 cm w/KBT44 top	44 1/2" x 30 1/2" x 60 1/4" 112.7 x 77.5 x 153 cm w/Cornelius #629087943		
		30" x 30 1/2" x 63 1/4" 76.2 x 77.5 x 160.7 cm w/KBT44 top	30" x 30 1/2" x 67 1/4" 76.2 x 77.5 x 170.8 cm w/KBT44 top	44 1/2" x 30 1/2" x 66 1/4" 112.7 x 77.5 x 167.6 cm w/Cornelius #629087943		
	22" x 30 1/2" x 57 1/4" 55.9 x 77.5 x 145.4 cm w/KBT42 top, KNUGDIV	30" x 30 1/2" x 59" 76.2 x 77.5 x 149.9 cm w/KBT43 top KVS, KNUGDIV	30" x 30 1/2" x 63" 76.2 x 77.5 x 160.0 cm w/KBT43 top KVS, KNUGDIV	44 1/2" x 30 1/2" x 64" 112.7 x 77.5 x 152.4 cm KDIL-PN-ID3 w/Cornelius #629087966 and #629088644		
	22" x 30 1/2" x 61 1/4" 55.9 x 77.5 x 155.6 cm w/KBT42 top, KNUGDIV	30" x 30 1/2" x 63" 76.2 x 77.5 x 160.0 cm w/KBT43 top KVS, KNUGDIV	30" x 30 1/2" x 67" 76.2 x 77.5 x 170.2 cm w/KBT43 top KVS, KNUGDIV	44 1/2" x 30 1/2" x 64" 112.7 x 77.5 x 152.4 cm KDIL-PN-ID3 w/Cornelius #629087966 and #629088644		

Ice Machine to Dispenser Kit Application Chart

Company	Dispenser	Ice Machines EH222	C0322/522/722	C0330/530/630/830 1030, EH330, EH430	N0422/622 922/1322
Cornelius	ED150	KBT40A	KBT42		KBT42 KDIL-PN-150
Cornelius	DF150	629087959*	02388*		02388* KDIL-PN-150
Cornelius	ED175	629087571*	629093782TE		KDIL-PN-150 629093782TE
Cornelius	ED200	KBT41	KBT43	KBT44	KBT43 KDIL-PN-200
	DF200	629087572*	08035*	08004*	
Cornelius	ED250	KBT41	KBT43	KBT44, KVS**	KBT43 KDIL-PN-250
	DF250	629087572	08035*	08004*, KVS**	
Cornelius	ED300	KBT45	08028*	629087943*	KDIL-PN-ID3 629087966* 629088644*
	DF300	KBT45	08028*	629087943*	
Cornelius	Flavor Fusion 255	629088666*	KVS** 629088502*	KVS** 629088505*	KVS 629088681* 629097086*
	IDC215/ID255	629088662*	KVS** 629088537*	KVS** 629088536*	KVS 629088677* 629097086*
Lancer	22" Wide	82-4063*	82-4062*		
Lancer	30" Wide	82-4061*	82-4060*	82-4059*, KVS**	
SerVend	S-150/SV-150	SL27-020000246*	SL30-020000249* CL10-5012116*		KVS SL30-020000249 CL10-5012116*
SerVend	SV-175	SL22-020000198*	SL24-020000200*		KVS SL24-020000200*
SerVend	S-200/SV-200 S-250/SV-250	SL17-5031150*	SL25-5031609*	N3-5031125* CL10-5012116*	KVS SL25-5031609*
Coca-Cola	Freestyle 9000 (free standing)	Contact Coca-Cola for bin adapters	KVS Contact Coca-Cola for bin adapters		KFSTM Contact Coca-Cola for bin adapters
Coca-Cola	Freestyle 7000 (countertop)	Contact Coca-Cola for bin adapters	KVS Contact Coca-Cola for bin adapters	KVS Contact Coca-Cola for bin adapters	11-0353-23 Contact Coca-Cola for bin adapters

* Non Scotsman kits must be purchased from the dispenser manufacturer.

** Recommended but not required.

- Please check with dispenser manufacturer for appropriate kits. Application chart subject to change.
- Blank cells indicate cannot be used together, N/A indicates no adapter needed.
- See spare parts price list for Scotsman A37693-021 & R629088514 pricing.
- Lancer dispensers must be specially configured for dispensing Scotsman Nugget Ice®
- Some Cornelius adapters kits include binstats - do not use the thermostats.
- All Cornelius ED/DF adapter kits have gray doors/covers. Contact Cornelius for black.
- All Cornelius FlavorFusion adapter kits are midnight black. Contact Cornelius for silver, orange or green.
- All Cornelius IDC255 adapter kits are black.

ENERGY QUICK FACTS FOR SCOTSMAN MODELS



Offering several Energy Star certified models, Scotsman ice machines incorporate superior designs that reduce energy and water consumption, making a difference for the environment and the bottom line.



All Scotsman models meet the 2018 Department of Energy standards, with most actually exceeding the minimum requirements. Every Scotsman, Exceeding Standards - Every Time.



Select Scotsman models can contribute to satisfying water and energy efficiency LEED® credits



Our goal is to deliver superior performance every day, from our award-winning, U.S.-based manufacturing and high-quality materials to user-friendly functionality and world-class service and support.

ENERGY STAR QUALIFIED MODELS

Model	Rebate Eligible*
C0630MR-32	✓
C0630SR-32	✓
C1448MA-32	✓
C1448MA-3	✓
C1448SA-32	✓
C1448SA-3	✓
CU2026MA-1	✓
CU2026SA-1	✓
F1222A-32	✓
F1222A-3	✓
N0922A-32	✓
N1322A-32	✓
UF0915-1	✓
UF1415-1	✓
UF2020-1	✓
UN0815-1	✓
UN1215-1	✓
UN1520-1	✓

*Rebates available through local utility companies. Visit www.energystar.gov for more information.

PRODUCT FAMILY AVERAGES

AIR COOLED

Product Family	% Improvement Over Prior Models:	Exceeds DOE Standard By:
Cube	7%	7%
Nugget	6%	16%
Flake	12%	12%

WATER COOLED

Product Family	% Improvement Over Prior Models:	Exceeds DOE Standard By:
Cube	5%	7%
Nugget	9%	14%
Flake	6%	9%

REMOTE COOLED

Product Family	% Improvement Over Prior Models:	Exceeds DOE Standard By:
Cube	3%	5%
Nugget	9%	11%
Flake	6%	4%
All Models	6%	9%

INDEX

3BRTE20-EH.....PG. 12
 3BRTE35-EH.....PG. 12
 3BRTE50-EH.....PG. 12
 3BRTE75-EH.....PG. 12
 ADS-AB6.....PG. 29
 AP1-P.....PG. 29
 AP2-P.....PG. 29
 AP3-P.....PG. 29
 APRC1-P.....PG. 29
 APRC6-P.....PG. 29
B322S*.....PG. 26
B330P*.....PG. 26
B530P*.....PG. 26
B530S*.....PG. 26
 B842S.....PG. 26
B948S*.....PG. 26
 BC0530A-1.....PG. 13
 BGS10.....PG. 27
 BH1100BB-A.....PG. 26
 BH1100SS-A.....PG. 26
 BH1300BB-A.....PG. 26
 BH1300SS-A.....PG. 26
 BH1600BB-A.....PG. 26
 BH1600SS-A.....PG. 26
 BRTE10.....PG. 10, 20
 BRTE25.....PG. 10, 20
 BRTE40.....PG. 10, 20
 BRTE75.....PG. 10, 20
 BRTEL25.....PG. 10
 BRTEL40.....PG. 10
 BRTEL75.....PG. 10
C0322MA-1*.....PG. 8
 C0322MA-32.....PG. 8
 C0322MA-6.....PG. 8
 C0322MW-1.....PG. 8
C0322SA-1*.....PG. 8
 C0322SA-6.....PG. 8
 C0322SW-1.....PG. 8
 C0322SW-32.....PG. 8
C0330MA-1*.....PG. 8
 C0330MA-32.....PG. 8
 C0330MW-1.....PG. 8
C0330SA-1*.....PG. 8
 C0330SW-1.....PG. 8
C0522MA-1*.....PG. 8
 C0522MA-32.....PG. 8
 C0522MA-6.....PG. 8
 C0522MW-1.....PG. 8
C0522SA-1*.....PG. 8
 C0522SA-32.....PG. 8
 C0522SA-6.....PG. 8
 C0522SW-1.....PG. 8
 C0522SW-32.....PG. 8
C0530MA-1*.....PG. 8
 C0530MA-32.....PG. 8
 C0530MA-6.....PG. 8
 C0530MR-1.....PG. 8

C0530MW-1.....PG. 8
C0530SA-1*.....PG. 8
 C0530SA-32.....PG. 8
 C0530SA-6.....PG. 8
 C0530SR-1.....PG. 8
 C0530SW-1.....PG. 8
 C0630MA-32.....PG. 8
 C0630MA-6.....PG. 8
 C0630MR-32.....PG. 8
 C0630MW-32.....PG. 8
 C0630SA-32.....PG. 8
 C0630SA-6.....PG. 8
 C0630SR-32.....PG. 8
 C0630SW-32.....PG. 8
 C0722MA-32.....PG. 8
 C0722MA-6.....PG. 8
 C0722SA-32.....PG. 8
 C0722SA-6.....PG. 8
 C0830MA-32.....PG. 9
 C0830MA-3.....PG. 9
 C0830MA-6.....PG. 9
 C0830MR-32.....PG. 9
 C0830MW-32.....PG. 9
 C0830SA-32.....PG. 9
 C0830SA-3.....PG. 9
 C0830SA-6.....PG. 9
 C0830SR-32.....PG. 9
 C0830SW-32.....PG. 9
C1030MA-32*.....PG. 9
 C1030MA-6.....PG. 9
 C1030MR-32.....PG. 9
 C1030MR-3.....PG. 9
 C1030MW-32.....PG. 9
C1030SA-32*.....PG. 9
 C1030SA-6.....PG. 9
 C1030SR-32.....PG. 9
 C1030SR-3.....PG. 9
 C1030SR-6.....PG. 9
 C1030SW-32.....PG. 9
C1448MA-32*.....PG. 9
 C1448MA-3.....PG. 9
 C1448MA-6.....PG. 9
 C1448MR-32.....PG. 9
 C1448MR-3.....PG. 9
 C1448MW-32.....PG. 9
 C1448MW-3.....PG. 9
C1448SA-32*.....PG. 9
 C1448SA-3.....PG. 9
 C1448SA-6.....PG. 9
C1448SR-32*.....PG. 9
 C1448SR-3.....PG. 9
 C1448SW-32.....PG. 9
 C1448SW-3.....PG. 9
C1848MA-32*.....PG. 9
 C1848MA-6.....PG. 9
 C1848MR-32.....PG. 9
 C1848MR-3.....PG. 9

C1848MR-6.....PG. 9
 C1848MW-32.....PG. 9
 C1848SA-32.....PG. 9
 C1848SA-6.....PG. 9
 C1848SR-32.....PG. 9
 C1848SR-3.....PG. 9
 C1848SR-6.....PG. 9
 C1848SW-32.....PG. 9
 C2148MR-32.....PG. 9
 C2148MR-3.....PG. 9
 C2148MR-6.....PG. 9
 C2148SR-32.....PG. 9
 C2148SR-3.....PG. 9
 C2148SR-6.....PG. 9
 C2648MR-3.....PG. 9
 C2648SR-3.....PG. 9
CU0415MA-1*.....PG. 14
 CU0415MA-6.....PG. 14
 CU0515GA-1.....PG. 12
CU0715MA-1*.....PG. 14
 CU0715MA-6.....PG. 14
CU0920MA-1*.....PG. 14
 CU0920MA-6.....PG. 14
 CU3030MA-1.....PG. 14
 CU3030MA-32.....PG. 14
 CU3030MA-6.....PG. 14
 CU3030SA-1.....PG. 14
 CU3030SA-32.....PG. 14
 CU3030SA-6.....PG. 14
 CU3030SW-1.....PG. 14
CU50GA-1*.....PG. 12
CU50PA-1*.....PG. 12
 ECC0800-3.....PG. 11, 12
 ECC0800-6.....PG. 11, 12
 ECC1200-32.....PG. 11, 12
 ECC1410-32.....PG. 11, 12
 ECC1410-3.....PG. 11, 12
 ECC1800-3.....PG. 11, 12
 EH222SL-1.....PG. 11
 EH222SL-6.....PG. 11
 EH330SL-1.....PG. 11
 EH430ML-1.....PG. 11
 EH430SL-1.....PG. 11
 ERC111-1.....PG. 10, 20
ERC311-32*.....PG. 10, 20
 ERC311-6.....PG. 10, 20
 ERC611-32.....PG. 10, 20
F0522A-1*.....PG. 16
 F0522W-1.....PG. 16
F0822A-1*.....PG. 16
 F0822R-1.....PG. 16
 F0822W-1.....PG. 16
 F0822W-32.....PG. 16
 F1222A-32.....PG. 16
 F1222A-3.....PG. 16
 F1222A-6.....PG. 16
 F1222L-1.....PG. 19

F1222R-32.....	PG. 16	KBT43.....	PG. 28	N1322A-32.....	PG. 19
F1222R-3.....	PG. 16	KBT44.....	PG. 28	N1322A-6.....	PG. 19
F1222W-32.....	PG. 16	KBT45.....	PG. 28	N1322L-1.....	PG. 19
F1522A-32.....	PG. 16	KBT50.....	PG. 28	N1322R-32*	PG. 19
F1522L-1.....	PG. 19	KBT51.....	PG. 28	N1322W-32.....	PG. 19
FME2404AS-32.....	PG. 19	KBT52.....	PG. 28	N1322W-3.....	PG. 19
FME2404RLS-32.....	PG. 19	KBT53.....	PG. 28	NME1854RS-32.....	PG. 19
HD22B-1*	PG. 25	KBT54.....	PG. 28	NRTE45.....	PG. 20
HD22B-6.....	PG. 25	KBT62.....	PG. 28	PR2C240-32.....	PG. 20
HD30B-1*	PG. 25	KBT63.....	PG. 28	PRC241-32.....	PG. 10
HD30B-6.....	PG. 25	KBTABS.....	PG. 28	RCKCME6GX-E.....	PG. 10
HD30W-1.....	PG. 25	KCMR-230.....	PG. 20	SC10-A.....	PG. 29
HID312A-1*	PG. 24	KDIL-PN-150.....	PG. 28	SC10RC40.....	PG. 29
HID312A-6.....	PG. 24	KDIL-PN-200.....	PG. 28	SC20-A.....	PG. 29
HID312AW-1.....	PG. 24	KDIL-PN-250.....	PG. 28	SC20RC20.....	PG. 29
HID525A-1*	PG. 24	KDIL-PN-ID3.....	PG. 28	SSM1-P.....	PG. 29
HID525A-6.....	PG. 24	KERCF.....	PG. 10, 20	SSM2-P.....	PG. 29
HID525AW-1.....	PG. 24	KFSMF.....	PG. 28	SSM3-P.....	PG. 29
HID525W-1.....	PG. 24	KFSTM.....	PG. 28	SSMRC1.....	PG. 29
HID540A-1*	PG. 24	KHOLDER.....	PG. 27	SSMRC6.....	PG. 29
HID540A-6.....	PG. 24	KLP24A.....	PG. 24	UC2024MA-1.....	PG. 14
HID540AW-1.....	PG. 24	KLP7.....	PG. 27	UC2024MW-1.....	PG. 14
HID540W-1.....	PG. 24	KLP8S.....	PG. 27	UC2024SA-1.....	PG. 14
HST16-A.....	PG. 24	KNUGDIV.....	PG. 26	UC2024SW-1.....	PG. 14
HST16B-A.....	PG. 24	KPAS.....	PG. 10, 20	UC2724MA-1.....	PG. 14
HST21-A.....	PG. 24	KPFHM-E.....	PG. 20	UC2724MA-6.....	PG. 14
HST21B-A.....	PG. 24	KPPSA223.....	PG. 10	UC2724MW-1.....	PG. 14
ICS-1.....	PG. 27	KPPSA229.....	PG. 10	UC2724SA-1.....	PG. 14
ICS-2.....	PG. 27	KPPSA323.....	PG. 10	UC2724SA-6.....	PG. 14
ICS-3.....	PG. 27	KPPSA329.....	PG. 10	UC2724SW-1.....	PG. 14
ICS-3-SL.....	PG. 27	KPUFM26.....	PG. 14	UF0915A-1.....	PG. 22
ICS-CP.....	PG. 27	KPUFM30.....	PG. 14	UF1415A-1.....	PG. 22
ICS-DIVIDE.....	PG. 27	KSBU.....	PG. 10, 20	UF2020A-1.....	PG. 22
ICS-PADDLE.....	PG. 27	KSBU-N.....	PG. 10, 20	UF424A-1*	PG. 22
ICS-SHOVEL.....	PG. 27	KSEALER.....	PG. 27	UF424A-6.....	PG. 22
ICS-TOTE.....	PG. 27	KTAPE.....	PG. 27	UF424W-1.....	PG. 22
ID150B-1.....	PG. 25	KTE4.....	PG. 10, 20	UN0815A-1.....	PG. 22
ID200B-1.....	PG. 25	KTE6-EH.....	PG. 12	UN1215A-1.....	PG. 22
ID250B-1.....	PG. 25	KTEL4.....	PG. 10	UN1520A-1.....	PG. 22
IOBDM522.....	PG. 26	KTPS-SM.....	PG. 10	UN324A-1*	PG. 22
IOBDM530.....	PG. 26	KUFM15.....	PG. 14	UN324A-6.....	PG. 22
KBAG.....	PG. 27	KUFM20.....	PG. 14	UN324W-1.....	PG. 22
KBC1.....	PG. 27	KUFM24.....	PG. 22		
KBC1P.....	PG. 27	KVS.....	PG. 10, 20		
KBCSTK30.....	PG. 13	KWGFID.....	PG. 26		
KBT14A.....	PG. 28	N0422A-1*	PG. 18		
KBT22B.....	PG. 28	N0422W-1.....	PG. 18		
KBT27.....	PG. 28	N0622A-1*	PG. 18		
KBT29.....	PG. 28	N0622A-32.....	PG. 18		
KBT31.....	PG. 28	N0622A-6.....	PG. 18		
KBT32.....	PG. 28	N0622R-1.....	PG. 18		
KBT38.....	PG. 28	N0622W-1.....	PG. 18		
KBT38-2X.....	PG. 28	N0922A-32*	PG. 18		
KBT39.....	PG. 28	N0922A-6.....	PG. 18		
KBT40A.....	PG. 28	N0922L-1.....	PG. 19		
KBT41.....	PG. 28	N0922R-32*	PG. 18		
KBT42.....	PG. 28	N0922W-32.....	PG. 18		

* Readily available product. Product in stock at Fairfax, South Carolina warehouse.

COMMERCIAL PRODUCTS

Effective February 1, 2020

The List Price Schedule is intended only as a guideline to pricing. It does not restrict the price a distributor or dealer may establish. Pricing and specifications subject to change without notice.



Warranty*

Prodigy Plus®, Eclipse® Cubers, iceValet® Hotel Dispensers & Bins

(EH, ERC, ECC, HD, BH, B, C0, C1, C2, CB & PR)

3 years parts

3 years labor

5 years parts & labor on Prodigy Evaporator, BH1100, BH1300, BH1600 & ICS systems

5 years parts on compressor & condenser

Prodigy Plus® & AutoSentry™ Flake & Nugget Ice Machines

(FM, NM, F & N)

3 years parts

3 years labor

5 years parts on compressor

15" & 20" Wide Undercounter Ice Machines

(CU0415, CU0715, CU0920, UF0915, UF1415, UF2020, UN0815, UN1215, UN1520)

3 years parts

3 years labor

24" Wide Undercounter Ice Machines

(UC2024, UC2724, UF424, UN324)

3 years parts

3 years labor

5 years parts on compressor

Undercounter Gourmet Ice Machines

(CU50)

1 years parts

1 years labor

5 years parts on compressor

(CU0515)

3 years parts

3 years labor

5 years parts on compressor & condenser

Undercounter Cube Ice Machine

(CU3030)

3 years parts

3 years labor

5 years parts & labor on the evaporator

5 years parts on compressor & condenser

Meridian™ Ice & Water Dispensers

(HID)

3 years parts

3 years labor

5 years parts on compressor & condenser

Water Filtration Systems

(SSM & AP)

5 years on manifold parts only (SSMx-P & SCx0-A)

Ice Only Dispensers

(ID)

2 years parts

1 years labor

Modular Big Cube Ice Machine

(BC0530)

3 years parts

3 years labor

5 years parts on the evaporator & compressor

* Warranty valid in North, South & Central America for commercial installations.

Residential warranty on commercial products: 1 year parts and labor.



Definitions

- Maximum production capabilities are typical peak production for 24 hours at 70°F/21°C air and 50°F/10°C water
- AHRI certified production capabilities are typical peak production for 24 hours at 90°F/32°C air and 70°F/21°C water
- Maximum capacity is based on 90% of total volume in cubic feet x 34 lb/ft
- (SS) Stainless Steel
- (RC) Rotocast Plastic
- (R-Air) Remote Air
- (RLS) Remote Lowside
- Freight F.O.B. Fairfax, South Carolina and Denver, Colorado

Scotsman®



@ScotsmanIceSystems

• 101 Corporate Woods Parkway, Vernon Hills, IL 60061 • 1-800-SCOTSMAN • Fax: 847-913-9844 • www.scotsman-ice.com • customer.relations@scotsman-ice.com • © 2020 Scotsman Ice Systems. SIS-PL-COMIN20 04-20

an Ali Group Company



The Spirit of Excellence