



# COMMERCIAL PRODUCTS

## LIST PRICE SCHEDULE

*Effective February 1, 2020*

(Revised August 10, 2020)



**Scotsman®**

THE **ULTIMATE**

**ICE**  
*experience*

The List Price Schedule is intended only as a guideline to pricing. It does not restrict the price a distributor or dealer may establish.

Our global-leading ice products and services are very local. To see how easy it is to bring them to your location, call 1-800-SCOTSMAN (726-8762) or visit [www.scotsman-ice.com](http://www.scotsman-ice.com).



Scan to learn more.

# TABLE OF CONTENTS

<b>Introduction</b>	<b>3-7</b>
WHY SCOTSMAN	3
RECOGNITION / CERTIFICATION	3
SALES & MARKETING TOOLS	4-5
MODEL IDENTIFICATION	5
ICE FORMS	6
FACTS & FIGURES; MACHINE SIZING GUIDELINES	7
<b>Modular Big Cube Ice Machine</b>	<b>8</b>
MODULAR BIG CUBE FEATURES & BENEFITS	8
MODULAR BIG CUBE UNIT & ACCESSORY	8
<b>Modular Cube Ice Machines</b>	<b>9-14</b>
MODULAR CUBE FEATURES & BENEFITS	9
MODULAR CUBE UNITS	10-11
MODULAR CUBE KITS & ACCESSORIES	12
MODULAR CUBE / REMOTE CONDENSER PACKAGES	13-14
UNDERCOUNTER GOURMET CUBE UNITS	14
<b>Undercounter Cube Ice Machines</b>	<b>15-16</b>
UNDERCOUNTER CUBE FEATURES & BENEFITS	15
UNDERCOUNTER CUBE UNITS & ACCESSORIES	16
<b>Modular Flake Ice Machines</b>	<b>17-18</b>
MODULAR FLAKE FEATURES & BENEFITS	17
MODULAR FLAKE UNITS	18
<b>Modular Nugget Ice Machines</b>	<b>19-22</b>
MODULAR NUGGET FEATURES & BENEFITS	19
MODULAR NUGGET UNITS	20
REMOTE LOW SIDE NUGGET / FLAKE UNITS	21
NUGGET / FLAKE KITS & ACCESSORIES	22
<b>Undercounter Nugget &amp; Flake Ice Machines</b>	<b>23-24</b>
UNDERCOUNTER NUGGET / FLAKE FEATURES & BENEFITS	23
UNDERCOUNTER NUGGET / FLAKE UNITS & ACCESSORIES	24
<b>Ice &amp; Water Dispensers</b>	<b>25-28</b>
ICE & WATER DISPENSER FEATURES & BENEFITS	25
ICE & WATER DISPENSERS	26
DISPENSER STANDS	26
HOTEL / MOTEL DISPENSERS	27
ICE ONLY COUNTER TOP DISPENSERS	27
ICE ONLY DISPENSER KITS & ACCESSORIES	28
<b>Bins &amp; Sanitation</b>	<b>28-35</b>
STORAGE BINS	28
ICE EXPRESS SYSTEM	29
BIN ACCESSORIES	29
BIN TOP KITS / ACCESSORY KITS	30
SANITATION & WATER FILTRATION	31-32
ICE MACHINE TO DISPENSER KIT CHART	33
MACHINE / BIN SIZING CHART	34-35
<b>Energy Quick Facts</b>	<b>36</b>
<b>Index</b>	<b>37-39</b>
<b>2 Warranty &amp; Definitions</b>	<b>40</b>

# WHY SCOTSMAN?



## *Scotsman - Above and Beyond Great Ice Machines*

Scotsman is more than just great ice machines. We back up quality products with The Ultimate Ice Experience. This starts with our world-class manufacturing facility in South Carolina, to our high quality and reliable products, and extends to our dedicated support network. From beginning to end, Scotsman's channel partners and customers get the products, service and support they deserve.



### Award Winning Manufacturing & Products

When equipment is functioning smoothly, operators have more time and energy to spend on serving customers. That's why Scotsman offers an impressive array of technology that keeps operators informed – well before issues arise.



### Designed, Engineered & Assembled In The USA

At Scotsman, our quality story begins inside our award-winning production facility in South Carolina. And with 99% of our equipment U.S.-based, we're proud to keep things close to home.



### 24/7 Technical Support

Our Technical Service department has a 24 hour emergency line so there is always a Scotsman representative available to help when you need it. We also have an area on our website specifically dedicated to technical information.



### Certified Product Performance

So you don't have to just take our word for it, AHRI provides Scotsman with certifications for almost every single one of our ice machines. Scotsman is ISO 9001:2015 certified with 100% of our units being quality checked before leaving the plant.



### Focus on Energy & Savings

Offering several ENERGY STAR® certified models, Scotsman ice machines incorporate a superior design that reduces energy and water consumption, making a difference for the environment and the bottom line. Look for the ✓ symbol throughout the price book to find our qualified products.



### Innovative Sales Tools & Trainings

Scotsman has created several tools to help our partners and customers learn more about our brand and products. These tools include the Resource Center, Sales App, Ice Machine Sizing and Selector Tool, Comparison Tool and more.



## Sales & Marketing Tools



### iPad App

#### *What is it?*

An Apple Enterprise iPad App with true on-the-go access to presentations, images and videos, marketing literature and interactive tools

#### *How do I access it?*

- Type the below link into your web browser  
<http://salesapp.scotsman-ice.com/ipad-app/>
- Scan the QR code for instant access
- Visit the Sales App Microsite and click the "Download iPad App" button in the top left corner

#### *Functionality*

- Only available for Apple iPads
- Formatted for offline use as a true, on-the-go resource



Scan to access



### Microsite

#### *What is it?*

A web-based microsite with access to presentations, images and videos, marketing literature and interactive tools

#### *How do I access it?*

- Type the below link into your web browser  
<http://salesapp.scotsman-ice.com>
- Scan the QR code for instant access
- Visit the Scotsman website homepage. Click "Resource Center" from the top tool-bar. Then scroll to the Sales Tools section and click "Sales App"

#### *Functionality*

- Available on all devices - Computers, tablets & cell phones
- Requires internet connection



Scan to access



### Resource Center

#### *What is it?*

The Scotsman Resource Center replaces our Library web page and is the ultimate destination for getting Scotsman marketing tools and information.

#### *How do I access it?*


- Type the below link into your web browser  
<http://portal.scotsman-ice.com>
- Scan the QR code for instant access
- From our website home page, click the Resource Center tab

#### *Functionality*

- Available on all devices - Computers, tablets & cell phones
- Requires internet connection



Scan to access



### Comparison Tool

#### *What is it?*

This tool can be used to find the closest machine for a complete comparison of specifications and operating costs.

#### *How do I access it?*

- Type the below link into your web browser  
<https://portal.scotsman-ice.com/ComparisonTool/>
- Scan the QR code for instant access
- From our Resource Center, visit the Sales Tools section, and click on Comparison Tool link

#### *Functionality*

- Available on all devices - Computers, tablets & cell phones
- Requires internet connection



Scan to access



## Ice Machine Sizing & Selector Tool

### What is it?

This tool can be used to find the right machine for your operation. Calculate estimated ice usage and sort ice machine models by categories including: application, ice form, machine width and unit placement.

### How do I access it?

- Type the below link into your web browser  
<https://portal.scotsman-ice.com/SelectorTool/>
- Scan the QR code for instant access
- From our Resource Center, visit the Sales Tools section, and click on Ice Machine Sizing & Selector Tool link

### Functionality

- Available on all devices - Computers, tablets & cell phones
- Requires internet connection



Scan to access



## Ice Machine Model Identification

# C0530SA-1E

C	05	30	S	A	-1	E
model type	capacity 100s of lb	cabinet width (in.)	cube size	condenser type	base electrical volts/hz/phase	series code
<b>BC</b> = Big Cube (Modular) <b>C</b> = Cube (Modular) <b>CU / UC</b> = Undercounter Cube <b>EH</b> = Remote Low-Side Cube (Modular) <b>FS</b> = Flake (Modular) <b>UF</b> = Undercounter Flake <b>NH</b> = Hard Nugget (Modular) <b>NS</b> = Soft Nugget (Modular) <b>UN</b> = Undercounter Nugget <b>HD</b> = Hotel Dispenser <b>HID</b> = Ice & Water Dispenser <b>ID</b> = Ice Only Dispenser			<b>S</b> = Small <b>M</b> = Medium	<b>A</b> = Air cooled <b>W</b> = Water cooled <b>R</b> = Remote <b>L</b> = Remote low side	<b>-1</b> = 115/60/1 <b>-32</b> = 208-230/60/1 <b>-3</b> = 208-230/60/3 <b>-6</b> = 220-240/50/1	

Date Code: Scotsman's production date code is located in the serial number.

2 digit year, 2 digit month, mfg site ID, six numbers

Example: 09061320998877  
0906 = Manufactured June, 2009





## An Ice Form to Meet Every Need



### **SMALL & MEDIUM CUBE ICE**

Our familiar crystal-clear diced ice cube form, available in both small and medium sizes to fit your needs.

**APPLICATIONS:** Mixed Drinks  
Carbonated Beverages  
Ice Dispensing  
Banquet Services

**SIZE:** Small: 7/8" x 7/8" x 3/8"  
Medium: 7/8" x 7/8" x 7/8"



### **BIG CUBE ICE**

Scotsman's largest cube form. Big Cubes are slow-melting and cool drinks without diluting them.

**APPLICATIONS:** Cocktail Bars  
Nightclubs  
Fine Restaurants  
Resorts

**SIZE:** 1 1/4" x 1 1/4" x 1 1/4"



### **GOURMET ICE**

The perfect unique shape for upscale bars and restaurants.

**APPLICATIONS:** Bar Use  
Waitress Stations  
Office Suites  
Break Rooms

**SIZE:** 1" x 1 1/8" x 1 1/4"



### **FLAKE ICE**

These small pieces of ice combine fast cooling power with very low production costs.

**APPLICATIONS:** Blended Cocktails  
Salad Bars  
Meat & Seafood  
Displays Banquet  
Services

**SIZE:** Compressed Flake Ice



### **ORIGINAL CHEWABLE NUGGET ICE®**

The smallest, softest and most chewable, our proprietary nugget ice is The Original Chewable Ice® - a customer favorite for decades.

**APPLICATIONS:** Carbonated Beverages  
Food Displays  
Therapeutic Applications

**SIZE:** 7/16" x 5/16" x 3/8"



### **H² NUGGET ICE**

Slightly harder, nugget ice form that combines more reliable dispensing with the chewable ice that customers love.

**APPLICATIONS:** Carbonated Beverages  
Food Displays  
Improved Ice Dispensing  
Therapeutic Applications

**SIZE:** 3/4" x 5/16" x 3/8"





## Guidelines to Sizing Ice Systems

Every operation is different and requires special considerations in sizing equipment. For new locations, use the guidelines below. You may want to add 10-20% for growth or add for unusual types of usage, e.g., icing down drink barrels, bagging ice for resale. For a replacement unit, be sure to ask if the existing unit met the operator's needs. If not, add the amount of ice being purchased to the capacity of the existing unit to determine necessary production for the new unit.

### Foodservice

#### Restaurants:

1.7 lb (0.8 kg) per customer or 5.0 lb (2.3 kg) per seat.

#### Cocktail Lounge:

3 lb (1.4 kg) per customer.

#### Salad Bar:

Add 35 lb (15.9 kg) per cubic foot of display. Multiply by 2 or 3 depending on estimated refills required.

#### Fast Food:

0.9 lb (0.4 kg) per customer or 7.4 lb per seat. Use 2 oz per 8-10 oz drink; 4 oz per 12-16 oz drink.

### Convenience Stores/Customer Self-Service

4 oz per 12 oz drink; 7 oz per 20 oz drink; 10 oz per 32 oz drink. Cold plate-add 50% more.

### Healthcare:

8 lb (3.6 kg) per patient bed. Use 3 lb (1.4 kg) per employee.

### Lodging:

3 lb (1.4 kg) per guest room. Plan on substantially more if guests are allowed to fill ice chests.



## Scotsman Facts and Figures


**One million +**  
NUMBER OF  
SCOTSMAN ICE  
MACHINES INSTALLED  
WORLDWIDE

**12,500**  
TONS OF SCOTSMAN FLAKE AND NUGGET  
ICE PRODUCED DAILY WORLDWIDE

**6 Billion**  
SCOTSMAN  
ICE CUBES  
PRODUCED  
DAILY  
WORLDWIDE

**2,500**  
Famous Brand Restaurant Installs

**4,800**  
SERVICE DISPATCHES  
INCLUDING PM,  
SERVICE AND  
EMERGENCY  
SERVICE



**85 Thousand**  
INBOUND TECHNICAL  
SERVICE CALLS HANDLED  
BY THE TEAM

# BIG CUBE MODULAR ICE MACHINE



Introducing Scotsman's largest cube yet, the Big Cube. Sizing in at 1 1/4" x 1 1/4" x 1 1/4", Big Cubes are slow-melting and cool drinks without diluting them.



## Features & Benefits


Perfectly square, individual Big Cubes

Produces **108 cubes every harvest cycle** - approximately every 30 mins

Horizontal evaporator **minimizes impurities** resulting in **clearer cubes** and **reduced scale buildup** between cleanings

Unit specific QR code for **quick access** to service manuals, cleaning guides and warranty history

Heavy duty stainless steel exterior panels for **maximum durability** and **lifespan**


Unit Dimensions (W x D x H)	Model Number	Condenser Type	70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg	Shipping Weight lb/kg	List Price Volts/Hz/Phase 115/60/1 -1
 30.7" x 25.8" x 33.7" 77.9 x 65.5 x 85.6 cm	BC0530A	Air	428/194		383/174	235/107	\$10,100

Accessory Model Number	Description	Shipping Weight lb/kg	List Price
KBCSTK30	Stacking kit - Up to 3 units high	10/4	\$420





# PRODIGY PLUS® MODULAR CUBE ICE MACHINES



As the world's only self-monitoring cuber, the new Scotsman Prodigy Plus® cube ice machines make it easier than ever to maintain your equipment and save money.

## Features & Benefits

Front-located air filter for more efficient operation

Self-aligning front panel for easy access to key components

Patented **WaterSense** purge control allows operators to save water and energy

**Smart-Board™** advanced feature module available for additional diagnostic capabilities

Operational footprint among the industry's smallest

Optional **Vari-Smart™** ice level control allows operators to customize ice levels

Antimicrobial protection guards internal surfaces between cleanings



**One-touch** cleaning reduces labor costs and saves time



**AutoAlert™** indicator lights for better visibility



Scan for an example

Industry-exclusive **QR code** instantly connects users to service information



**Scotsman®**



**PRODIGY  
PLUS**


DESIGNED  
ENGINEERED  
ASSEMBLED  
IN THE  
**USA**


# Prodigy Plus® Modular Cubers Utilizing AquaArmor™ with AgION®

\*Refer to page 28 & 30 for required bins & bin top kits.



Unit Dimensions (W x D x H)	Cube Size	Model Number	Condenser Type	24 hr Ice Production			Shipping Weight lb/kg	List Price Volts/Hz/Phase		
				70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg		115/60/1 -1	208-230/60/1 -32	230/50/1 -6
 22" x 24" x 23" 55.9 x 61.0 x 58.4 cm	Med. Sm.	<b>C0322</b>								
		C0322MA	Air	356/162		232/105	155/70	\$6,286	\$6,411	\$6,461 ●
		C0322MW	Water	366/166		292/133	155/70	\$6,436		
		C0322SA	Air	356/162		232/105	155/70	\$6,286		\$6,461 ●
		C0322SW	Water	366/166		292/133	155/70	\$6,436	\$6,561	
	Med. Sm.	<b>C0522</b>								
		C0522MA	Air	475/216		340/154	160/73	\$6,605	\$6,730	\$6,780 ●
		C0522MW	Water	480/218		409/186	160/73	\$6,755		
		C0522SA	Air	475/216		340/154	160/73	\$6,605	\$6,730	\$6,780 ●
 22" x 24" x 29" 55.9 x 61.0 x 73.7 cm	Med. Sm.	<b>C0722</b>								
		C0722MA	Air	758/345		566/257	189/86		\$7,944	\$8,119 ●
		C0722SA	Air	758/345		566/257	189/86		\$7,944	\$8,119 ●


Unit Dimensions (W x D x H)	Cube Size	Model Number	Condenser Type	24 hr Ice Production			Shipping Weight lb/kg	List Price Volts/Hz/Phase		
				70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg		115/60/1 -1	208-230/60/1 -32	230/50/1 -6
 30" x 24" x 23" 76.2 x 61.0 x 58.4 cm	Med. Sm.	<b>C0330</b>								
		C0330MA	Air	400/182		288/131	155/70	\$5,927	\$6,052	
		C0330MW	Water	420/191		326/148	155/70	\$6,077		
		C0330SA	Air	400/182		288/131	155/70	\$5,927		
		C0330SW	Water	420/191		326/148	155/70	\$6,077		
	Med. Sm.	<b>C0530</b>								
		C0530MA	Air	525/238		380/172	175/80	\$6,585	\$6,710	\$6,760 ●
		C0530MR	Remote	500/227		400/181	175/80	\$6,485		
		C0530MW	Water	500/227		410/186	175/80	\$6,735		
		C0530SA	Air	525/238		380/172	175/80	\$6,585	\$6,710	\$6,760 ●
		C0530SR	Remote	500/227		400/181	175/80	\$6,485		
		C0530SW	Water	500/227		410/186	175/80	\$6,735		


Unit Dimensions (W x D x H)	Cube Size	Model Number	Condenser Type	24 hr Ice Production			Shipping Weight lb/kg	List Price Volts/Hz/Phase		
				70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg		208-230/60/1 -32	208-230/60/3 N/A	230/50/1 -6
 30" x 24" x 23" 76.2 x 61.0 x 58.4 cm	Med. Sm.	<b>C0630</b>								
		C0630MA	Air	640/291		474/215	190/86	\$8,073		\$8,248 ●
		C0630MR	Remote	614/279		540/245	190/86	\$7,973 ✓		
		C0630MW	Water	633/288		573/260	190/86	\$8,223		
		C0630SA	Air	640/291		474/215	190/86	\$8,073		\$8,248 ●
		C0630SR	Remote	614/279		540/245	190/86	\$7,973 ✓		
		C0630SW	Water	633/288		573/260	190/86	\$8,223		


✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins. Please call for pricing on other international configurations.

# Prodigy Plus® Modular Cubers Utilizing AquaArmor™ with AgION®

Unit Dimensions (W x D x H)		Cube Size	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight	List Price Volts/Hz/Phase		
					70°F/21°C 50°F/10°C lb/kg	Air Water lb/kg		90°F/32°C 70°F/21°C lb/kg	208-230/60/1 -32	208-230/60/3 -3
  30" x 24" x 29" 76.2 x 61.0 x 73.7 cm	Med.  Sm.	C0830		Air Remote Water Air Remote Water	905/411 870/395 924/420 905/411 870/395 924/420	718/326 780/355 832/378 718/326 780/355 832/378	220/100 220/100 220/100 220/100 220/100 220/100	\$10,140 \$10,040 \$10,390 \$10,140 \$10,040 \$10,390	\$10,365	\$10,415 ●
	Med.  Sm.	C1030		Air Remote Water Air Remote Water	1077/490 996/453 1029/468 1077/490 996/453 1029/468	816/371 869/395 929/422 816/371 869/395 929/422	235/107 235/107 235/107 235/107 235/107 235/107	\$11,579 \$11,479 \$11,829 \$11,579 \$11,479 \$11,829	\$11,704	\$11,854 ● \$11,754 ●

Unit Dimensions (W x D x H)	Cube Size	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight	List Price Volts/Hz/Phase		
				70°F/21°C 50°F/10°C lb/kg	Air Water lb/kg		208-230/60/1 -32	208-230/60/3 -3	230/50/1 -6
 48" x 24" x 29" 121.9 x 61.0 x 73.7 cm	Med. Sm.	C1448							
		C1448MA	Air	1553/706	1296/589	345/157	\$13,224 ✓	\$13,449 ✓	\$13,499 ●
		C1448MR	Remote	1357/617	1258/572	345/157	\$13,124	\$13,349	
		C1448MW	Water	1444/656	1340/609	345/157	\$13,474	\$13,699	
		C1448SA	Air	1553/706	1296/589	345/157	\$13,224 ✓	\$13,449 ✓	\$13,499 ●
		C1448SR	Remote	1357/617	1258/572	345/157	\$13,124	\$13,349	
		C1448SW	Water	1444/656	1340/609	345/157	\$13,474	\$13,699	
	Med. Sm.	C1848							
		C1848MA	Air	1909/868	1426/647	355/161	\$17,072		\$17,347 ●
		C1848MR	Remote	1828/831	1662/754	355/161	\$16,972	\$17,197	\$17,247 ●
		C1848MW	Water	1900/864	1668/757	355/161	\$17,322		
		C1848SA	Air	1909/868	1426/647	355/161	\$17,072		\$17,347 ●
		C1848SR	Remote	1828/831	1662/754	355/161	\$16,972	\$17,197	\$17,247 ●
		C1848SW	Water	1900/864	1668/757	355/161	\$17,322		
	Med. Sm.	C2148							
		C2148MR	Remote	1965/893	1746/794	370/168	\$20,783	\$21,008	\$21,058 ●
		C2148SR	Remote	1965/893	1746/794	370/168	\$20,783	\$21,008	\$21,058 ●

Unit Dimensions (W x D x H)		Cube Size	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight	List Price		
					70°F/21°C 50°F/10°C lb/kg	Air Water lb/kg		90°F/32°C 70°F/21°C lb/kg	208-230/60/1 N/A	208-230/60/3 -3
	Med. Sm.	<b>C2648</b>	Remote Remote	2630/1193 2630/1193	2131/967 2131/967	430/195 430/195		\$22,033 \$22,033		
		C2648MR								
		C2648SR								
48" x 28.5" x 34" 121.9 x 72.39 x 86.36 cm										

✓ = Energy Star certified. ● = CE Approved.  
Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins.  
Please call for pricing on other international configurations.

# Modular Cuber Kits and Accessories

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price Volts/Hz/Phase		
				115/60/1 -1	208-230/60/1 -32	230/50/1 -6
	Remote Condensers					
29.5" x 29.13" x 38.47" 74.9 x 74.0 x 97.7 cm	ERC111	Remote condenser for C0530xR	95/43	\$2,077		
29.5" x 29.13" x 38.47" 74.9 x 74.0 x 97.7 cm	ERC311	Remote condenser for C0630xR, C0830xR, C1030xR, or C1448xR	130/59		\$2,193	\$2,368
29.5" x 37.8" x 38.47" 74.9 x 96.0 x 97.7 cm	ERC611	Remote condenser for C1848xR or C2148xR	140/84		\$3,140	
28.5" x 39" x 34.63" 72.4 x 99.1 x 87.9 cm	PRC241	Remote condenser for C2648xR	135/61		\$3,654	

Model Number	Description	Shipping Weight lb/kg	List Price
<b>Miscellaneous</b>			
KERCF	Air filter for ERC111 or ERC311	5/2	\$164
RCKCME6GX-E	Remote condensing kit for connecting E revision Prodigy® models to non-Scotsman remote condenser coils, Quick connects not included	25/11	\$601
KTPS-SM	Tamper Proof Screw Kit (incl. Tool) to convert 22" (55.9 cm), 30" (76.2 cm) or 48" (121.9 cm) cuber	5/2	\$207
<b>Line Sets</b>			
BRTE10	Line set, 10 ft, brazing required	7/3	\$340
BRTE25	Line set, 25 ft, brazing required	12/6	\$507
BRTE40	Line set, 40 ft, brazing required	17/8	\$574
BRTE75	Line set, 75 ft, brazing required	35/16	\$876
KTE4	Tube end kit - contains 4 quick connect fittings for any RTE Line Set	5/2	\$226
BRTEL25	Line set, 25 ft (7.6m), use with C2648 remote cooled units, brazing required	16/7	\$423
BRTEL40	Line set, 40 ft (12.2m), use with C2648 remote cooled units, brazing required	22/10	\$636
BRTEL75	Line set, 75 ft (22.9m), use with C2648 remote cooled units, brazing required	40/18	\$948
KTEL4	Tube end kit - contains 4 quick connect fittings for any RTEL Line Set	5/2	\$248
<b>Prodigy® and Prodigy Plus® Modular Cuber Accessories</b>			
KPAS	Kit - Prodigy Advanced Sustainability. Includes KSBUS-N and KVS	10/4	\$1,172
KSBUS	Kit - Prodigy Smart-Board™ - Use additional operational data for fast diagnosis	5/2	\$809
KSBUS-N	Kit - Prodigy Smart-Board™ - Network connection	5/2	\$1,049
KVS	Kit - Prodigy Vari-Smart™ Ice Level Control - Adjust ice levels to match ice needs	5/2	\$360
<b>Air Flow Kits</b>			
KPPSA223	Kit - Prodigy Plus® Side Air Flow for C0322, C0522, N0422, F0522, N0622, F0822	11/5	\$275
KPPSA229	Kit - Prodigy Plus® Side Air Flow for C0722	13/6	\$376
KPPSA323	Kit - Prodigy Plus® Side Air Flow for C0330, C0530, C0630	13/6	\$314
KPPSA329	Kit - Prodigy Plus® Side Air Flow for C0830, C1030	15/7	\$400

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins. Please call for pricing on other international configurations.



# Prodigy Plus® Eclipse® Ice Machines



MODULAR REMOTE

EH222SL



22" x 16.5" x 29"  
55.9 x 41.9 x 73.7 cm

EH330SL



30" x 24" x 23"  
76.2 x 61.0 x 58.4 cm

EH430SL / ML




30" x 24" x 29"  
76.2 x 61.0 x 73.7 cm

Cube Size	Model Number	Use With Condensing Unit	24 hr Ice Production		Shipping Weight lb/kg	List Price	
			70°F/21°C 50°F/10°C lb/kg	Air Water 90°F/32°C 70°F/21°C lb/kg		115/60/1 -1	230/50/1 -6
Sm.	<b>Ice Maker</b>						
	EH222SL	ECC0800 ECC1410	850/386 1030/468	700/318 827/375	319/145 332/151	\$6,496 \$6,496	\$6,690
Sm.	<b>Ice Maker</b>	ECC1200	1411/641	1103/500	310/141	\$7,087	
Sm. / Med.	<b>Ice Maker</b>						
	EH430SL / ML	ECC1410 ECC1800	1425/648 1775/807	1200/545 1600/727	332/151 350/159	\$7,392 \$7,392	

## ECC Features

- Energy efficient components save money on utility costs.
- Better corrosion resistance increases life of unit.
- One piece design makes installation and service easier.
- Maximizes air conditioning load.
- Allows for quiet operation in dining and working environments.
- Able to operate in wide outdoor temperature range from -20° F to 120° F.



# Prodigy Plus® Eclipse® Complete Package



+



=


**Eclipse®**  
SYSTEM\*

Approx. Ice Production (lb.)	Ice Maker Small Cube	Ice Maker List Price	Condensing Unit	Condensing List Price	System List Price
800	EH222SL	\$6,496	ECC0800	\$7,891	\$14,387
1000	EH222SL	\$6,496	ECC1410	\$9,275	\$15,771
1400	EH330SL	\$7,087	ECC1200	\$9,314	\$16,401
1400	EH430SL / ML	\$7,392	ECC1410	\$9,275	\$16,667
1800	EH430SL / ML	\$7,392	ECC1800	\$13,640	\$21,032

\*Line sets and bin top kits must be purchased with Eclipse® System for proper operation of equipment.

✓ = Energy Star certified. ● = CE Approved.  
Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins.  
Please call for pricing on other international configurations.

# Prodigy Plus® Eclipse® Condensing Unit



Unit Dimensions (W x D x H)		Model Number	Description	Shipping Weight lb/kg	List Price Volts/Hz/Phase		
					208-230/60/1 -32	208-230/60/3 -3	230/50/1 -6
  27" x 32.06" x 39.75" 68.58 x 81.4 x 100.9 cm	Remote Condensers						
	ECC0800	Remote condensing unit Eclipse 800 lb/364 kg systems	319/145		\$7,891	\$8,091	
	ECC1200	Remote condensing unit Eclipse 1400 lb/636 kg systems	310/141	\$9,314			
	ECC1410	Remote condensing unit Eclipse 1000-1400 lb /455-636 kg systems	332/151	\$9,275	\$9,450		
	ECC1800	Remote condensing unit Eclipse 1800 lb/818 kg systems	350/159		\$13,640		

## Prodigy Plus® Eclipse® Accessories

Model Number	Description	Shipping Weight lb/kg	List Price
<b>Line Sets</b>			
3BRTE20-EH	Line set, 20ft. Refrigerant and Brazing required.	21/10	\$374
3BRTE35-EH	Line set, 35ft. Refrigerant and Brazing required.	32/15	\$560
3BRTE50-EH	Line set, 50ft. Refrigerant and Brazing required.	53/24	\$813
3BRTE75-EH	Line set, 75ft. Refrigerant and Brazing required.	79/36	\$1,239
KTE6-EH	Kit, Tube End, 6 Fittings, 3RTExx-EH Line set	5/2	\$671

## Undercounter Gourmet Cube Units



Unit Dimensions (W x D x H)	Model Number	Condenser Type	24 hr Ice Production		Storage Capacity lb/kg	Shipping Weight lb/kg	List Price Volts/Hz/Phase		
			70°F/21°C 50°F/10°C lb/kg	Air Water lb/kg			115/60/1 -1	208-230/60/1 N/A	230/50/1 N/A
 14.88" x 22" x 34.38" 37.8 x 55.9 x 87.3 cm	<b>CU50</b>								
	CU50GA	Air	64/29	44/20	26/12	100/45	\$4,639		
	CU50PA*	Air	64/29	44/20	26/12	105/48	\$5,364		
 15.19" x 23.63" x 34.13" 38.6 x 60 x 86.69 cm Height includes 5.25" (13.3cm) legs	<b>CU0515</b>								
	CU0515GA	Air	74/34	58/26	24/11	95/43	\$5,904		

Standard exterior finish: Stainless Steel.


\*CU50PA-1A comes with a pump drain instead of a gravity drain.

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins.

Please call for pricing on other international configurations.

## UNDERCOUNTER CUBE ICE MACHINES



You want ice, not issues. That's why Scotsman created the undercounter line of ice machines. Small in stature. Big on reliability and ease of use. Because at the end of the day, what you really want is a machine that works as hard as you do.

### *Features & Benefits*


Slide back door allows easy access to ice in the bin

Front breathing vents allow for flexible placement

High-volume capacity in a small, compact footprint



**Energy Efficient Design:**  
Environmentally friendly while saving operators money




Unique evaporator produces crystal clear cubes



With an optional floor mount kit, our 15" & 20" wide models can be installed under 34" ADA counter tops



**Scotsman®**



# Undercounter Cube Ice Machines



## UNDERCOUNTER CUBE

**CU0415**



15"W x 24"D x 38"H\*  
38.1 x 61.0 x 96.5 cm

**CU0715**



15"W x 24"D x 38"H\*  
38.1 x 61.0 x 96.5 cm

**CU0920**



20"W x 24"D x 38"H\*  
50.8 x 61.0 x 96.5 cm

**UC2024**



24"W x 29"D x 39"H\*  
61.0 x 73.5 x 99.1 cm

**UC2724**



24"W x 29"D x 39"H\*  
61.0 x 73.5 x 99.1 cm

**CU3030**



30"W x 30"D x 39"H\*  
76.2 x 76.2 x 99.1 cm

\*Height includes 6" (15.2cm) legs

Cube Size	Model Number	Condenser Type	24 hr Ice Production		Storage Capacity	Shipping Weight	List Price		
			70°F/21°C 50°F/10°C lb/kg	Air Water			90°F/32°C 70°F/21°C lb/kg	Volts/Hz/Phase	115/60/1 -1
Med.	CU0415MA	Air	58/26		36/16	90/41	\$3,780		\$3,930 ●
	CU0715MA	Air	80/36		36/16	96/44	\$4,161		\$4,311 ●
	CU0920MA	Air	100/45		57/26	118/54	\$4,440		\$4,590 ●
Med. Sm.	UC2024MA	Air	227/103		80/36	150/68	\$4,785 ✓		
	UC2024MW	Water	230/104		80/36	150/68	\$4,935		
	UC2024SA	Air	227/103		80/36	150/68	\$4,785 ✓		
	UC2024SW	Water	230/104		80/36	150/68	\$4,935		
Med. Sm.	UC2724MA	Air	282/128		80/36	175/79	\$5,434		\$5,584
	UC2724MW	Water	266/121		80/36	175/79	\$5,584		
	UC2724SA	Air	282/128		80/36	175/79	\$5,434		\$5,584
	UC2724SW	Water	266/121		80/36	175/79	\$5,584		
Med. Sm.	CU3030MA	Air	313/142		110/50	230/104	\$6,475	\$6,600	\$6,625 ●
	CU3030SA	Air	313/142		110/50	230/104	\$6,475	\$6,600	\$6,625 ●
	CU3030SW	Water	347/158		110/50	230/104	\$6,625		

# Undercounter Ice Machine Accessories

Model Number	Description	Shipping Weight lb/kg	List Price
KLP8S	Kit, Leg 6", Stainless Steel	5/2	\$316
KBC1	Kit, Casters	8/4	\$401
KUFM15	For ADA applications. Floor mount kit for 15" wide units, lowers overall height to 31.9"	3/1	\$216
KUFM20	For ADA applications. Floor mount kit for 20" wide units, lowers overall height to 31.9"	3/1	\$216
KUFM24	Floor mount kit for 24" wide units. Lowers height to 33.5"	3/1	\$231
KPUF30	Kit - Prodigy® Undercounter Floor Mount for CU3030	3/1	\$264

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins. Please call for pricing on other international configurations.



# PRODIGY PLUS® MODULAR FLAKE ICE MACHINES



Flake ice is perfect for presentation and preservation. It cools more quickly than other ice forms and is ideal for seafood and produce displays. Newly added sealed bearings eliminate the need to grease, while providing better reliability & lower service costs.



## Features & Benefits

Small flake ice pieces combine **fast cooling** power with very **low production costs**

**Smart-Board™** advanced **feature module** available for additional diagnostic capabilities

Self-aligning front panel for **easy access** to key components

Optional **Vari-Smart™** ice **level control** allows operators to customize ice levels

Easily visible **AutoAlert™** indicator lights & **QR code** for easy maintenance

NEW



More reliable than ever, **sealed, maintenance-free bearings** contribute to a longer machine life



Removable front air filter, built-in **antimicrobial protection** & **sealed refrigeration** system for easy cleaning & sanitary operation



**Stainless steel** evaporator & auger for maximum durability

**Scotsman®**

**PRODIGY  
PLUS**

DESIGNED  
ENGINEERED  
ASSEMBLED  
IN THE  
**USA**

MODULAR FLAKE



# Prodigy Plus® Modular Flake Ice Machines



\*Refer to page 28 & 30 for required bins & bin top kits.



Flake ice is a smart choice for everything from blended cocktails and salad bars to produce, seafood and meat displays. It is also a popular choice for therapeutic use in healthcare facilities.

## MODULAR FLAKE

Unit Dimensions (W x D x H)	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase		
			70°F/21°C 50°F/10°C lb/kg	Air Water 90°F/32°C 70°F/21°C lb/kg		115/60/1 -1	208-230/60/1 -32	230/50/1 -6
 22" x 24" x 23" 55.9 x 61.0 x 58.4 cm	<b>F0522</b>	Air Water	450/205 530/240	343/156 429/195	173/78 173/78	\$8,050 \$8,300		
	FS0522A FS0522W							
 22" x 24" x 23" 55.9 x 61.0 x 58.4 cm	<b>F0822</b>	Air Remote Water	800/363 760/345 775/352	641/291 631/287 654/297	175/79 175/79 175/79	\$10,229 \$10,129 \$10,479	\$10,604	
	FS0822A FS0822R FS0822W							

Unit Dimensions (W x D x H)	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase		
			70°F/21°C 50°F/10°C lb/kg	Air Water 90°F/32°C 70°F/21°C lb/kg		208-230/60/1 -32	208-230/60/3 -3	230/50/1 -6
 22" x 24" x 27" 55.9 x 61.0 x 68.6 cm	<b>F1222</b>	Air Remote Water	1100/500 1250/567 1240/562	878/395 907/409 967/436	220/100 220/100 220/100	\$12,900 ✓ \$12,800 \$13,150	\$13,125 ✓ \$13,025	\$13,175 ●
	FS1222A FS1222R FS1222W							
 22" x 24" x 27" 55.9 x 61.0 x 68.6 cm	<b>F1522</b>	Air Remote	1612/733 1507/684	1088/495 1206/547	224/102 224/102	\$16,907 \$16,807		
	FS1522A FS1522R							

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins. Please call for pricing on other international configurations.



# PRODIGY PLUS® MODULAR NUGGET ICE MACHINES



Soft, cylindrical and slow-melting, our proprietary nugget ice is The Original Chewable Ice® - a customer favorite for decades. Also available in H<sup>2</sup> Nugget ice that provides more reliable dispensing.



## Features & Benefits

NEW

Now available in softer **Original Chewable Nugget Ice** or harder, **H<sup>2</sup> Nugget Ice**

**Smart-Board™** advanced feature module available for additional diagnostic capabilities

Self-aligning front panel for **easy access** to key components

Optional **Vari-Smart™** ice level control allows operators to customize ice levels



Easily visible **AutoAlert™** indicator lights & QR code for easy maintenance

NEW



More reliable than ever, **sealed, maintenance-free bearings** contribute to a longer machine life



Removable front air filter, built-in **antimicrobial protection** & **sealed refrigeration** system for easy cleaning & sanitary operation




**Stainless steel** evaporator & auger for maximum durability

MODULAR NUGGET

**Scotsman®**

**PRODIGY PLUS**





# Prodigy Plus® Modular Nugget Ice Machines

\*Refer to page 28 & 30 for required bins & bin top kits.



## MODULAR NUGGET

Unit Dimensions (W x D x H)	Nugget Type	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase		
				70°F/21°C 50°F/10°C lb/kg	Air Water lb/kg	90°F/32°C 70°F/21°C lb/kg	115/60/1 -1	208-230/60/1 -32	230/50/1 -6
 22" x 24" x 23" 55.9 x 61.0 x 58.4 cm	Hard	<b>N0422</b>	Air Water Air Water	456/207 441/200 420/191 455/206		333/151 378/171 348/158 397/180	172/78 172/78 172/78 172/78	\$8,178 \$8,428 \$8,178 \$8,428	
		NH0422A							
		NH0422W							
		NS0422A							
	Soft	NS0422W							
	Hard	<b>N0622</b>	Air Remote Water Air	644/292 631/286 640/290 643/292		507/230 549/249 557/253 547/248	180/82 180/82 180/82 180/82	\$10,820 \$10,720 \$11,070 \$10,820	\$10,945 \$10,945
		NH0622A							
		NH0622R							
		NH0622W							
	Soft	NS0622A							\$10,995
		NS0622R							
		NS0622W							

Unit Dimensions (W x D x H)	Nugget Type	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase			
				70°F/21°C 50°F/10°C lb/kg	Air Water lb/kg	90°F/32°C 70°F/21°C lb/kg	115/60/1 -1	208-230/60/1 -3	208-230/60/1 -32	230/50/1 -6
 22" x 24" x 27" 55.9 x 61.0 x 68.6 cm	Hard	<b>N0922</b>	Air Remote Water Air	952/432 896/406 908/412 956/434		740/336 758/344 787/357 784/356	210/95 210/95 210/95 210/95	\$13,383 \$13,283 \$13,383 ✓ \$13,283	\$13,508 \$13,408 \$13,758 \$13,508 ✓	\$13,783
		NH0922A								
		NH0922R								
		NH0922W								
	Soft	NS0922A	Remote Water	1044/474 1094/496		781/354 863/391	210/95 210/95	\$13,408 \$13,758	\$13,408 \$13,758	
		NS0922R								
		NS0922W								
	Hard	<b>N1322</b>	Air Remote Water Air	1186/537 1191/540 1242/563 1385/628		944/428 1016/461 1054/478 990/449	225/102 225/102 225/102 225/102	\$17,669 \$17,669	\$17,194 \$17,094 \$17,444 \$17,194 ✓	
		NH1322A								
		NH1322R								
		NH1322W								
	Soft	NS1322A	Remote Water	1360/617 1513/686		1061/481 1129/512	225/102 225/102	\$17,669	\$17,094 \$17,444	
		NS1322R								
		NS1322W								


✓ = Energy Star certified. ● = CE Approved.


Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins. Please call for pricing on other international configurations.



# Prodigy Plus® Remote Low Side Nugget & Flake Complete Packages




Unit Dimensions (W x D x H)	Model Number	Ice Form	24 hr Ice Production			Shipping Weight lb/kg	List Price Volts/Hz/Phase	
			70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg		115/60/1 -1	208-230/60/1 N/A
 22" x 24" x 27" 55.9 x 61.0 x 68.6 cm	FS1222L	Flake	1180/535		1000/454	217/98	\$10,760	
	FS1522L	Flake	1445/655		1205/547	224/102	\$13,724	

Unit Dimensions (W x D x H)	Nugget Type	Model Number	Ice Form	24 hr Ice Production			Shipping Weight lb/kg	List Price Volts/Hz/Phase	
				70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg		115/60/1 -1	208-230/60/1 N/A
 22" x 24" x 27" 55.9 x 61.0 x 68.6 cm	Hard [ Soft [	NH0922L	Nugget	889/403		766/347	217/98	\$11,281	
		NH1322L	Nugget	1191/540		1018/462	225/102	\$14,025	
		NS0922L	Nugget	1090/494		915/415	217/98	\$11,281	
		NS1322L	Nugget	1330/603		1100/499	225/102	\$14,025	

MODULAR REMOTE LOW SIDE

## Modular and Remote Low Side Nugget & Flake Ice Machines



Unit Dimensions (W x D x H)	Model Number	Condenser Type	24 hr Ice Production			Shipping Weight lb/kg	List Price Volts/Hz/Phase	
			70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg		208-230/60/1 -32	230/50/1 N/A
 42" x 24" x 27" 106.7 x 61.0 x 68.6 cm	<b>Flaker</b>	Air Remote Low Side						
	FME2404AS		2455/1114		1792/813	395/179	\$24,412	
	FME2404RLS		2365/1072		2000/907	255/115	\$20,519	
	<b>Nugget</b>							
	NME1854RS	Remote	2185/991		1631/740	425/193	\$25,480	



✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins. Please call for pricing on other international configurations.

## Remote Low Side Nugget & Flake Accessories

Model Number	Description	Shipping Weight lb/kg	List Price
<b>Line Sets</b>			
NRTE45	45 ft. (13.7 m) non-precharged line set for remote low side flaker and nugget ice machines.	17/8	\$654

## Nugget & Flake Ice Machine Kits and Accessories

MODULAR NUGGET  
& FLAKE ACCS.

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price Volts/Hz/Phase
				115/60/1 -1
				208-230/60/1 -32
				230/50/1 -6
	<b>Remote Condensers</b>			
29.5" x 29.13" x 38.47" 74.9 x 74.0 x 97.7 cm	ERC111	Remote condenser for F0822R, N0622R or N0922R-1	95/43	\$2,077
29.5" x 29.13" x 38.47" 74.9 x 74.0 x 97.7 cm	ERC311	Remote condenser for F1222R, N0922R-32 or N1322R	130/59	\$2,193
28.5" x 39" x 34.63" 72.4 x 99.1 x 87.9 cm	PR2C240	Remote condenser for 2-F1222R, 2-N0922R or 1-NME1854R	135/61	\$2,368
				\$3,318

Note: PR2C40-32A requires two line sets per ice machine when used with NME1854R; PRC2C240-32A requires two KPFBM kits when used with 2-F1222R or N0922R units.

Model Number	Description	Shipping Weight lb/kg	List Price
<b>Line Sets</b>			
BRTE10	Line set, 10 ft, brazing required	7/3	\$340
BRTE25	Line set, 25 ft, brazing required	12/5	\$507
BRTE40	Line set, 40 ft, brazing required	17/7	\$574
BRTE75	Line set, 75 ft, brazing required	35/15	\$876
KTE4	Tube end kit - Contains 4 quick connect fittings for any RTE Line Set	5/2	\$226
<b>Miscellaneous</b>			
KERCF	Air filter for ERC111 or ERC311	5/2	\$164
KPFHM-E	Headmaster Kit for use with ERC101, ERC151, ERC201, ERC302 or PR2C240; Quick connect not included	10/5	\$347
KCMR-230	Fan relay kit for two 230V units connected to PR2C240 condenser	5/2	\$257
<b>Prodigy Modular Flaker &amp; Nugget Accs.</b>			
KPAS	Kit-Prodigy Advanced Sustainability. Includes KSBU-N and KVS	10/4	\$1,172
KSBU	Kit-Prodigy Smart-Board™ - Use additional operational data for fast diagnosis	5/2	\$809
KSBU-N	Kit-Prodigy Smart-Board™ - Network connection	5/2	\$1,049
KVS	Kit-Prodigy Vari-Smart™ Ice Level Control - Adjust ice levels to match ice needs	5/2	\$360

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins. Please call for pricing on other international configurations.

# UNDERCOUNTER NUGGET & FLAKE ICE MACHINES



Get the nugget and flake ice your customers love anywhere you need it with Scotsman's undercounter ice machines. With a proven freezer design and sealed bearings, you'll have the reliable machine your facility requires – with a more compact design.

**BIG**  
OPPORTUNITY  
**SMALL UNIT**

## Features & Benefits

Slide back door allows easy access to ice in the bin

Front breathing vents allow for flexible placement

High-volume capacity in a small, compact footprint



**Energy Star Certified\***:  
Environmentally friendly while saving operators money



Sealed, maintenance-free bearings ensure **maximum reliability** & contribute to a long machine lifetime




With an optional floor mount kit, our 15" & 20" wide models can be installed under **34" ADA counter tops**



**Scotsman®**

\*Select models only.



UNDERCOUNTER NUGGET & FLAKE



Undercounter Nugget and Flake Ice Machines



UN0815



15"W x 24"D x 38"H\*  
38.1 x 61.0 x 96.5 cm

UN1215



15"W x 24"D x 38"H\*  
38.1 x 61.0 x 96.5 cm

UN1520



20"W x 24"D x 38"H\*  
50.8 x 61.0 x 96.5 cm

UN324



24"W x 28.5"D x 39"H\*  
61.0 x 72.4 x 99.1 cm

UF0915



15"W x 24"D x 38"H\*  
38.1 x 61.0 x 96.5 cm

UF1415



15"W x 24"D x 38"H\*  
38.1 x 61.0 x 96.5 cm

UF2020



20"W x 24"D x 38"H\*  
50.8 x 61.0 x 96.5 cm

UF424



24"W x 28.5"D x 39"H\*  
61.0 x 72.4 x 99.1 cm

\*Height includes 6" (15.2cm) legs

UNDERCOUNTER NUGGET & FLAKE

Model Number	Condenser Type	24 hr Ice Production			Storage Capacity	Shipping Weight	List Price	
		70°F/21°C	Air	90°F/32°C			Volts/Hz/Phase	
		50°F/10°C	Water	70°F/21°C			115/60/1	230/50/1
		lb/kg		lb/kg	lb/kg	lb/kg	-1	-6
Nugget Units								
UN0815A	Air	79/36		55/25	36/16	108/49	\$5,939	✓
UN1215A	Air	119/54		84/38	36/16	109/49	\$6,652	✓
UN1520A	Air	167/76		125/57	57/26	129/59	\$7,450	✓
UN324A	Air	340/154		266/121	80/36	210/95	\$9,080	\$9,205
UN324W	Water	340/154		281/127	80/36	210/95	\$9,330	
Flake Units								
UF0915	Air	96/44		76/35	36/16	108/49	\$5,880	✓
UF1415	Air	142/64		107/49	36/16	109/49	\$6,586	✓
UF2020	Air	216/98		149/68	57/26	129/59	\$7,376	✓
UF424A	Air	440/200		310/141	80/36	200/91	\$8,901	\$9,026
UF424W	Water	440/200		330/150	80/36	200/91	\$9,151	

Undercounter Ice Machine Accessories

Model Number	Description	Shipping Weight	List Price
		lb/kg	
KLP8S	Kit, Leg 6", Stainless Steel	5/2	\$316
KBC1	Kit, Casters	8/4	\$401
KUFM15	For ADA applications. Floor mount kit lowers overall height to 31.9"	3/1	\$216
KUFM20	For ADA applications. Floor mount kit lowers overall height to 31.9"	3/1	\$216
KUFM24	Floor mount kit. Lowers height to 33.5"	3/1	\$231

✓ = Energy Star certified. ● = CE Approved.  
Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins.  
Please call for pricing on other international configurations.



# ICE & WATER DISPENSERS



Born out of extensive market research, the Scotsman Ice & Water Dispensers were developed with space, production and installation in mind. These units deliver the softest, most satisfying ice on the market today.

## Features & Benefits

NEW



Maximum versatility with touch-free or button-activated dispensing options, as well as, counter-top or wall mount platforms

Removable front panels allow ease of access and service to key internal components

Removable bin, sink, grill and chutes provide maximum access for ease of cleaning

Industry leading energy and water efficiencies deliver on-going savings



Sealed, maintenance-free bearings ensure maximum reliability & contribute to a long machine lifetime



Intuitive LED diagnostic lights reduce service time



Unit specific QR code for quick access to service manuals and warranty history



External air filter location improves breathability & accessibility, while requiring less side clearance

ICE & WATER DISPENSERS

# Ice and Water Dispensers



Touch-free infrared sensor dispensing



User controlled push-button dispensing

**HID312**



HID312A & HID312AB:  
16.25" x 24.38" x 35"  
HID312AW: 18.25" x 24.38" x 35"

**HID525**



HID525A & HID525AB:  
21.25" x 24.38" x 35"  
HID525AW: 23.25" x 24.38" x 35"  
HID525W & HID525WB:  
21.25" x 24.38" x 35"

**HID540**



HID540A & HID540AB:  
21.25" x 24.38" x 41"  
HID540AW: 23.25" x 24.38" x 41"  
HID525W & HID540WB:  
21.25" x 24.38" x 41"

Model Number	Condenser Type	Dispensing Method	24 hr Ice Production		Storage Capacity	Shipping Weight	List Price	
			70°F/21°C 50°F/10°C lb/kg	Air Water lb/kg			Volts/Hz/Phase 115/60/1 -1	230/50/1 -6
<b>HID312</b>								
HID312A	Air	Touch-Free Sensor	260/118	225/102	12/5	183/83	\$9,256	\$9,556 ●
HID312AB	Air	Button Activated	260/118	225/102	12/5	183/83	\$9,256	
HID312AW*	Air	Touch-Free Sensor	260/118	225/102	12/5	188/85	\$9,556	
<b>HID525</b>								
HID525A	Air	Touch-Free Sensor	500/227	365/166	25/11	208/94	\$13,564	\$13,864 ●
HID525AB	Air	Button Activated	500/227	365/166	25/11	208/94	\$13,564	
HID525AW*	Air	Touch-Free Sensor	500/227	365/166	25/11	213/97	\$13,914	
HID525W	Water	Touch-Free Sensor	500/227	400/181	25/11	208/94	\$13,564	
HID525WB	Water	Button Activated	500/227	400/181	25/11	208/94	\$13,564	
<b>HID540</b>								
HID540A	Air	Touch-Free Sensor	500/227	365/166	40/18	215/98	\$14,802	\$15,102 ●
HID540AB	Air	Button Activated	500/227	365/166	40/18	215/98	\$14,802	
HID540AW*	Air	Touch-Free Sensor	500/227	365/166	40/18	220/100	\$15,202	
HID540W	Water	Touch-Free Sensor	500/227	400/181	40/18	215/98	\$14,802	
HID540WB	Water	Button Activated	500/227	400/181	40/18	215/98	\$14,802	
KLP24A	4" adjustable legs, plastic with metal foot (box of 4)					5/2	\$96	

\*Wall mount configuration. Does not have drip tray. Designed to be installed over existing sink.

## Ice and Water Dispenser Stands

**HST16-A**



HST16-A: 16.5" x 23.75" x 32"  
41.9 x 60.3 x 81.3 cm  
Height includes 6" (15.2cm) legs

**HST16B-A**



HST16B-A: 16.5" x 23.75" x 32"  
41.9 x 60.3 x 81.3 cm  
Height includes 6" (15.2cm) legs

**HST21-A**



HST21-A: 21.5" x 23.75" x 32"  
54.6 x 60.3 x 81.3 cm  
Height includes 6" (15.2cm) legs

**HST21B-A**



HST21B-A: 21.5" x 23.75" x 32"  
54.6 x 60.3 x 81.3 cm  
Height includes 6" (15.2cm) legs

Model Number	Description	Shipping Weight	List Price
		lb/kg	
<b>Dispenser Kits</b>			
HST16-A	Stand with door, use with HID312, SS, includes 6" legs	50/23	\$1,451
HST16B-A	Stand for HID312, basic version, SS, includes 6" legs	50/23	\$1,335
HST21-A	Stand with door, use with HID525 & HID540, SS, includes 6" legs	80/36	\$1,499
HST21B-A	Stand for HID525 & HID540, basic version, SS, includes 6" legs	80/36	\$1,379

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins. Please call for pricing on other international configurations.

## Hotel / Motel Cube Dispensers

**HD22**



22" x 33.5" x 53.25"  
55.9 x 85.1 x 135.3 cm  
Height includes 6" (15.2cm) legs

**HD30**



30" x 33.5" x 53.25"  
76.2 x 85.1 x 135.3 cm  
Height includes 6" (15.2cm) legs

Model Number	Dispensing Method	Storage Capacity lb/kg	Shipping Weight lb/kg	List Price Volts/Hz/Phase	
				115/60/1 -1	230/50/1 -6
<b>HD22</b>	Lever Activated	120/59	201/91	\$6,399	\$6,524* ●
HD22B					
<b>HD30</b>	Lever Activated Water Filler	180/81 180/81	220/100 225/102	\$7,478 \$8,226	\$7,603* ●
HD30B HD30W					

## Ice Only Counter Top Dispensers

**ID150**



HST16B-A: 16.5" x 23.75" x 32"  
41.9 x 60.3 x 81.3 cm

**ID200**



HST21-A: 21.5" x 23.75" x 32"  
54.6 x 60.3 x 81.3 cm

**ID250**



HST21B-A: 21.5" x 23.75" x 32"  
54.6 x 60.3 x 81.3 cm

Model Number	Dispensing Method	Storage Capacity lb/kg	Shipping Weight lb/kg	List Price Volts/Hz/Phase	
				115/60/1 -1	
<b>Ice Only Dispensers</b>	Lever Activated Lever Activated Lever Activated	150/68 200/91 250/114	149/68 183/83 188/85	\$7,369 \$8,825 \$10,591	
ID150B					
ID200B					
ID250B					

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 28 for storage bins.  
Please call for pricing on other international configurations.




= Energy Star certified.





= CE Approved.

## Ice Only Dispenser Kits and Accessories

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price
 <p>IOBDM522: 22" x 30" x 30" 55.9 x 76.2 x 76.2 cm Height includes 6" (15.2cm) legs</p> <p>IOBDM530: 30" x 30" x 30" 76.2 x 76.2 x 76.2 cm Height includes 6" (15.2cm) legs</p>	<b>Machine Stands</b>			
	IOBDM522 IOBDM530	Machine stand for ID150 Machine stand for ID200 & ID250	93/42 120/55	\$2,176* \$2,187*
	<b>Kits</b>			
	KWGFID KNUGDIV	Field installed water glass filler kit for ID150, ID200, & ID250 Field installed nugget ice kit for all ID dispensers	2/1 1/0.5	\$504 \$168

## Storage Bins


	Model Number	Storage Capacity lb/kg	Ext. Finish	Liner Material	Unit Dimensions (W x D x H)	Shipping Weight lb/kg	List Price
	<b>Modular Bins</b>						
	B322S	370/168	Metallic	Poly	22" x 34" x 50" (55.9 x 86.4 x 127 cm)	140/64	\$2,206
	B330P	344/156	Poly	Poly	30" x 34" x 37" (76.2 x 86.4 x 94 cm)	90/41	\$2,104
	B530P	536/244	Poly	Poly	30" x 34" x 50" (76.2 x 86.4 x 127 cm)	110/50	\$2,289
	B530S	536/244	Metallic	Poly	30" x 34" x 50" (76.2 x 86.4 x 127 cm)	150/68	\$2,431
	B842S	778/353	Metallic	Poly	42" x 34" x 50" (106.7 x 86.4 x 127 cm)	190/86	\$3,271
	B948S	893/406	Metallic	Poly	48" x 34" x 50" (121.9 x 86.4 x 127 cm) Height includes 6" (15.2cm) legs	209/95	\$3,408
	<b>BH Upright Modular Bins</b>						
	BH1100BB-A	1100/490	SS w/GBB*	Poly	48" x 34" x 56" (121.9 x 86.4 x 142.2 cm)	280/127	\$7,609
	BH1100SS-A	1100/490	SS	Poly	48" x 34" x 56" (121.9 x 86.4 x 142.2 cm)	280/127	\$9,327
	BH1300BB-A	1400/635	SS w/GBB*	Poly	60" x 34" x 56" (152.4 x 86.4 x 142.2 cm)	310/141	\$8,819
	BH1300SS-A	1400/635	SS	Poly	60" x 34" x 56" (152.4 x 86.4 x 142.2 cm)	310/141	\$10,783
	BH1600BB-A	1755/796	SS w/GBB*	Poly	60" x 34" x 68" (152.4 x 86.4 x 172.7 cm)	370/168	\$9,381
	BH1600SS-A	1755/796	SS	Poly	60" x 34" x 68" (152.4 x 86.4 x 172.7 cm) Height includes 6" (15.2cm) legs	370/168	\$11,332

\* Stainless steel with galvanized back and bottom




BH bins include adjustable bin top filler panels for use with most ice machines. (See machine bin sizing chart on pages 34-35 for special configurations). No extra charge for special bin tops when ordered with new bin purchase, except for field installed kit KBT50 - KBT54 bin tops. See page 30 for purchase price for field installed bin tops.



## Ice Express System Built-to-Order Only

Unit Dimensions (W x D x H)	Model Number	Description	Storage Capacity lb/kg	Ext. Finish	Liner Material	Shipping Weight lb/kg	List Price
 <p>ICS-1 30" x 36" x 65" 76.2 x 91.4 x 165 cm</p> <p>ICS-2 60" x 36" x 71" 152.4 x 91.4 x 180.3 cm</p> <p>ICS-3 90" x 36" x 71" 228.6 x 91.4 x 180.3 cm</p> <p>ICS-3-SL 90" x 36" x 101" 228.6 x 91.4 x 256.5 cm</p>	<b>Ice Express System</b>						
	ICS-1	1 Bay*	500/227	SS	Poly	309/140	\$15,273
	ICS-2	2 Bay*	1200/544	SS	Poly	840/381	\$27,668
	ICS-3	3 Bay*	1800/817	SS	SS	1200/544	\$42,919
	ICS-3-SL	3 Bay with extension*	2900/1315	SS	SS	1470/667	\$53,822
	<b>Options</b>						
	ICS-PADDLE	Replacement paddle, white plastic	N/A	N/A	N/A	11/5	\$488
	ICS-SHOVEL	Shovel, white plastic	N/A	N/A	N/A	11/5	\$428
	ICS-CP	Replacement Poly Cart	250/113	Poly	Poly	100/45	\$4,020
	ICS-TOTE	Ice Totes - Set of 6	N/A	Poly	Poly	25/11	\$1,405
	ICS-DIVIDE	Ice Express - SS divider	N/A	N/A	N/A	70/32	\$2,307
* Includes 1 poly cart for each bay. NOTE: All ICS systems & accessories ship F.O.B. Denver.							

## Bin Accessories

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price
	<b>Caster Kits</b>			
	KBC1	Bin caster kit for B530S, B842S, B948S, SB480, UC2024, UC2724, CU3030, BH bins, UF & UN Undercounter models [3.5" (8.9 cm) diameter wheels, 2 standard wheels and 2 locking. Raises bin 4 7/16" (11.3 cm)] - Not to be used with SB480 when using extension or B222S or B322S.	8/4	\$401
	KBC1P	Bin caster kit for B330P and B530P. [3.5" (8.9 cm) diameter wheels, 2 standard wheels and 2 locking. Raises bin a maximum of 4 7/16" (11.3 cm).	20/9	\$516
	<b>Leg Kits</b>			
	KLP7	Kit, legs, 6" black enamel, flanged feet, B Bins, HST stands, HD dispensers, CU0515, UC2024, UC2724, CU3030, UF & UN Undercounter models.	5/2	\$192
	KLP8S	Kit, legs, 6" stainless steel, Bx22, Bx30, B842, B948, HST stands, HD dispensers CU1526, CU2026, CU3030, UF & UN Undercounter models. Note: Legs are supplied with self-contained machines, bins and machine stands.	5/2	\$316
 <p>19 1/4" x 10 3/4" x 28 1/2" 48.9 x 27.3 x 72.4 cm</p>	<b>Ice Bagger</b>			
	BGS10	Hooks over any ice bin opening. Aluminum.	25/11	\$779
	KBAG	Case of 1000 8lb bags.	30/14	\$384
	KTAPE	One roll - 180 ft (54.9 m)	1/0.5	\$52
	KSEALER	Tape sealer.	5/2	\$441
Note: BGS10 includes easy bagger, wicket of bags (250), tape sealer and 1 roll of tape.				
	<b>Ice Scoop Holder</b>			
	KHOLDER	Stainless steel scoop holder. Fits all B330, B530, B842 and B948 ice storage bins	2/1	\$114

## Bin Top Kits

Model Number	Description	Shipping Dimensions L x W x H	Use On	Shipping Weight lb/kg	List Price
KBT14A	NME1854, FME2404	10" x 27" x 5"	B948	8/4	\$359
KBT22B	All 30" (76.2 cm) modular cubers, flakers or nugget makers	17" x 29" x 5"	B948	11/5	\$423
KBT27	All 22" (55.9 cm) modular cubers, flakers or nugget makers except EH222	10" x 27" x 5"	B330, B530	8/4	\$355
KBT29	All 30" (76.2 cm) modular cubers	14" x 27" x 7"	B842	10/5	\$394
KBT31	EH222	10" x 27" x 5"	B322	8/4	\$351
KBT32	EH222	10" x 27" x 5"	B330, B530	8/4	\$439
KBT38	All 22" (55.9 cm) modular cubers, flakers and nugget makers except EH222	6" x 30" x 17"	B948	14/7	\$441
KBT38-2X	All 22" (55.9 cm) modular cubers, flakers and nugget makers except EH222 side by side	10" x 27" x 5"	B948	5/2	\$261
KBT39	All 22" (55.9 cm) modular cubers, flakers and nugget makers except EH222	14" x 27" x 7"	B842	10/5	\$400
KBTABS	EH222	26" x 24" x 7"	ABS	24/11	\$1,577
KBT40A	EH222	26" x 24" x 7"	ID150	24/11	\$1,477
KBT41	EH222	32" x 32" x 5"	ID200, ID250	25/11	\$1,623
KBT42	All 22" modular ice machines except EH222	31" x 33" x 5"	ID150	12/5	\$736
KBT43	All 22" modular cubers and nugget makers except EH222	33" x 47" x 5"	ID200, ID250	26/12	\$981
KBT44	All 30" modular cubers	32" x 33" x 2"	ID200, ID250	13/5	\$681
KBT45	EH222	32" x 31" x 5"	ED300	33/15	\$3,516

## Field Installed - BH1100, BH1300, BH1600

Model Number	Description	Shipping Dimensions L x W x H	Use On	Shipping Weight lb/kg	List Price
KBT50	SS top for EH222	36" x 63" x 5"	BH1100	80/36	\$2,084
KBT51	SS top for (2) EH222 units side-by-side	36" x 63" x 5"	BH1100	80/36	\$2,101
KBT62	SS top for (2) 22" units side-by-side	36" x 63" x 5"	BH1100	80/36	\$2,040
KBT63	SS top for (2) 22" units side-by-side	36" x 63" x 5"	BH1300, BH1600	80/36	\$2,238
KBT52	SS top for EH222	36" x 63" x 5"	BH1300, BH1600	80/36	\$2,304
KBT53	SS top for (2) EH222 units side-by-side	36" x 63" x 5"	BH1300, BH1600	80/36	\$2,462
KBT54	SS top for (2) 30" (76.2 cm) cubers side-by-side	36" x 63" x 5"	BH1300, BH1600	80/36	\$2,462


## Accessory Kits

Model Number	Description	Shipping Weight lb/kg	List Price
<b>Prodigy Plus® Nugget Dispenser Accessory Kits</b>			
KDIL-PN-150	Kit, Ice Level Control with KVS, Prodigy Nugget on Cornelius DF or ED150	2/1	\$1,040
KDIL-PN-200	Kit, Ice Level Control with KVS, Prodigy Nugget on Cornelius DF or ED200	5/2	\$1,041
KDIL-PN-250	Kit, Ice Level Control with KVS, Prodigy Nugget on Cornelius DF or ED250	5/2	\$1,162
KDIL-PN-ID3	Kit, Ice Level Control with thermostat, Prodigy Nugget on Cornelius DF or ED300	2/1	\$196
KFSMF	Kit, manual fill nugget for Coca Cola Freestyle 9000 dispenser	3/1	\$340
KFSTM	Kit, top mounted nugget for Coca Cola Freestyle 9000 dispenser	3/1	\$431



# XSafe™ Sanitation System




Our XSafe™ device is an optional sanitation system that is integrated on the top of your ice machine. XSafe™ circulates cold oxygen plasma inside of the machine to help sanitize the air and surrounding surfaces. Operating automatically, this sanitation system runs all day long to ensure your equipment is clean and safe.

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price
 12" x 4 1/4" x 2 1/4" 30.5 x 10.8 x 5.7 cm	<b>XSafe™ Sanitation System</b>	Sanitation system for helping eliminate viruses, bacteria and slime. Compatible with all modular units.	10/5	\$736
	XR-30			

# AquaDefense® System - Sanitation Solution

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price
	<b>AquaBullet® Anti Microbial Wand</b>	6 pack of Antimicrobial wands to prevent slime and mold build up. Used for modular cube ice machines.	5/2	\$1,336
	ADS-AB6			
 AP1-P: 5 5/8" x 4 3/4" x 21 1/2" 14.3 x 12.1 x 54.6 cm AP2-P: 16 1/2" x 5 1/2" x 19 1/4" 41.9 x 14.0 x 48.9 cm AP3-P: 21" x 5 1/2" x 19 1/4" 53.3 x 14.0 x 48.9 cm	<b>AquaPatrol™ Plus Water Filtration System</b>	Single system - Cubers up to 650 lb (395 kg), flakers, nuggets and nugget dispensers up to 1,200 lb (544 kg) Twin System - Cubers over 650 lb (395 kg) and up to 1,200 lb (544 kg), flakers and nuggets over 1,200 lb (544 kg) Triple System - Cubers over 1,200 lb (544 kg) Replacement cartridge (package of 6) Replacement cartridge (package of 1)	7/3 11/5 16/7 7/3 3/1.5	\$435 \$787 \$1,215 \$684 \$137
	AP1-P			
	AP2-P			
	AP3-P			
	APRC6-P			
	APRC1-P			

# Water Filtration Systems By Everpure®

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price
 <p>SSM1 5 5/8" x 4 3/4" x 30 1/2" 14.3 x 12.1 x 77.5 cm SSM2 16 1/2" x 5 1/2" x 29 1/4" 41.9 x 14.0 x 74.0 cm SSM3 21" x 5 1/2" x 29 1/4" 53.3 x 14.0 x 74.0 cm</p>	<b>SSM Plus Filtration Systems with AquaArmor by AgION®</b>			
	SSM1-P	Single system - Cubers up to 650 lb (395 kg), flakers, nuggets and nugget dispensers up to 1,200 lb (544 kg)	7/3	\$577
	SSM2-P	Twin System - Cubers over 650 lb (295 kg), flakers and nuggets over 1,200 lb (544 kg)	11/5	\$1,013
	SSM3-P	Triple System - Cubers over 1,200 lb (544 kg)	16/7	\$1,591
	<b>SSMRC Replacement Cartridges</b>			
	SSMRC1 SSMRC6	Single replacement cartridge (package of 1) 6 pack replacement cartridge (package of 6)	3/1.5 7/3	\$191 \$930
	<b>SC Coarse Prefilters</b>			
	SC10-A SC20-A	10" (25.4 cm) Coarse prefilter 20" (50.8 cm) Coarse prefilter	5/2 11/5	\$199 \$295
	<b>SC Replacement Prefilters</b>			
	SC10RC40 SC20RC20	SC10 replacement filter SC20 replacement filter	17/8 17/8	\$368 \$382

## Water Filter Selection

Ice Form	Configuration	Model Number	AquaPatrol (System, Cartridge)	SSM Plus (System, Cartridge)
Cube	Self-Contained	CU50, CU0415, CU0515, CU0715, CU0920, UC2024, UC2724, CU3030	AP1-P, APRC1-P	SSM1-P, SSMRC1
Cube	Up to 650 lbs	BC0530, C0322, C0330, C0522, C0530, C0630, C0722	AP1-P, APRC1-P	SSM1-P, SSMRC1
Cube	Up to 1,200 lbs	C0830, C1030, EH222	AP2-P, APRC1-P	SSM2-P, SSMRC1
Cube	Over 1,200 lbs	C1448, C1848, C2148, C2648, EH330, EH430	AP3-P, APRC1-P	SSM3-P, SSMRC1
Nugget/Flake	Self-Contained/Dispenser	HID312, HID525, HID540, UF0915, UF1415, UF424, UN0815, UN1215, UN324	AP1-P, APRC1-P	SSM1-P, SSMRC1
Nugget/Flake	Up to 1,200 lbs	F0522, F0822, F1222, N0422, N0622, N0922	AP1-P, APRC1-P	SSM1-P, SSMRC1
Nugget/Flake	Over 1,200 lbs	F1522, N1322, FME2404, NME1854	AP2-P, APRC1-P	SSM2-P, SSMRC1



# Ice Machine to Dispenser Kit Application Chart

Company	Dispenser	Ice Machines EH222	C0322/522/722	C0330/530/630/830 1030, EH330, EH430	N0422/622 922/1322
Cornelius	ED150	KBT40A	KBT42		KBT42 KDIL-PN-150
Cornelius	DF150	629087959*	02388*		02388* KDIL-PN-150
Cornelius	ED175	629087571*	629093782TE		KDIL-PN-150 629093782TE
Cornelius	ED200	KBT41	KBT43	KBT44	KBT43 KDIL-PN-200
	DF200	629087572*	08035*	08004*	
Cornelius	ED250	KBT41	KBT43	KBT44, KVS**	KBT43 KDIL-PN-250
	DF250	629087572	08035*	08004*, KVS**	
Cornelius	ED300	KBT45	08028*	629087943*	KDIL-PN-ID3 629087966* 629088644*
	DF300	KBT45	08028*	629087943*	
Cornelius	Flavor Fusion 255	629088666*	KVS** 629088502*	KVS** 629088505*	KVS 629088681* 629097086*
	IDC215/ID255	629088662*	KVS** 629088537*	KVS** 629088536*	KVS 629088677* 629097086*
Lancer	22" Wide	82-4063*	82-4062*		
Lancer	30" Wide	82-4061*	82-4060*	82-4059*, KVS**	
SerVend	S-150/SV-150	SL27-020000246*	SL30-020000249* CL10-5012116*		KVS SL30-020000249 CL10-5012116*
SerVend	SV-175	SL22-020000198*	SL24-020000200*		KVS SL24-020000200*
SerVend	S-200/SV-200 S-250/SV-250	SL17-5031150*	SL25-5031609*	N3-5031125* CL10-5012116*	KVS SL25-5031609*
Coca-Cola	Freestyle 9000 (free standing)	Contact Coca-Cola for bin adapters	KVS Contact Coca-Cola for bin adapters		KFSTM Contact Coca-Cola for bin adapters
Coca-Cola	Freestyle 7000 (countertop)	Contact Coca-Cola for bin adapters	KVS Contact Coca-Cola for bin adapters	KVS Contact Coca-Cola for bin adapters	11-0353-23 Contact Coca-Cola for bin adapters

\* Non Scotsman kits must be purchased from the dispenser manufacturer.

\*\* Recommended but not required.

- Please check with dispenser manufacturer for appropriate kits. Application chart subject to change.
- Blank cells indicate cannot be used together, N/A indicates no adapter needed.
- See spare parts price list for Scotsman A37693-021 & R629088514 pricing.
- Lancer dispensers must be specially configured for dispensing Scotsman Nugget Ice®
- Some Cornelius adapters kits include binstats - do not use the thermostats.
- All Cornelius ED/DF adapter kits have gray doors/covers. Contact Cornelius for black.
- All Cornelius FlavorFusion adapter kits are midnight black. Contact Cornelius for silver, orange or green.
- All Cornelius IDC255 adapter kits are black.

Machine / Bin Sizing Chart Dimensions in W x D x H - (Height includes 6" legs)

	BINS (Storage)	B322S	B330P	B530P/S	B842S	B948S	BH1100	BH1300	BH1600
ICE MAKERS (Production)	LBS	370	344	536	778	893	1100	1400	1755
C0322 C0522	300 500	22" x 34" x 73" 55.9 x 86.4 x 185.4 cm	30" x 34" x 59" 76.2 x 86.4 x 149.9 cm w/KBT27 top	30" x 34" x 73" 76.2 x 86.4 x 185.4 cm w/KBT27 top	42" x 34" x 73" 106.2 x 86.4 x 185.4 cm w/KBT39 top	48" x 34" x 73" 121.9 x 86.4 x 185.4 cm w/KBT38 top or KBT38-2x - side by side			
C0722	700	22" x 34" x 76" 55.9 x 86.4 x 193.0 cm	30" x 34" x 65" 76.2 x 86.4 x 165.1 cm w/KBT27 top	30" x 34" x 79" 76.2 x 86.4 x 200.7 cm w/KBT27 top	42" x 34" x 79" 106.2 x 86.4 x 200.7 cm w/KBT39 top	48" x 34" x 79" 121.9 x 86.4 x 200.7 cm w/KBT38 top or KBT38-2x - side by side	48" x 34" x 87" 121.9 x 86.4 x 221.0 cm KBT62 - side by side	60" x 34" x 87" 152.4 x 86.4 x 221.0 cm KBT63 - side by side	60" x 34" x 99" 152.4 x 86.4 x 251.5 cm KBT63 - side by side
C0330 C0530 C0630	300 500 600		30" x 34" x 59" 76.2 x 86.4 x 149.9 cm	30" x 34" x 73" 76.2 x 86.4 x 185.4 cm	42" x 34" x 73" 106.7 x 86.4 x 185.4 cm w/KBT29 top	48" x 34" x 73" 121.9 x 86.4 x 185.4 cm w/KBT228 top			
BC0530			31" x 34" x 70" 78.7 x 86.4 x 177.8 cm	31" x 34" x 84" 78.7 x 86.4 x 213.4 cm					
C0830 C1030	800 1000			30" x 34" x 79" 76.2 x 86.4 x 200.7 cm	42" x 34" x 79" 106.2 x 86.4 x 200.7 cm w/KBT29 top	48" x 34" x 79" 121.9 x 86.4 x 200.7 cm w/KBT228 top	48" x 34" x 85" 121.9 x 86.4 x 215.9 cm	60" x 34" x 85" 152.4 x 86.4 x 215.9 cm No bin top or KBT54 - side by side	60" x 34" x 97" 152.4 x 86.4 x 246.4 cm No bin top or KBT54 - side by side
C1448 C1848 C2148	1400 1800 2000					48" x 34" x 79" 121.9 x 86.4 x 200.7 cm	48" x 34" x 85" 121.9 x 86.4 x 215.9 cm	60" x 34" x 85" 152.4 x 86.4 x 215.9 cm	60" x 34" x 97" 152.4 x 86.4 x 246.4 cm
C2648	2600					48" x 34" x 84" 121.9 x 86.4 x 213.4 cm	48" x 34" x 90" 121.9 x 86.4 x 228.6 cm	60" x 34" x 90" 152.4 x 86.4 x 228.6 cm	60" x 34" x 102" 152.4 x 86.4 x 259.1 cm
EH222	800 1000						48" x 34" x 85" 121.9 x 86.4 x 215.9 cm KBT50 - single unit KBT51 - side by side	60" x 34" x 85" 152.4 x 86.4 x 215.9 cm KBT52 - single unit KBT53 - side by side	60" x 34" x 85" 152.4 x 86.4 x 215.9 cm KBT52 - single unit KBT53 - side by side
EH330	1400				42" x 34" x 73" 106.2 x 86.4 x 185.4 cm w/KBT29 top	48" x 34" x 73" 121.9 x 86.4 x 185.4 cm w/KBT228 top	48" x 34" x 79" 121.9 x 86.4 x 200.7 cm	60" x 34" x 79" 152.4 x 86.4 x 200.8 cm KBT54 - side by side	60" x 34" x 91" 152.4 x 86.4 x 231.1 cm No bin top or KBT54 - side by side
EH430	1400 1800				42" x 34" x 79" 106.2 x 86.4 x 200.7 cm w/KBT29 top	48" x 34" x 79" 121.9 x 86.4 x 200.7 cm w/KBT228 top	48" x 34" x 85" 121.9 x 86.4 x 215.9 cm	60" x 34" x 85" 152.4 x 86.4 x 215.9 cm KBT54 - side by side	60" x 34" x 97" 152.4 x 86.4 x 246.4 cm No bin top or KBT54 - side by side
N0422 N0622	400 600	22" x 34" x 73" 55.9 x 86.4 x 184.4 cm	30" x 34" x 59" 76.2 x 86.4 x 149.9 cm w/KBT27 top	30" x 34" x 73" 76.2 x 86.4 x 185.4 cm w/KBT27 top	42" x 34" x 73" 106.2 x 86.4 x 185.4 cm w/KBT39 top	48" x 34" x 73" 121.9 x 86.4 x 185.4 cm w/KBT38 top or KBT38-2x - side by side			
N0922 N1322	900 1300	22" x 34" x 77" 55.9 x 86.4 x 195.6 cm	30" x 34" x 63" 76.2 x 86.4 x 160.0 cm w/KBT27 top	30" x 34" x 77" 76.2 x 86.4 x 195.6 cm w/KBT27 top	42" x 34" x 77" 106.2 x 86.4 x 195.6 cm w/KBT39 top	48" x 34" x 77" 121.9 x 86.4 x 195.6 cm w/KBT38 top or KBT38-2x - side by side	48" x 34" x 85" 121.9 x 86.4 x 215.9 cm KBT62 - side by side	60" x 34" x 85" 152.4 x 86.4 x 215.9 cm KBT63 - side by side	60" x 34" x 97" 152.4 x 86.4 x 246.4 cm KBT63 - side by side
F0522 F0822	500 800	22" x 34" x 73" 55.9 x 86.4 x 184.4 cm	30" x 34" x 59" 76.2 x 86.4 x 149.9 cm w/KBT27 top	30" x 34" x 73" 76.2 x 86.4 x 185.4 cm w/KBT27 top	42" x 34" x 73" 106.2 x 86.4 x 185.4 cm w/KBT39 top	48" x 34" x 73" 121.9 x 86.4 x 185.4 cm w/KBT38 top or KBT38-2x - side by side	48" x 34" x 81" 121.9 x 86.4 x 205.7 cm KBT62 - side by side	60" x 34" x 81" 152.4 x 86.4 x 205.7 cm KBT63 - side by side	60" x 34" x 93" 152.4 x 86.4 x 236.2 cm KBT63 - side by side
F1222 F1522	1200 1500	22" x 34" x 77" 55.9 x 86.4 x 195.6 cm	30" x 34" x 63" 76.2 x 86.4 x 160.0 cm w/KBT27 top	30" x 34" x 77" 76.2 x 86.4 x 195.6 cm w/KBT27 top	42" x 34" x 77" 106.2 x 86.4 x 195.6 cm w/KBT39 top	48" x 34" x 77" 121.9 x 86.4 x 195.6 cm w/KBT38 top or KBT38-2x - side by side	48" x 34" x 85" 121.9 x 86.4 x 215.9 cm KBT62 - side by side	60" x 34" x 85" 152.4 x 86.4 x 215.9 cm KBT63 - side by side	60" x 34" x 97" 152.4 x 86.4 x 246.4 cm KBT63 - side by side
NME1854	1825				42" x 34" x 77" 106.2 x 86.4 x 195.6 cm	48" x 34" x 77" 121.9 x 86.4 x 195.6 cm w/KBT14A top	48" x 34" x 83" 121.9 x 86.4 x 210.8 cm	60" x 34" x 83" 152.4 x 86.4 x 210.8 cm	60" x 34" x 95" 152.4 x 86.4 x 241.3 cm
FME2404	2020				42" x 34" x 77" 106.2 x 86.4 x 195.6 cm	48" x 34" x 77" 121.9 x 86.4 x 195.6 cm w/KBT14A top	48" x 34" x 83" 121.9 x 86.4 x 210.8 cm	60" x 34" x 83" 152.4 x 86.4 x 210.8 cm	60" x 34" x 95" 152.4 x 86.4 x 241.3 cm
No bin top required when KBT not listed.									

## Ice Only Dispensers

## Hotel D-Bins

ABS	ID150	ID200	ID250	Cornelius ED300	HD22	HD30
150	150	200	250	300	120	180
	22" x 30 1/2" x 57 1/4" 55.9 x 77.5 x 145.4 cm w/KBT42 top	30" x 30 1/2" x 59" 76.2 x 77.5 x 149.9 cm w/KBT43 top	30" x 30 1/2" x 63" 76.2 x 77.5 x 160.0 cm w/KBT43 top		22" x 33 1/2" x 76 1/4" 55.9 x 85.1 x 193.7 cm	
	22" x 30 1/2" x 63 1/4" 55.9 x 77.5 x 160.7 cm w/KBT42 top	30" x 30 1/2" x 65" 76.2 x 77.5 x 165.1 cm w/KBT43 top	30" x 30 1/2" x 69" 76.2 x 77.5 x 175.3 cm w/KBT43 top		22" x 33 1/2" x 82 1/4" 55.9 x 85.1 x 208.9 cm	
		30" x 30 1/2" x 57 1/4" 76.2 x 77.5 x 145.4 cm w/KBT44 top	30" x 30 1/2" x 61 1/4" 76.2 x 77.5 x 155.6 cm w/KBT44 top	44" x 30 1/2" x 60" 112.7 x 77.5 x 152.4 cm w/Cornelius #629087943		30" x 33 1/2" x 76 1/4" 76.2 x 85.1 x 193.7 cm
		30" x 30 1/2" x 63 1/4" 76.2 x 77.5 x 160.7 cm w/KBT44 top	30" x 30 1/2" x 67 1/4" 76.2 x 77.5 x 170.8 cm w/KBT44 top	44 1/2" x 30 1/2" x 66" 112.7 x 77.5 x 170.8 cm w/Cornelius #629087943		
KBTABS	22" x 30 1/2" x 64 1/4" 55.9 x 77.5 x 163.2 cm w/KBT40A top	30" x 30 1/2" x 64 1/2" 76.2 x 77.5 x 163.2 cm w/KBT41 top	30" x 30 1/2" x 68 1/4" 76.2 x 77.5 x 173.4 cm w/KBT41 top	44 1/2" x 30 1/2" x 66" 112.7 x 77.5 x 167.6 cm w/KBT45 top		
		30" x 30 1/2" x 57 1/2" 76.2 x 77.5 x 145.4 cm w/KBT44 top	30" x 30 1/2" x 61 1/4" 76.2 x 77.5 x 145.4 cm w/KBT44 top	44 1/2" x 30 1/2" x 60 1/4" 112.7 x 77.5 x 153 cm w/Cornelius #629087943		
		30" x 30 1/2" x 63 1/4" 76.2 x 77.5 x 160.7 cm w/KBT44 top	30" x 30 1/2" x 67 1/4" 76.2 x 77.5 x 170.8 cm w/KBT44 top	44 1/2" x 30 1/2" x 66 1/4" 112.7 x 77.5 x 167.6 cm w/Cornelius #629087943		
	22" x 30 1/2" x 57 1/4" 55.9 x 77.5 x 145.4 cm w/KBT42 top, KNUGDIV	30" x 30 1/2" x 59" 76.2 x 77.5 x 149.9 cm w/KBT43 top KVS, KNUGDIV	30" x 30 1/2" x 63" 76.2 x 77.5 x 160.0 cm w/KBT43 top KVS, KNUGDIV	44 1/2" x 30 1/2" x 64" 112.7 x 77.5 x 152.4 cm KDIL-PN-ID3 w/Cornelius #629087966 and #629088644		
	22" x 30 1/2" x 61 1/4" 55.9 x 77.5 x 155.6 cm w/KBT42 top, KNUGDIV	30" x 30 1/2" x 63" 76.2 x 77.5 x 160.0 cm w/KBT43 top KVS, KNUGDIV	30" x 30 1/2" x 67" 76.2 x 77.5 x 170.2 cm w/KBT43 top KVS, KNUGDIV	44 1/2" x 30 1/2" x 64" 112.7 x 77.5 x 152.4 cm KDIL-PN-ID3 w/Cornelius #629087966 and #629088644		



# ENERGY QUICK FACTS FOR SCOTSMAN MODELS



Offering several Energy Star certified models, Scotsman ice machines incorporate superior designs that reduce energy and water consumption, making a difference for the environment and the bottom line.



All Scotsman models meet the 2018 Department of Energy standards, with most actually exceeding the minimum requirements. Every Scotsman, Exceeding Standards - Every Time.



Select Scotsman models can contribute to satisfying water and energy efficiency LEED® credits



Our goal is to deliver superior performance every day, from our award-winning, U.S.-based manufacturing and high-quality materials to user-friendly functionality and world-class service and support.

## ENERGY STAR CERTIFIED MODELS

Model	Rebate Eligible*
C0630MR-32	✓
C0630SR-32	✓
C1448MA-32	✓
C1448MA-3	✓
C1448SA-32	✓
C1448SA-3	✓
FS1222A-32	✓
FS1222A-3	✓
NS0922A-1	✓
NS0922A-32	✓
NS1322A-32	✓
UC2024MA-1	✓
UC2024SA-1	✓
UF0915A-1	✓
UF1415A-1	✓
UF2020A-1	✓
UN0815A-1	✓
UN1215A-1	✓
UN1520A-1	✓

\*Rebates available through local utility companies. Visit [www.energystar.gov](http://www.energystar.gov) for more information.

## PRODUCT FAMILY AVERAGES

### AIR COOLED



Product Family	% Improvement Over Prior Models:	Exceeds DOE Standard By:
Cube	7%	7%
Nugget	6%	16%
Flake	12%	12%

### WATER COOLED



Product Family	% Improvement Over Prior Models:	Exceeds DOE Standard By:
Cube	5%	7%
Nugget	9%	14%
Flake	6%	9%

### REMOTE COOLED



Product Family	% Improvement Over Prior Models:	Exceeds DOE Standard By:
Cube	3%	5%
Nugget	9%	11%
Flake	6%	4%
All Models	6%	9%

# INDEX

3BRTE20-EH.....PG. 14	C0522SW-32.....PG. 10	C1448SA-3.....PG. 11
3BRTE35-EH.....PG. 14	<b>C0530MA-1*</b> .....PG. 10	<b>C1448SA-32*</b> .....PG. 11
3BRTE50-EH.....PG. 14	C0530MA-32.....PG. 10	C1448SA-6.....PG. 11
3BRTE75-EH.....PG. 14	C0530MA-6.....PG. 10	<b>C1448SR-32*</b> .....PG. 11
ADS-AB6.....PG. 31	C0530MR-1.....PG. 10	C1448SR-3.....PG. 11
AP1-P.....PG. 31	C0530MW-1.....PG. 10	C1448SW-32.....PG. 11
AP2-P.....PG. 31	<b>C0530SA-1*</b> .....PG. 10	C1448SW-3.....PG. 11
AP3-P.....PG. 31	C0530SA-32.....PG. 10	<b>C1848MA-32*</b> .....PG. 11
APRC1-P.....PG. 31	C0530SA-6.....PG. 10	C1848MA-6.....PG. 11
APRC6-P.....PG. 31	C0530SR-1.....PG. 10	C1848MR-3.....PG. 11
<b>B322S*</b> .....PG. 28	C0530SW-1.....PG. 10	C1848MR-32.....PG. 11
<b>B330P*</b> .....PG. 28	C0630MA-32.....PG. 10	C1848MR-6.....PG. 11
<b>B530P*</b> .....PG. 28	C0630MA-6.....PG. 10	C1848MW-32.....PG. 11
<b>B530S*</b> .....PG. 28	C0630MR-32.....PG. 10	C1848SA-32.....PG. 11
B842S.....PG. 28	C0630MW-32.....PG. 10	C1848SA-6.....PG. 11
<b>B948S*</b> .....PG. 28	C0630SA-32.....PG. 10	C1848SR-3.....PG. 11
BC0530A-1.....PG. 8	C0630SA-6.....PG. 10	C1848SR-32.....PG. 11
BGS10.....PG. 29	C0630SR-32.....PG. 10	C1848SR-6.....PG. 11
BH1100BB-A.....PG. 28	C0630SW-32.....PG. 10	C1848SW-32.....PG. 11
BH1100SS-A.....PG. 28	C0722MA-32.....PG. 10	C2148MR-3.....PG. 11
BH1300BB-A.....PG. 28	C0722MA-6.....PG. 10	C2148MR-32.....PG. 11
BH1300SS-A.....PG. 28	C0722SA-32.....PG. 10	C2148MR-6.....PG. 11
BH1600BB-A.....PG. 28	C0722SA-6.....PG. 10	C2148SR-3.....PG. 11
BH1600SS-A.....PG. 28	C0830MA-3.....PG. 11	C2148SR-32.....PG. 11
BRTE10.....PG. 12, 22	C0830MA-32.....PG. 11	C2148SR-6.....PG. 11
BRTE25.....PG. 12, 22	C0830MA-6.....PG. 11	C2648MR-3.....PG. 11
BRTE40.....PG. 12, 22	C0830MR-32.....PG. 11	C2648SR-3.....PG. 11
BRTE75.....PG. 12, 22	C0830MW-32.....PG. 11	<b>CU0415MA-1*</b> .....PG. 16
BRTEL25.....PG. 12	C0830SA-32.....PG. 11	CU0415MA-6.....PG. 16
BRTEL40.....PG. 12	C0830SA-3.....PG. 11	CU0515GA-1.....PG. 14
BRTEL75.....PG. 12	C0830SA-32.....PG. 11	<b>CU0715MA-1*</b> .....PG. 16
<b>C0322MA-1*</b> .....PG. 10	C0830SR-6.....PG. 11	CU0715MA-6.....PG. 16
C0322MA-32.....PG. 10	C0830SR-32.....PG. 11	<b>CU0920MA-1*</b> .....PG. 16
C0322MA-6.....PG. 10	C0830SW-32.....PG. 11	CU0920MA-6.....PG. 16
C0322MW-1.....PG. 10	<b>C1030MA-32*</b> .....PG. 11	CU3030MA-1.....PG. 16
<b>C0322SA-1*</b> .....PG. 10	C1030MA-6.....PG. 11	CU3030MA-32.....PG. 16
C0322SA-6.....PG. 10	C1030MR-32.....PG. 11	CU3030MA-6.....PG. 16
C0322SW-1.....PG. 10	C1030MR-3.....PG. 11	CU3030SA-1.....PG. 16
C0322SW-32.....PG. 10	C1030MW-32.....PG. 11	CU3030SA-32.....PG. 16
<b>C0330MA-1*</b> .....PG. 10	<b>C1030SA-32*</b> .....PG. 11	CU3030SA-6.....PG. 16
C0330MA-32.....PG. 10	C1030SA-6.....PG. 11	CU3030SW-1.....PG. 16
C0330MW-1.....PG. 10	C1030SR-3.....PG. 11	<b>CU50GA-1*</b> .....PG. 14
<b>C0330SA-1*</b> .....PG. 10	C1030SR-32.....PG. 11	<b>CU50PA-1*</b> .....PG. 14
C0330SW-1.....PG. 10	C1030SR-6.....PG. 11	ECC0800-3.....PG. 13, 14
<b>C0522MA-1*</b> .....PG. 10	C1030SW-32.....PG. 11	ECC0800-6.....PG. 13, 14
C0522MA-32.....PG. 10	C1448MA-3.....PG. 11	ECC1200-32.....PG. 13, 14
C0522MA-6.....PG. 10	<b>C1448MA-32*</b> .....PG. 11	ECC1410-32.....PG. 13, 14
C0522MW-1.....PG. 10	C1448MA-6.....PG. 11	ECC1410-3.....PG. 13, 14
<b>C0522SA-1*</b> .....PG. 10	C1448MR-32.....PG. 11	ECC1800-3.....PG. 13, 14
C0522SA-32.....PG. 10	C1448MR-3.....PG. 11	EH222SL-1.....PG. 13
C0522SA-6.....PG. 10	C1448MW-32.....PG. 11	EH222SL-6.....PG. 13
C0522SW-1.....PG. 10	C1448MW-3.....PG. 11	EH330SL-1.....PG. 13

EH430ML-1.....	PG. 13	ICS-TOTE.....	PG. 29	KPUFM30.....	PG. 16
EH430SL-1.....	PG. 13	ID150B-1.....	PG. 27	KSBUS.....	PG. 12, 22
ERC111-1.....	PG. 12, 22	ID200B-1.....	PG. 27	KSBUS-N.....	PG. 12, 22
<b>ERC311-32*</b> .....	PG. 12, 22	ID250B-1.....	PG. 27	KSEALER.....	PG. 29
ERC311-6.....	PG. 12, 22	IOBDMS22.....	PG. 28	KTAPE.....	PG. 29
ERC611-32.....	PG. 12	IOBDMS30.....	PG. 28	KTE4.....	PG. 12, 22
FME2404AS-32.....	PG. 21	KBAG.....	PG. 29	KTE6-EH.....	PG. 14
FME2404RLS-32.....	PG. 21	KBC1.....	PG. 29	KTEL4.....	PG. 12
<b>FS0522A-1*</b> .....	PG. 18	KBC1P.....	PG. 29	KTPS-SM.....	PG. 12
FS0522W-1.....	PG. 18	KBCSTK30.....	PG. 8	KUFM15.....	PG. 16, 24
<b>FS0822A-1*</b> .....	PG. 18	KBT14A.....	PG. 30	KUFM20.....	PG. 16, 24
FS0822R-1.....	PG. 18	KBT22B.....	PG. 30	KUFM24.....	PG. 16, 24
FS0822W-1.....	PG. 18	KBT27.....	PG. 30	KVS.....	PG. 12, 22
FS0822W-32.....	PG. 18	KBT29.....	PG. 30	KWGFID.....	PG. 28
FS1222A-3.....	PG. 18	KBT31.....	PG. 30	NH0422A-1.....	PG. 20
FS1222A-32.....	PG. 18	KBT32.....	PG. 30	NH0422W-1.....	PG. 20
FS1222A-6.....	PG. 18	KBT38.....	PG. 30	NH0622A-1.....	PG. 20
FS1222L-1.....	PG. 21	KBT38-2X.....	PG. 30	NH0622A-32.....	PG. 20
FS1222R-3.....	PG. 18	KBT39.....	PG. 30	NH0622R-1.....	PG. 20
FS1222R-32.....	PG. 18	KBT40A.....	PG. 30	NH0622W-1.....	PG. 20
FS1222W-32.....	PG. 18	KBT41.....	PG. 30	NH0922A-1.....	PG. 20
FS1522A-32.....	PG. 18	KBT42.....	PG. 30	NH0922A-32.....	PG. 20
FS1522L-1.....	PG. 21	KBT43.....	PG. 30	NH0922L-1.....	PG. 21
FS1522R-32.....	PG. 18	KBT44.....	PG. 30	NH0922R-1.....	PG. 20
<b>HD22B-1*</b> .....	PG. 27	KBT45.....	PG. 30	NH0922R-32.....	PG. 20
HD22B-6.....	PG. 27	KBT50.....	PG. 30	NH0922W-32.....	PG. 20
<b>HD30B-1*</b> .....	PG. 27	KBT51.....	PG. 30	NH1322A-32.....	PG. 20
HD30B-6.....	PG. 27	KBT52.....	PG. 30	NH1322L-1.....	PG. 21
HD30W-1.....	PG. 27	KBT53.....	PG. 30	NH1322R-32.....	PG. 20
<b>HID312A-1*</b> .....	PG. 26	KBT54.....	PG. 30	NH1322W-3.....	PG. 20
HID312A-6.....	PG. 26	KBT62.....	PG. 30	NH1322W-32.....	PG. 20
HID312AW-1.....	PG. 26	KBT63.....	PG. 30	NME1854RS-32.....	PG. 21
<b>HID525A-1*</b> .....	PG. 26	KBTABS.....	PG. 30	N RTE45.....	PG. 22
HID525A-6.....	PG. 26	KCMR-230.....	PG. 22	<b>NS0422A-1*</b> .....	PG. 20
HID525AW-1.....	PG. 26	KDIL-PN-150.....	PG. 30	NS0422W-1.....	PG. 20
HID525W-1.....	PG. 26	KDIL-PN-200.....	PG. 30	<b>NS0622A-1*</b> .....	PG. 20
<b>HID540A-1*</b> .....	PG. 26	KDIL-PN-250.....	PG. 30	NS0622A-32.....	PG. 20
HID540A-6.....	PG. 26	KDIL-PN-ID3.....	PG. 30	NS0622A-6.....	PG. 20
HID540AW-1.....	PG. 26	KERCF.....	PG. 12, 22	NS0622R-1.....	PG. 20
HID540W-1.....	PG. 26	KFSMF.....	PG. 30	NS0622W-1.....	PG. 20
HST16-A.....	PG. 26	KFSTM.....	PG. 30	NS0922A-1.....	PG. 20
HST16B-A.....	PG. 26	KHOLDER.....	PG. 29	<b>NS0922A-32*</b> .....	PG. 20
HST21-A.....	PG. 26	KLP24A.....	PG. 26	NS0922A-6.....	PG. 20
HST21B-A.....	PG. 26	KLP7.....	PG. 29	NS0922L-1.....	PG. 21
ICS-1.....	PG. 29	KLP8S.....	PG. 29	NS0922R-1.....	PG. 20
ICS-2.....	PG. 29	KNUGDIV.....	PG. 28	<b>NS0922R-32*</b> .....	PG. 20
ICS-3.....	PG. 29	KPAS.....	PG. 12, 22	NS0922W-3.....	PG. 20
ICS-3-SL.....	PG. 29	KPFHM-E.....	PG. 22	NS0922W-32.....	PG. 20
ICS-CP.....	PG. 29	KPPSA223.....	PG. 12	NS1322A-32.....	PG. 20
ICS-DIVIDE.....	PG. 29	KPPSA229.....	PG. 12	NS1322L-1.....	PG. 21
ICS-PADDLE.....	PG. 29	KPPSA323.....	PG. 12	<b>NS1322R-32*</b> .....	PG. 20
ICS-SHOVEL.....	PG. 29	KPPSA329.....	PG. 12	NS1322W-3.....	PG. 20



NS1322W-32 . . . . .	PG. 20
PR2C240-32 . . . . .	PG. 22
PRC241-32 . . . . .	PG. 12
RCKCME6GX-E . . . . .	PG. 12
SC10-A . . . . .	PG. 32
SC10RC40 . . . . .	PG. 32
SC20-A . . . . .	PG. 32
SC20RC20 . . . . .	PG. 32
SSM1-P . . . . .	PG. 32
SSM2-P . . . . .	PG. 32
SSM3-P . . . . .	PG. 32
SSMRC1 . . . . .	PG. 32
SSMRC6 . . . . .	PG. 32
UC2024MA-1 . . . . .	PG. 16
UC2024MW-1 . . . . .	PG. 16
UC2024SA-1 . . . . .	PG. 16
UC2024SW-1 . . . . .	PG. 16
UC2724MA-1 . . . . .	PG. 16
UC2724MA-6 . . . . .	PG. 16
UC2724MW-1 . . . . .	PG. 16
UC2724SA-1 . . . . .	PG. 16
UC2724SA-6 . . . . .	PG. 16
UC2724SW-1 . . . . .	PG. 16
UF0915A-1 . . . . .	PG. 24
UF1415A-1 . . . . .	PG. 24
UF2020A-1 . . . . .	PG. 24
<b>UF424A-1*</b> . . . . .	PG. 24
UF424A-6 . . . . .	PG. 24
UF424W-1 . . . . .	PG. 24
UN0815A-1 . . . . .	PG. 24
UN1215A-1 . . . . .	PG. 24
UN1520A-1 . . . . .	PG. 24
<b>UN324A-1*</b> . . . . .	PG. 24
UN324A-6 . . . . .	PG. 24
UN324W-1 . . . . .	PG. 24
XR-30 . . . . .	PG. 31

# COMMERCIAL PRODUCTS

Effective February 1, 2020

The List Price Schedule is intended only as a guideline to pricing. It does not restrict the price a distributor or dealer may establish. Pricing and specifications subject to change without notice.



## Warranty\*

### Prodigy Plus®, Eclipse® Cubers, iceValet® Hotel Dispensers & Bins

(EH, ERC, ECC, HD, BH, B, C0, C1, C2, CB & PR)

3 years parts

3 years labor

5 years parts & labor on Prodigy Evaporator, BH1100, BH1300, BH1600 & ICS systems

5 years parts on compressor & condenser

### Prodigy Plus® & AutoSentry™ Flake & Nugget Ice Machines

(FM, NM, FS, NH & NS)

3 years parts

3 years labor

5 years parts on compressor

### 15" & 20" Wide Undercounter Ice Machines

(CU0415, CU0715, CU0920, UF0915, UF1415, UF2020, UN0815, UN1215, UN1520)

3 years parts

3 years labor

### 24" Wide Undercounter Ice Machines

(UC2024, UC2724, UF424, UN324)

3 years parts

3 years labor

5 years parts on compressor

### Undercounter Gourmet Ice Machines

(CU50)

1 years parts

1 years labor

5 years parts on compressor

(CU0515)

3 years parts

3 years labor

5 years parts on compressor & condenser

### Undercounter Cube Ice Machine

(CU3030)

3 years parts

3 years labor

5 years parts & labor on the evaporator

5 years parts on compressor & condenser

### Meridian™ Ice & Water Dispensers

(HID)

3 years parts

3 years labor

5 years parts on compressor & condenser

### Water Filtration Systems

(SSM & AP)

5 years on manifold parts only (SSMx-P & SCx0-A)

### Ice Only Dispensers

(ID)

2 years parts

1 years labor

### Modular Big Cube Ice Machine

(BC0530)

3 years parts

3 years labor

5 years parts on the evaporator & compressor

\* Warranty valid in North, South & Central America for commercial installations.

Residential warranty on commercial products: 1 year parts and labor.



## Definitions

- Maximum production capabilities are typical peak production for 24 hours at 70°F/21°C air and 50°F/10°C water
- AHRI certified production capabilities are typical peak production for 24 hours at 90°F/32°C air and 70°F/21°C water
- Maximum capacity is based on 90% of total volume in cubic feet x 34 lb/ft
- (SS) Stainless Steel
- (RC) Rotocast Plastic
- (R-Air) Remote Air
- (RLS) Remote Lowside
- Freight F.O.B. Fairfax, South Carolina and Denver, Colorado

# Scotsman®



@ScotsmanIceSystems

• 101 Corporate Woods Parkway, Vernon Hills, IL 60061 • 1-800-SCOTSMAN • Fax: 847-913-9844 • [www.scotsman-ice.com](http://www.scotsman-ice.com) • [customer.relations@scotsman-ice.com](mailto:customer.relations@scotsman-ice.com) •

© 2020 Scotsman Ice Systems.

SIS-PL-COMIN20 09-20

an Ali Group Company



The Spirit of Excellence